



[www.westlaketyre.com/eu](http://www.westlaketyre.com/eu)



[www.facebook.com/westlaketyreglobal](https://www.facebook.com/westlaketyreglobal)



ZHONGCE RUBBER GROUP CO., LTD.



[www.zc-rubber.com](http://www.zc-rubber.com)



[www.facebook.com/zcrubber](https://www.facebook.com/zcrubber)



[www.twitter.com/zc\\_rubber](https://www.twitter.com/zc_rubber)



[www.linkedin.com/company/zcrubber](https://www.linkedin.com/company/zcrubber)

# WEST LAKE TYRE CATALOGUE

Passenger Car, SUV and Light Truck

TYRE CATALOGUE

Passenger Car, SUV and Light Truck







- A Company Established in Year 1958
- No. 1 Tyre Manufacturer in China
- No. 9 of Top 75 Global Tyre Manufacturers in Year 2021
- Sale Revenue Reached USD3.896 Billion in Year 2020

Zhongce Rubber Group Co., Ltd (ZC RUBBER) is a global tyre company based in Hangzhou, China and was founded in 1958. Over our more than 60 years of history, we experienced continuous growth in quality and reputation to become the Top 10 tyre manufacturer worldwide today.

Our engineers with our international R&D team focus on constant technological development and innovation spending millions of US dollars in research and development each year and upgrading our production and testing facilities. The ET Industrial Brain in the production process promises our smart production and guarantee tires with high quality, safety, and value with maximum efficiency.

We have formed an extensive global service network of about 1,200 distributors with 250,000 sales locations in 160 countries. Our subsidiaries in Thailand, Germany, Brazil, and the United States serve customers without any difference in time and language. We are dedicated to better support our suppliers, distributors, and customers through a one-stop service.

Safe and Value are always the key of our company. We take pride in the superior quality of our tyre products and the first-rate services. We are still endeavoring to become one of the most respected tyre manufacturers globally and craft a better future with all partners and friends.



China Compulsory Certification



US DOT Certification



European E-MARK Certification



SNI Certification of Indonesia



BIS Certification of India



INMETRO Certification of Brazil







ZC Rubber America



ZC Rubber Brazil



ZC Rubber Europe



ZC Rubber Thailand



ZC Rubber Headquarter

- ZC Rubber Chaoyang
- ZC Rubber Jiande
- ZC Rubber Fuyang
- ZC Rubber Qingquan
- ZC Rubber Yonggu
- ZC Rubber Anji
- ZC Rubber Jintan
- ZC Rubber Recycle Tech Co., Ltd.



# WEST LAKE CONTENTS

Passenger Car, SUV and Light Truck Tyres

**ULTRA HIGH PERFORMANCE (UHP)** 07-16  
RS DS II Z-007 SA-37 SA-57

**PASSENGER** 17-18  
Z-107

**SUV / LTR** 19-26  
Z-007 SU318 SL369 SL366

**COMMERCIAL LTR** 27-30  
SC328 H188

**ALL SEASON** 31-34  
Z-401 SW613

**WINTER** 35-48  
Z-507 SW608 SW658 SW618 SW612 Z-506 SW606

**TRAILER** 49-50  
TRAILER MAX

**TECHNICAL INFORMATION** 51-65

**EU TYRE LABEL** 66

**TYRE KNOWLEDGE** 67-73



# SPORT RS



## Benefits and Features

- Ideal drifting tyre with special design and components based on competition experiences
- Asymmetric tread design with big pattern blocks and special compound provides superior grip ability
- Continuous center rib generates better grip in dry conditions and enhances high-speed stability



Sport



Braking



Silica



Asymmetric

|              |         |
|--------------|---------|
| Rim Size     | 15 - 20 |
| Series       | 30 - 50 |
| Speed Rating | V - W   |

# SPORT RS

| Rim (inch) | Size          | Service Index | Standard Rim | W | S | YdB                        | Rim (inch)                 | Size                       | Service Index | Standard Rim | W | S | YdB |   |
|------------|---------------|---------------|--------------|---|---|----------------------------|----------------------------|----------------------------|---------------|--------------|---|---|-----|---|
| 15"        | 195/50R15     | 82V           | 6.0J         | / | / | /                          | 18"                        | 265/35ZR18 XL <b>RS II</b> | 97W           | 9.5J         | / | / | /   |   |
|            | 205/50R15 XL  | 89V           | 6.5J         | / | / | /                          |                            | 285/35ZR18 XL <b>RS II</b> | 101W          | 10.0J        | / | / | /   |   |
| 16"        | 205/45ZR16 XL | 87W           | 7.0J         | / | / | /                          | 225/40ZR18 XL              | 92W                        | 8.0J          | /            | / | / | /   |   |
|            | 225/50R16 XL  | 96W           | 7.0J         | / | / | /                          | 235/40ZR18 XL <b>RS II</b> | 95W                        | 8.5J          | /            | / | / | /   |   |
| 17"        | 235/40ZR17    | 90W           | 8.5J         | / | / | /                          | 19"                        | 275/30ZR19 XL              | 96W           | 9.5J         | / | / | /   | / |
|            | 245/40ZR17 XL | 95W           | 8.5J         | / | / | /                          |                            | 235/35ZR19 XL              | 91W           | 8.5J         | / | / | /   | / |
|            | 215/45ZR17    | 87W           | 7.0J         | / | / | /                          | 285/35ZR19 XL              | 103W                       | 10.0J         | /            | / | / | /   |   |
|            | 225/45ZR17 XL | 94W           | 7.5J         | / | / | /                          | 20"                        | 285/35ZR20 XL <b>RS II</b> | 104W          | 10.0J        | / | / | /   | / |
| 235/45ZR17 | 94W           | 8.0J          | /            | / | / | 255/40ZR20 XL <b>RS II</b> |                            | 101W                       | 9.0J          | /            | / | / | /   |   |






# SPORT DS II



## Benefits and Features

- Ideal drifting tyre with special design and components based on competition experiences
- Directional pattern design provides outstanding handling and superior grip ability
- Continuous center rib generates better grip in dry conditions and enhances high-speed stability



|              |         |
|--------------|---------|
| Rim Size     | 17 - 18 |
| Series       | 35 - 45 |
| Speed Rating | W       |

# SPORT DS II

| Rim (inch) | Size          | Service Index | Standard Rim | 🏎️ | 🌧️ | 🔊 | Rim (inch) | Size          | Service Index | Standard Rim | 🏎️ | 🌧️ | 🔊 |
|------------|---------------|---------------|--------------|----|----|---|------------|---------------|---------------|--------------|----|----|---|
| 17"        | 245/40ZR17 XL | 95W           | 8.5J         | /  | /  | / | 18"        | 255/35ZR18 XL | 94W           | 9.0J         | /  | /  | / |
|            | 255/40ZR17 XL | 98W           | 9.0J         | /  | /  | / |            | 265/35ZR18 XL | 97W           | 9.5J         | /  | /  | / |
|            | 225/45ZR17 XL | 94W           | 7.5J         | /  | /  | / |            | 235/40ZR18 XL | 95W           | 8.5J         | /  | /  | / |









# SPORT SA-37

# SPORT SA-37




## Benefits and Features

- New generation of asymmetric ultra high performance tyre for summer
- SILICA TECH compound helps to enhance wet grip providing shorter braking distance
- Strong center rib guarantees excellent handling on both wet and dry roads and on-center feel

## ZC Rubber RunFlat Tyres ( ZRT )

- ADVANCED CARCASS STRUCTURE**  
Enhance the tyre body and avoid possible tyre failure during low pressure driving
- SPECIAL REINFORCED SIDEWALL CONSTRUCTION**  
Supporting the tyres even if the air pressure dropped to zero
- ZC Rubber first generation RunFlat tyres with extraordinary performance in low air pressure situation



M+S

|              |         |
|--------------|---------|
| Rim Size     | 15 - 24 |
| Series       | 30 - 65 |
| Speed Rating | H - Y   |

| Rim (inch)       | Size              | Service Index | Standard Rim | ABC | XYZ    | YdB           | Rim (inch)       | Size             | Service Index | Standard Rim | ABC  | XYZ    | YdB    |        |
|------------------|-------------------|---------------|--------------|-----|--------|---------------|------------------|------------------|---------------|--------------|------|--------|--------|--------|
| 15"              | 185/65R15         | 88H           | 5.5J         | D   | B      | 70 / B        | 18"              | 235/50R18 XL     | 101V          | 7.5J         | C    | B      | 72 / B |        |
|                  | 195/65R15         | 91V           | 6.0J         | D   | B      | 71 / B        |                  | 245/50R18        | 100W          | 7.5J         | C    | B      | 71 / B |        |
| 16"              | 195/45R16 XL      | 84V           | 6.5J         | D   | B      | 72 / B        | 245/50R18 ZRT    | 100W             | 7.5J          | D            | B    | 71 / 2 |        |        |
|                  | 205/50R16         | 87W           | 6.5J         | D   | B      | 71 / B        | 215/55R18 XL     | 99V              | 7.0J          | C            | B    | 72 / B |        |        |
|                  | 225/50R16         | 92W           | 7.0J         | D   | B      | 71 / B        | 255/55R18 XL ZRT | 109V             | 8.0J          | D            | B    | 72 / B |        |        |
|                  | 205/55R16         | 91V           | 6.5J         | D   | B      | 71 / B        | 19"              | 265/30ZR19 XL    | 93Y           | 9.5J         | D    | B      | 73 / B |        |
|                  | 205/55R16 XL      | 94W           | 6.5J         | D   | B      | 72 / B        |                  | 275/30ZR19 XL    | 96Y           | 9.5J         | D    | B      | 73 / B |        |
|                  | 215/55R16         | 93V           | 7.0J         | D   | B      | 71 / B        |                  | 235/35ZR19 XL    | 91Y           | 8.5J         | D    | B      | 72 / B |        |
|                  | 225/55R16 XL      | 99W           | 7.0J         | D   | B      | 72 / B        |                  | 245/35ZR19 XL    | 93Y           | 8.5J         | D    | B      | 72 / B |        |
|                  | 225/55R16 XL ZRT  | 99W           | 7.0J         | D   | B      | 72 / 2        |                  | 255/35ZR19 XL    | 96Y           | 9.0J         | D    | B      | 73 / B |        |
| 17"              | 205/40ZR17 XL     | 84Y           | 7.5J         | D   | B      | 72 / B        |                  | 275/35ZR19 XL    | 100W          | 9.5J         | D    | B      | 73 / B |        |
|                  | 215/40ZR17 XL     | 87Y           | 7.5J         | D   | B      | 72 / B        |                  | 275/35R19 XL ZRT | 100W          | 9.5J         | D    | B      | 73 / B |        |
|                  | 245/40ZR17 XL     | 95Y           | 8.5J         | D   | B      | 72 / B        |                  | 225/40ZR19 XL    | 93Y           | 8.0J         | D    | B      | 72 / B |        |
|                  | 205/45ZR17 XL     | 88Y           | 7.0J         | D   | B      | 72 / B        | 235/40ZR19       | 96Y              | 8.5J          | D            | B    | 71 / B |        |        |
|                  | 215/45ZR17 XL     | 91Y           | 7.0J         | D   | B      | 72 / B        | 245/40ZR19 XL    | 98Y              | 8.5J          | D            | B    | 72 / B |        |        |
|                  | 225/45ZR17 XL     | 94Y           | 7.5J         | D   | B      | 72 / B        | 245/40ZR19 ZRT   | 94Y              | 8.5J          | D            | B    | 72 / B |        |        |
|                  | 225/45R17 XL ZRT  | 94W           | 7.5J         | D   | B      | 72 / 2        | 255/40ZR19 XL    | 100Y             | 9.0J          | C            | B    | 73 / B |        |        |
|                  | 235/45ZR17 XL     | 97Y           | 8.0J         | D   | B      | 72 / B        | 275/40R19 ZRT    | 101W             | 9.5J          | D            | B    | 72 / 2 |        |        |
|                  | 245/45ZR17 XL     | 99W           | 8.0J         | D   | B      | 72 / B        | 225/45ZR19 XL    | 96Y              | 7.5J          | D            | B    | 72 / B |        |        |
|                  | 255/45ZR17 XL     | 102W          | 8.5J         | D   | B      | 73 / B        | 245/45ZR19       | 98Y              | 8.0J          | D            | B    | 71 / B |        |        |
|                  | 205/50R17 XL      | 93W           | 6.5J         | C   | B      | 72 / B        | 245/45ZR19 ZRT   | 98Y              | 8.0J          | D            | B    | 71 / 2 |        |        |
|                  | 215/50R17 XL      | 95W           | 7.0J         | C   | B      | 72 / B        | 255/45ZR19 XL    | 104Y             | 8.5J          | D            | B    | 73 / B |        |        |
|                  | 225/50R17 XL      | 98W           | 7.0J         | D   | B      | 72 / B        | 235/50R19        | 99W              | 7.5J          | C            | B    | 71 / B |        |        |
|                  | 225/50R17 XL ZRT  | 98W           | 7.0J         | D   | B      | 72 / 2        | 255/50R19 XL ZRT | 107W             | 8.0J          | D            | B    | 73 / B |        |        |
|                  | 235/50R17         | 96V           | 7.5J         | D   | B      | 71 / B        | 20"              | 225/30ZR20 XL    | 85Y           | 8.0J         | D    | B      | 72 / B |        |
|                  | 205/55R17 XL      | 95W           | 6.5J         | D   | B      | 72 / B        |                  | 225/35ZR20 XL    | 90W           | 8.0J         | D    | B      | 72 / B |        |
| 215/55R17 XL     | 98W               | 7.0J          | C            | B   | 72 / B | 245/35ZR20 XL |                  | 95Y              | 8.5J          | D            | B    | 72 / B |        |        |
| 225/55R17 XL     | 101W              | 7.0J          | C            | B   | 72 / B | 255/35ZR20 XL |                  | 97W              | 9.0J          | C            | B    | 73 / B |        |        |
| 225/55R17 XL ZRT | 101W              | 7.0J          | D            | B   | 72 / 2 | 275/35ZR20 XL |                  | 102W             | 9.5J          | D            | B    | 73 / B |        |        |
| 235/55R17 XL     | 103W              | 7.5J          | C            | B   | 72 / B | 245/40ZR20 XL |                  | 99W              | 8.5J          | D            | B    | 72 / B |        |        |
| 18"              | 215/35ZR18 XL     | 84W           | 7.5J         | D   | B      | 72 / B        |                  | 245/45ZR20       | 99W           | 8.0J         | D    | B      | 71 / B |        |
|                  | 225/35ZR18 XL     | 87Y           | 8.0J         | D   | B      | 72 / B        |                  | 255/45ZR20 XL    | 105W          | 8.5J         | C    | B      | 73 / B |        |
|                  | 245/35ZR18 XL     | 92W           | 8.5J         | D   | B      | 72 / B        | 255/45R20 XL ZRT | 105W             | 8.5J          | D            | B    | 73 / B |        |        |
|                  | 265/35ZR18 XL     | 97Y           | 9.5J         | D   | B      | 73 / B        | 265/45ZR20 XL    | 108W             | 9.0J          | C            | B    | 73 / B |        |        |
|                  | 215/40ZR18 XL     | 89Y           | 7.5J         | D   | B      | 72 / B        | 245/50R20        | 102W             | 7.5J          | C            | B    | 71 / B |        |        |
|                  | 225/40ZR18 XL     | 92Y           | 8.0J         | D   | B      | 72 / B        | 265/50R20 XL     | 111W             | 8.5J          | C            | B    | 73 / B |        |        |
|                  | 235/40ZR18 XL     | 95Y           | 8.5J         | D   | B      | 72 / B        | 275/50R20 XL     | 113W             | 8.5J          | B            | B    | 73 / B |        |        |
|                  | 245/40ZR18 XL     | 97Y           | 8.5J         | D   | B      | 72 / B        | 235/55R20 XL     | 105W             | 7.5J          | C            | B    | 72 / B |        |        |
|                  | 245/40R18 XL ZRT  | 97W           | 8.5J         | D   | B      | 72 / B        | 255/55R20 XL     | 110W             | 8.0J          | C            | B    | 73 / B |        |        |
|                  | 255/40ZR18 XL     | 99Y           | 9.0J         | C   | B      | 73 / B        | 21"              | 295/35ZR21 XL    | 107Y          | 10.5J        | C    | B      | 75 / B |        |
|                  | 255/40ZR18 XL ZRT | 99Y           | 9.0J         | D   | B      | 73 / B        |                  | 265/40ZR21 XL    | 105W          | 9.5J         | C    | B      | 73 / B |        |
|                  | 215/45ZR18 XL     | 93Y           | 7.0J         | D   | B      | 72 / B        |                  | 315/40ZR21       | 111Y          | 11.0J        | C    | B      | 74 / B |        |
|                  | 225/45ZR18 XL     | 95Y           | 7.5J         | D   | B      | 72 / B        |                  | 265/45ZR21       | 104W          | 9.0J         | C    | B      | 72 / B |        |
|                  | 225/45R18 XL ZRT  | 95W           | 7.5J         | D   | B      | 72 / B        |                  | 275/45ZR21 XL    | 110Y          | 9.0J         | C    | B      | 73 / B |        |
|                  | 235/45ZR18 XL     | 98Y           | 8.0J         | D   | B      | 71 / B        |                  | 22"              | 235/30ZR22 XL | 90Y          | 8.5J | D      | B      | 72 / B |
|                  | 245/45ZR18 XL     | 100Y          | 8.0J         | D   | B      | 72 / B        |                  |                  | 245/30ZR22 XL | 92Y          | 8.5J | D      | B      | 72 / B |
| 245/45R18 ZRT    | 96W               | 8.0J          | D            | B   | 72 / 2 | 285/45R22 XL  |                  |                  | 114V          | 9.5J         | D    | B      | 75 / B |        |
| 255/45ZR18       | 99W               | 8.5J          | D            | B   | 72 / B | 24"           | 255/30ZR24 XL    |                  | 97Y           | 9.0J         | D    | B      | 73 / B |        |
| 255/50R18        | 95W               | 7.0J          | D            | B   | 71 / B |               |                  |                  |               |              |      |        |        |        |

ZRT ZC Rubber RunFlat Tyres




# ZUPERACE SA-57



## Benefits and Features

- New generation of directional Ultra High Performance tyre
- Circumferential V-grooves ensure outstanding water drainage
- Strong center ribs provides remarkable handling while steering
- Improved SILICA compounding enhance the wet and dry grip



M+S

|              |         |
|--------------|---------|
| Rim Size     | 15 - 24 |
| Series       | 35 - 60 |
| Speed Rating | V - W   |

# ZUPERACE SA-57

| Rim (inch)   | Size          | Service Index | Standard Rim | Wet Traction | Directional | XYdB         | Rim (inch)    | Size          | Service Index | Standard Rim | Wet Traction | Directional | XYdB   |
|--------------|---------------|---------------|--------------|--------------|-------------|--------------|---------------|---------------|---------------|--------------|--------------|-------------|--------|
| 15"          | 195/50R15     | 82V           | 6.0J         | D            | B           | 71 / B       | 18"           | 225/45ZR18 XL | 95W           | 7.5J         | D            | B           | 72 / B |
|              | 195/55R15     | 85V           | 6.0J         | D            | B           | 71 / B       |               | 235/45ZR18 XL | 98W           | 8.0J         | D            | B           | 72 / B |
| 16"          | 205/50R16     | 87W           | 6.5J         | D            | B           | 71 / B       | 245/45ZR18 XL | 100W          | 8.0J          | D            | B            | 72 / B      |        |
|              | 225/50R16     | 92W           | 7.0J         | D            | B           | 71 / B       | 225/50R18     | 95W           | 7.0J          | D            | B            | 71 / B      |        |
|              | 205/55R16 XL  | 94W           | 6.5J         | D            | B           | 72 / B       | 235/50R18 XL  | 101W          | 7.5J          | D            | B            | 72 / B      |        |
|              | 215/55R16 XL  | 97W           | 7.0J         | D            | B           | 72 / B       | 255/55R18 XL  | 109V          | 8.0J          | D            | B            | 73 / B      |        |
| 17"          | 225/55R16 XL  | 99W           | 7.0J         | D            | B           | 72 / B       | 265/60R18     | 110V          | 8.0J          | C            | B            | 72 / B      |        |
|              | 205/40ZR17 XL | 84W           | 7.5J         | D            | B           | 72 / B       | 19"           | 215/35ZR19 XL | 85W           | 7.5J         | D            | B           | 72 / B |
|              | 215/40ZR17 XL | 87W           | 7.5J         | D            | B           | 72 / B       |               | 225/35ZR19 XL | 88W           | 8.0J         | D            | B           | 72 / B |
|              | 245/40ZR17 XL | 95W           | 8.5J         | D            | B           | 72 / B       | 245/45ZR19 XL | 102W          | 8.0J          | D            | B            | 72 / B      |        |
|              | 205/45ZR17 XL | 88W           | 7.0J         | D            | B           | 72 / B       | 255/45ZR19 XL | 104W          | 8.5J          | D            | B            | 73 / B      |        |
|              | 215/45ZR17 XL | 91W           | 7.0J         | D            | B           | 72 / B       | 20"           | 275/40ZR20 XL | 106W          | 9.5J         | C            | B           | 73 / B |
|              | 225/45ZR17 XL | 94W           | 7.5J         | D            | B           | 72 / B       |               | 255/45R20 XL  | 105V          | 8.5J         | C            | B           | 73 / B |
|              | 235/45ZR17 XL | 97W           | 8.0J         | D            | B           | 72 / B       |               | 275/45R20 XL  | 110V          | 9.0J         | C            | B           | 73 / B |
|              | 205/50R17 XL  | 93W           | 6.5J         | D            | B           | 72 / B       |               | 265/50R20 XL  | 111V          | 8.5J         | C            | B           | 73 / B |
|              | 215/50R17 XL  | 95W           | 7.0J         | D            | B           | 72 / B       | 285/50R20     | 112V          | 9.0J          | C            | B            | 74 / B      |        |
| 225/50R17 XL | 98W           | 7.0J          | D            | B            | 72 / B      | 275/55R20 XL | 117V          | 8.5J          | C             | B            | 73 / B       |             |        |
| 215/55R17 XL | 98W           | 7.0J          | D            | B            | 72 / B      | 275/60R20 XL | 119V          | 8.0J          | C             | B            | 73 / B       |             |        |
| 225/55R17 XL | 101W          | 7.0J          | D            | B            | 72 / B      | 22"          | 265/35R22 XL  | 102V          | 9.5J          | D            | B            | 73 / B      |        |
| 235/55R17 XL | 103W          | 7.5J          | D            | B            | 72 / B      |              | 285/35R22 XL  | 106V          | 10.0J         | D            | B            | 75 / B      |        |
| 18"          | 265/35ZR18 XL | 97W           | 9.5J         | D            | B           | 73 / B       | 265/40R22 XL  | 106V          | 9.5J          | C            | B            | 73 / B      |        |
|              | 225/40ZR18 XL | 92W           | 8.0J         | D            | B           | 72 / B       | 305/40R22 XL  | 114V          | 11.0J         | C            | B            | 75 / B      |        |
|              | 235/40ZR18 XL | 95W           | 8.5J         | D            | B           | 72 / B       | 305/45R22 XL  | 118V          | 10.0J         | C            | B            | 75 / B      |        |
|              | 245/40ZR18 XL | 97W           | 8.5J         | D            | B           | 72 / B       | 24"           | 295/35R24 XL  | 110V          | 10.5J        | C            | B           | 75 / B |






# ZuperEco Z-107



## Benefits and Features

- Premium touring tyre for summer
- Improved tyre structure guarantees a comfort and smooth ride
- Optimized compound offers better wet grip and lower rolling resistance
- Remarkable handling on dry and wet road surface



|              |         |
|--------------|---------|
| Rim Size     | 13 - 20 |
| Series       | 35 - 80 |
| Speed Rating | T - W   |

# ZuperEco Z-107

| Rim (inch)   | Size         | Service Index | Standard Rim | ABC | XYZ  | ABC          | Rim (inch)    | Size          | Service Index | Standard Rim | ABC  | XYZ  | ABC  |      |
|--------------|--------------|---------------|--------------|-----|------|--------------|---------------|---------------|---------------|--------------|------|------|------|------|
| 13"          | 155/65R13    | 73T           | 4.5B         | D   | B    | 70/B         | 16"           | 235/60R16     | 100H          | 7.0J         | C    | B    | 71/B |      |
|              | 155/70R13    | 75T           | 4.5J         | D   | B    | 70/B         |               | 205/65R16     | 95H           | 6.0J         | C    | B    | 71/B |      |
|              | 165/70R13    | 79T           | 5.0J         | D   | B    | 70/B         |               | 215/65R16     | 98H/V         | 6.5J         | C    | B    | 71/B |      |
|              | 175/70R13    | 82T           | 5.0J         | D   | B    | 70/B         |               | 17"           | 205/40R17 XL  | 84W          | 7.5J | D    | B    | 72/B |
|              | 185/70R13    | 86T           | 5.5J         | D   | B    | 70/B         |               |               | 215/40R17 XL  | 87W          | 7.5J | D    | B    | 72/B |
|              | 155/80R13    | 79T           | 4.5J         | D   | B    | 70/B         |               |               | 195/45R17 XL  | 85W          | 6.5J | D    | B    | 72/B |
|              | 165/80R13    | 83T           | 4.5B         | D   | B    | 70/B         |               |               | 205/45R17 XL  | 88W          | 7.0J | D    | B    | 72/B |
| 185/80R13    | 86T          | 5.5J          | D            | B   | 70/B | 215/45R17 XL | 91W           |               | 7.0J          | D            | B    | 72/B |      |      |
| 14"          | 185/55R14    | 80V           | 6.0J         | D   | B    | 70/B         | 225/45R17 XL  | 94W           | 7.5J          | C            | B    | 72/B |      |      |
|              | 165/60R14    | 75H           | 5.0J         | D   | B    | 70/B         | 235/45R17 XL  | 97W           | 8.0J          | C            | B    | 72/B |      |      |
|              | 175/60R14    | 79H           | 5.0J         | D   | B    | 70/B         | 245/45R17 XL  | 99W           | 8.0J          | C            | B    | 72/B |      |      |
|              | 185/60R14    | 82H           | 5.5J         | D   | B    | 70/B         | 205/50R17 XL  | 93W           | 6.5J          | C            | B    | 72/B |      |      |
|              | 155/65R14    | 75T           | 4.5J         | D   | B    | 70/B         | 215/50R17 XL  | 95W           | 7.0J          | C            | B    | 72/B |      |      |
|              | 165/65R14    | 79T           | 5.0J         | D   | B    | 70/B         | 225/50R17 XL  | 98W           | 7.0J          | C            | B    | 72/B |      |      |
|              | 175/65R14    | 82H/T         | 5.0J         | D   | B    | 70/B         | 205/55R17 XL  | 95W           | 6.5J          | C            | B    | 72/B |      |      |
|              | 185/65R14    | 86H           | 5.5J         | D   | B    | 70/B         | 215/55R17 XL  | 98W           | 7.0J          | C            | B    | 72/B |      |      |
|              | 195/65R14    | 89H           | 6.0J         | D   | B    | 71/B         | 225/55R17 XL  | 101W          | 7.0J          | C            | B    | 72/B |      |      |
|              | 165/70R14    | 81T           | 5.0J         | D   | B    | 70/B         | 235/55R17 XL  | 99V           | 7.5J          | C            | B    | 71/B |      |      |
|              | 175/70R14    | 84T           | 5.0J         | D   | B    | 70/B         | 235/55R17 XL  | 103W          | 7.5J          | C            | B    | 72/B |      |      |
|              | 185/70R14    | 88T           | 5.5J         | C   | B    | 70/B         | 215/60R17     | 96V/H         | 6.5J          | C            | B    | 71/B |      |      |
|              | 195/70R14    | 91T           | 6.0J         | C   | B    | 71/B         | 235/65R17     | 104V          | 7.0J          | C            | B    | 71/B |      |      |
|              | 205/70R14    | 95T           | 6.0J         | C   | B    | 71/B         | 235/65R17 XL  | 108V          | 7.0J          | C            | B    | 72/B |      |      |
| 15"          | 195/50R15    | 82V           | 6.0J         | D   | B    | 71/B         | 18"           | 265/35ZR18 XL | 97W           | 9.5J         | C    | B    | 73/B |      |
|              | 175/55R15    | 77H           | 5.5J         | D   | B    | 70/B         |               | 215/40R18 XL  | 89W           | 7.5J         | D    | B    | 72/B |      |
|              | 185/55R15    | 82V/H         | 6.0J         | D   | B    | 70/B         |               | 225/40R18 XL  | 92W           | 8.0J         | C    | B    | 72/B |      |
|              | 195/55R15    | 85V/H         | 6.0J         | D   | B    | 71/B         |               | 235/40R18 XL  | 95W           | 8.5J         | C    | B    | 72/B |      |
|              | 155/60R15    | 74H           | 4.5B         | D   | B    | 70/B         |               | 245/40R18 XL  | 97W           | 8.5J         | C    | B    | 72/B |      |
|              | 175/60R15    | 81H           | 5.0J         | D   | B    | 70/B         |               | 215/45R18 XL  | 93W           | 7.0J         | D    | B    | 72/B |      |
|              | 185/60R15    | 84H           | 5.5J         | D   | B    | 70/B         |               | 225/45R18 XL  | 95W           | 7.5J         | C    | B    | 72/B |      |
|              | 195/60R15    | 88V/H         | 6.0J         | D   | B    | 71/B         |               | 235/45R18 XL  | 98W           | 8.0J         | C    | B    | 72/B |      |
|              | 205/60R15    | 91H           | 6.0J         | C   | B    | 71/B         |               | 245/45R18 XL  | 100W          | 8.0J         | C    | B    | 72/B |      |
|              | 165/65R15    | 81H           | 5.0J         | D   | B    | 70/B         |               | 235/50R18     | 97V           | 7.5J         | D    | B    | 71/B |      |
|              | 175/65R15    | 84H           | 5.0J         | D   | B    | 70/B         |               | 215/55R18 XL  | 99V           | 7.0J         | C    | B    | 72/B |      |
|              | 185/65R15    | 88H/T         | 5.5J         | D   | B    | 70/B         |               | 225/55R18     | 98V           | 7.0J         | C    | B    | 71/B |      |
|              | 195/65R15    | 91V/H/T       | 6.0J         | C   | B    | 71/B         |               | 235/55R18     | 100H/V        | 7.5J         | C    | B    | 71/B |      |
|              | 215/65R15    | 96H           | 6.5J         | C   | B    | 71/B         |               | 225/60R18     | 100H          | 6.5J         | D    | B    | 71/B |      |
| 205/65R15    | 94V          | 6.0J          | C            | B   | 71/B | 235/60R18 XL | 107V          | 7.0J          | D             | B            | 71/B |      |      |      |
| 205/70R15    | 96H          | 6.0J          | C            | B   | 71/B | 255/60R18 XL | 112V          | 7.5J          | C             | B            | 73/B |      |      |      |
| 215/70R15    | 98H          | 6.5J          | C            | B   | 71/B | 19"          | 225/35ZR19 XL | 88W           | 8.0J          | D            | B    | 72/B |      |      |
| 16"          | 215/40R16 XL | 86W           | 7.5J         | D   | B    |              | 72/B          | 235/35ZR19 XL | 91W           | 8.5J         | D    | B    | 72/B |      |
|              | 195/45R16 XL | 84V           | 6.5J         | D   | B    |              | 72/B          | 245/35ZR19 XL | 93W           | 8.5J         | D    | B    | 72/B |      |
|              | 205/45R16 XL | 87W           | 7.0J         | D   | B    |              | 72/B          | 265/35ZR19 XL | 98W           | 9.5J         | D    | B    | 73/B |      |
|              | 215/45R16 XL | 90W           | 7.0J         | D   | B    |              | 72/B          | 225/40R19 XL  | 93W           | 8.0J         | C    | B    | 72/B |      |
|              | 185/50R16    | 81V           | 6.0J         | D   | B    |              | 70/B          | 235/40R19 XL  | 96W           | 8.5J         | C    | B    | 72/B |      |
|              | 195/50R16    | 84V           | 6.0J         | D   | B    |              | 71/B          | 245/40R19 XL  | 98W           | 8.5J         | C    | B    | 72/B |      |
|              | 205/50R16    | 87V           | 6.5J         | D   | B    |              | 71/B          | 275/40R19 XL  | 105W          | 9.5J         | C    | B    | 73/B |      |
|              | 185/55R16    | 83V           | 6.0J         | C   | B    |              | 70/B          | 225/45R19 XL  | 96W           | 7.5J         | C    | B    | 72/B |      |
|              | 195/55R16    | 87V/H         | 6.0J         | D   | B    |              | 71/B          | 235/45R19 XL  | 99W           | 8.0J         | C    | B    | 72/B |      |
|              | 205/55R16    | 91W/V/H       | 6.5J         | D   | B    |              | 71/B          | 245/45R19 XL  | 102W          | 8.0J         | C    | B    | 72/B |      |
|              | 205/55R16 XL | 94W           | 6.5J         | C   | B    |              | 72/B          | 235/50R19     | 99W           | 7.5J         | C    | B    | 71/B |      |
|              | 215/55R16    | 93V           | 7.0J         | C   | B    |              | 71/B          | 205/55R19 XL  | 97V           | 6.5J         | C    | B    | 72/B |      |
|              | 225/55R16    | 95V           | 7.0J         | C   | B    |              | 71/B          | 235/55R19 XL  | 105V          | 7.5J         | C    | B    | 72/B |      |
|              | 195/60R16    | 89V           | 6.0J         | C   | B    | 71/B         | 20"           | 195/55R20 XL  | 95H           | 6.0J         | C    | B    | 72/B |      |
| 205/60R16    | 92V/H        | 6.0J          | C            | B   | 71/B | 245/40R20 XL |               | 99W           | 8.5J          | C            | B    | 71/B |      |      |
| 215/60R16 XL | 99V          | 6.5J          | C            | B   | 72/B |              |               |               |               |              |      |      |      |      |
| 225/60R16    | 98H          | 6.5J          | C            | B   | 71/B |              |               |               |               |              |      |      |      |      |

Note: Section Width less than 195 with 3 grooves



# ZUPERACE Z-007 SUV

# ZUPERACE Z-007 SUV



## Benefits and Features

24 Soundbolt Arrays, and NVH simulation optimized pitch pattern make the silence performance toward the extreme

Scaled grooves with beveled edges, the large continuous pattern block on tire shoulder, the central continuous pattern rib with shallow groove, and together with the Non Petrochemical renewable green compound rubber, greatly improve the handling and grip performance

BPOT Technology, Hybrid Silane and Mixing-Technology, together with ultra-fine particle size Nano-Silica with high density, provide tires with better wear resistance and increased mileage while reducing fuel consumption


### Enhanced Grip

Hybrid Formula™ - Super hybrid rubber compound Fast water drainage and strong grip



### Improved Durability

BPOT Technology optimize the footprint and improve durability



### Minimized Noise

24 Soundbolt Arrays for minimized noise



| Rim (inch) | Size         | Service Index | Standard Rim | Wear | Rolling Resistance | Wet Grip | XYdB | Rim (inch)   | Size         | Service Index | Standard Rim | Wear | Rolling Resistance | Wet Grip | XYdB   |  |
|------------|--------------|---------------|--------------|------|--------------------|----------|------|--------------|--------------|---------------|--------------|------|--------------------|----------|--------|--|
| 17"        | 215/60R17    | 96V           | 6.5J         | D    | C                  | 71 / B   |      | 18"          | 235/60R18 XL | 107V          | 7.0J         | C    | C                  | 72 / B   |        |  |
|            | 225/60R17 XL | 103V          | 6.5J         | C    | C                  | 72 / B   |      |              | 245/60R18    | 105H          | 7.0J         | C    | C                  | 71 / B   |        |  |
|            | 255/60R17 XL | 110V          | 7.5J         | C    | C                  | 73 / B   |      |              | 265/60R18 XL | 114V          | 8.0J         | C    | C                  | 73 / B   |        |  |
|            | 215/65R17    | 99V           | 6.5J         | C    | C                  | 71 / B   |      |              | 235/65R18    | 106H          | 7.0J         | C    | C                  | 71 / B   |        |  |
|            | 225/65R17 XL | 106V          | 6.5J         | C    | C                  | 72 / B   |      |              | 19"          | 275/50R19 XL  | 112V         | 8.5J | C                  | C        | 73 / B |  |
|            | 235/65R17 XL | 108V          | 7.0J         | C    | C                  | 72 / B   |      |              |              | 235/60R19 XL  | 107V         | 7.0J | C                  | C        | 72 / B |  |
|            | 245/65R17    | 107H          | 7.0J         | C    | C                  | 71 / B   |      |              |              | 255/60R19 XL  | 113V         | 7.5J | C                  | C        | 73 / B |  |
| 18"        | 265/65R17    | 112H          | 8.0J         | C    | C                  | 72 / B   |      | 235/65R19 XL | 109V         | 7.0J          | C            | C    | 72 / B             |          |        |  |
|            | 275/65R17    | 115H          | 8.0J         | C    | C                  | 72 / B   |      | 20"          | 275/55R20 XL | 117V          | 8.5J         | C    | C                  | 73 / B   |        |  |
|            | 285/65R17    | 116H          | 8.5J         | C    | C                  | 74 / B   |      |              | 22"          | 275/50R22     | 111H         | 8.5J | C                  | C        | 72 / B |  |
|            | 225/60R18    | 100H          | 6.5J         | D    | C                  | 71 / B   |      |              |              |               |              |      |                    |          |        |  |



Hybrid Formula  
(Enhanced Grip)



BPOT Technology  
(Improved Durability)



Soundbolt Array  
(Minimized Noise)



|              |         |
|--------------|---------|
| Rim Size     | 17 - 22 |
| Series       | 50 - 65 |
| Speed Rating | H - V   |






# SU318 H/T



## Benefits and Features

- Ideal H/T tyre integrated outstanding on-road comfort and wet traction safety as a whole
- Four longitude grooves combined with wind sipes ensure excellent water evacuation and wet traction performance
- SILICA TECH adopted for better wet grip as well as low rolling resistance
- Re-constructed steel bead wire improves driving comfort effectively



|              |         |
|--------------|---------|
| Rim Size     | 15 - 20 |
| Series       | 40 - 75 |
| Speed Rating | T - V   |

# SU318 H/T

| Rim (inch) | Size         | Service Index | Standard Rim | Wet Grip | Rolling Resistance | Noise (dB)   | Rim (inch)   | Size         | Service Index | Standard Rim | Wet Grip | Rolling Resistance | Noise (dB) |
|------------|--------------|---------------|--------------|----------|--------------------|--------------|--------------|--------------|---------------|--------------|----------|--------------------|------------|
| 15"        | 225/70R15    | 100T          | 6.5J         | D        | C                  | 71 / B       | 17"          | 215/65R17    | 99H           | 6.5J         | D        | C                  | 71 / B     |
|            | 235/70R15    | 103T          | 7.0J         | D        | C                  | 71 / B       |              | 225/65R17 XL | 106V          | 6.5J         | D        | C                  | 72 / B     |
|            | 265/70R15    | 112T          | 8.0J         | C        | C                  | 72 / B       |              | 235/65R17 XL | 108V          | 7.0J         | D        | C                  | 72 / B     |
|            | 215/75R15    | 100T          | 6.0J         | D        | C                  | 71 / B       |              | 245/65R17    | 107H          | 7.0J         | D        | C                  | 71 / B     |
|            | 225/75R15    | 102H          | 6.0J         | D        | C                  | 71 / B       |              | 255/65R17    | 110H          | 7.5J         | C        | C                  | 72 / B     |
|            | 235/75R15    | 105H          | 6.5J         | D        | C                  | 71 / B       |              | 265/65R17    | 112T          | 8.0J         | C        | C                  | 72 / B     |
| 16"        | 265/75R15    | 112T          | 7.5J         | C        | C                  | 72 / B       | 275/65R17    | 115T         | 8.0J          | C            | C        | 72 / B             |            |
|            | 255/65R16    | 109H          | 7.5J         | C        | C                  | 72 / B       | 285/65R17    | 116H         | 8.5J          | C            | C        | 74 / B             |            |
|            | 215/70R16    | 100H          | 6.5J         | D        | C                  | 71 / B       | 245/70R17    | 110T         | 7.0J          | D            | C        | 71 / B             |            |
|            | 225/70R16    | 103H          | 6.5J         | D        | C                  | 71 / B       | 255/70R17    | 112T         | 7.5J          | C            | C        | 72 / B             |            |
|            | 235/70R16    | 106H          | 7.0J         | D        | C                  | 71 / B       | 265/70R17    | 115T         | 8.0J          | C            | C        | 72 / B             |            |
|            | 245/70R16 XL | 111H          | 7.0J         | D        | C                  | 72 / B       | 18"          | 235/50R18    | 97V           | 7.5J         | D        | C                  | 71 / B     |
|            | 255/70R16    | 111T          | 7.5J         | C        | C                  | 72 / B       |              | 225/55R18    | 98V           | 7.0J         | D        | C                  | 71 / B     |
|            | 265/70R16    | 112H          | 8.0J         | C        | C                  | 72 / B       |              | 235/55R18    | 100V          | 7.5J         | D        | C                  | 71 / B     |
|            | 275/70R16    | 114T          | 8.0J         | C        | C                  | 72 / B       |              | 255/55R18 XL | 109V          | 8.0J         | C        | C                  | 73 / B     |
|            | 225/75R16    | 104H          | 6.0J         | D        | C                  | 71 / B       | 225/60R18    | 100V         | 6.5J          | D            | C        | 71 / B             |            |
| 235/75R16  | 108T         | 6.5J          | D            | C        | 71 / B             | 235/60R18    | 103V         | 7.0J         | D             | C            | 71 / B   |                    |            |
| 245/75R16  | 111T         | 7.0J          | D            | C        | 71 / B             | 245/60R18    | 105T         | 7.0J         | D             | C            | 71 / B   |                    |            |
| 265/75R16  | 116T         | 7.5J          | C            | C        | 72 / B             | 255/60R18 XL | 112V         | 7.5J         | C             | C            | 73 / B   |                    |            |
| 17"        | 215/60R17    | 96H           | 6.5J         | D        | C                  | 71 / B       | 265/60R18 XL | 114V         | 8.0J          | C            | C        | 73 / B             |            |
|            | 225/60R17 XL | 103V          | 6.5J         | D        | C                  | 72 / B       | 285/60R18    | 116H         | 8.5J          | C            | C        | 74 / B             |            |
|            | 235/60R17    | 102T          | 7.0J         | D        | C                  | 71 / B       | 19"          | 275/45R19 XL | 108V          | 9.0J         | C        | C                  | 73 / B     |
|            | 255/60R17 XL | 110V          | 7.5J         | C        | C                  | 73 / B       |              | 255/50R19 XL | 107V          | 8.0J         | C        | C                  | 73 / B     |
|            | 265/60R17    | 108H          | 8.0J         | C        | C                  | 72 / B       | 20"          | 275/40R20 XL | 106V          | 9.5J         | D        | C                  | 73 / B     |
|            | 275/60R17    | 110T          | 8.0J         | C        | C                  | 72 / B       |              | 275/55R20 XL | 117V          | 8.5J         | C        | C                  | 73 / B     |






# SL369 A/T



## Benefits and Features

- Wide tread and multi-stepped grooves increase surface area of tread to enhance traction on both on and off roads
- Zig-zag grooves offers efficient water drainage and enhanced traction on wet road
- Large tread blocks help enhanced stability and handling with less noise on highway
- Aggressive sidewall protectors increase off-road bite and prevent damage from sidewall cut and abrasions



M+S

|              |         |
|--------------|---------|
| Rim Size     | 15 - 20 |
| Series       | 45 - 80 |
| Speed Rating | S - V   |

# SL369 A/T

| Rim (inch) | Size         | Service Index | Standard Rim | Icons    | Rim (inch) | Size         | Service Index | Standard Rim | Icons    |
|------------|--------------|---------------|--------------|----------|------------|--------------|---------------|--------------|----------|
| 15"        | 205/65R15    | 94H           | 6.0J         | D D 71/B | 17"        | 225/65R17    | 102T          | 6.5J         | D D 71/B |
|            | 205/70R15    | 96H           | 6.0J         | D D 71/B |            | 235/65R17    | 104S          | 7.0J         | D D 71/B |
|            | 225/70R15    | 100T          | 6.5J         | D D 71/B |            | 245/65R17    | 107S          | 7.0J         | D D 71/B |
|            | 235/70R15    | 103S          | 7.0J         | D D 71/B |            | 255/65R17    | 110T          | 7.5J         | D D 72/B |
|            | 265/70R15    | 112T          | 8.0J         | D D 72/B |            | 265/65R17    | 112S          | 8.0J         | D D 72/B |
|            | P215/75R15   | 100S          | 6.0J         | D D 71/B |            | 225/70R17 XL | 108S          | 6.5J         | D D 72/B |
| 16"        | 205/60R16    | 92H           | 6.0J         | D D 71/B | 245/70R17  | 110T         | 7.0J          | D D 71/B     |          |
|            | 235/60R16    | 100T          | 7.0J         | D D 71/B | 255/70R17  | 112T         | 7.5J          | D D 72/B     |          |
|            | 215/70R16    | 100S          | 6.5J         | D D 71/B | 265/70R17  | 115T         | 8.0J          | D D 72/B     |          |
|            | 225/70R16    | 103S          | 6.5J         | D D 71/B | 285/70R17  | 117T         | 8.5J          | D D 74/B     |          |
|            | 235/70R16    | 106S          | 7.0J         | D D 71/B | 235/75R17  | 109T         | 6.5J          | D D 71/B     |          |
|            | 245/70R16 XL | 111S          | 7.0J         | D D 72/B | 245/75R17  | 112T         | 7.0J          | D D 71/B     |          |
|            | 255/70R16    | 111T          | 7.5J         | D D 72/B | 255/75R17  | 115T         | 7.0J          | D D 72/B     |          |
|            | 265/70R16    | 112S          | 8.0J         | D D 72/B | 18"        | 265/60R18    | 110T          | 8.0J         | D D 72/B |
|            | 275/70R16    | 114S          | 8.0J         | D D 72/B |            | 265/65R18    | 114T          | 8.0J         | D D 72/B |
|            | 225/75R16 XL | 108S          | 6.0J         | D D 72/B |            | 275/65R18    | 116T          | 8.0J         | D D 72/B |
| 17"        | 235/75R16 XL | 112S          | 6.5J         | D D 72/B | 20"        | 275/45R20 XL | 110H          | 9.0J         | D D 73/B |
|            | 245/75R16    | 111S          | 7.0J         | D D 71/B |            | 265/50R20 XL | 111T          | 8.5J         | D D 73/B |
|            | 265/75R16    | 116S          | 7.5J         | D D 72/B |            | 285/50R20 XL | 116V          | 9.0J         | D D 75/B |
|            | 205/80R16 XL | 104S          | 5.5J         | D D 72/B |            | 275/55R20    | 113S          | 8.5J         | D D 72/B |
|            | 215/80R16 XL | 107S          | 6.0J         | D D 72/B |            | 275/60R20    | 115T          | 8.0J         | D D 72/B |

OWL Outline White Letters (OWL)






# MUD LEGEND SL366



## Benefits and Features

- Especially designed for unpaved tough roads (Professional off-road tyres)
- Various shoulder blocks promote driving and handling performance on tough roads
- Perfect grip on tough surfaces such as mud and sand



M+S

|              |         |
|--------------|---------|
| Rim Size     | 14 - 20 |
| Series       | 50 - 85 |
| Speed Rating | Q       |

# MUD LEGEND SL366

| Rim (inch)  | Size          | LR/PR    | Service Index | Standard Rim | Icons       | Rim (inch)    | Size          | LR/PR    | Service Index | Standard Rim | Icons   |
|-------------|---------------|----------|---------------|--------------|-------------|---------------|---------------|----------|---------------|--------------|---------|
| 14"         | 185R14C       | D/8PR    | 102/100Q      | 5.5J         | / POR /     | 16"           | 205R16C       | D/8PR    | 110/108Q      | 6.0J         | / POR / |
|             | 195R14C       | D/8PR    | 106/104Q      | 5.5J         | / POR /     |               | LT225/75R16   | E/10PR   | 115/112Q      | 6.0J         | / POR / |
| 15"         | 205/70R15C    | C/6PR    | 104/102Q      | 6.0J         | / POR /     | LT245/75R16   | E/10PR        | 120/116Q | 7.0J          | / POR /      |         |
|             | 30×9.50R15LT  | C/6PR    | 104Q          | 7.5J         | / POR /     | LT235/85R16   | E/10PR        | 120/116Q | 6.5J          | / POR /      |         |
|             | 31×10.50R15LT | C/6PR    | 109Q          | 8.5J         | / POR /     | 17"           | 35×12.50R17LT | E/10PR   | 121Q          | 10.0J        | / POR / |
|             | 32×11.50R15LT | C/6PR    | 113Q          | 9.0J         | / POR /     |               | LT265/65R17   | E/10PR   | 120/117Q      | 8.0J         | / POR / |
|             | 33×12.50R15LT | C/6PR    | 108Q          | 10.0J        | / POR /     | LT245/70R17   | E/10PR        | 119/116Q | 7.0J          | / POR /      |         |
|             | 35×12.50R15LT | C/6PR    | 113Q          | 10.0J        | / POR /     | LT265/70R17   | E/10PR        | 121/118Q | 8.0J          | / POR /      |         |
| LT215/75R15 | C/6PR         | 100/97Q  | 6.0J          | / POR /      | LT285/70R17 | E/10PR        | 121/118Q      | 8.5J     | / POR /       |              |         |
| LT225/75R15 | C/6PR         | 102/99Q  | 6.0J          | / POR /      | LT315/70R17 | E/10PR        | 121/118Q      | 9.5J     | / POR /       |              |         |
| LT235/75R15 | C/6PR         | 104/101Q | 6.5J          | / POR /      | 20"         | 33×12.50R20LT | E/10PR        | 114Q     | 10.0J         | / POR /      |         |
| LT235/75R15 | D/8PR         | 110/107Q | 6.5J          | / POR /      |             | 35×12.50R20LT | E/10PR        | 121Q     | 10.0J         | / POR /      |         |

POR: Professional Off-Road






# SC328



## Benefits and Features

- Wide four ribs improve miles to tread life
- Zig-zag grooves offers enhanced traction on wet road
- Combination construction of polyester casing and steel belts provide outstanding durability



M+S

|              |         |
|--------------|---------|
| Rim Size     | 14 - 16 |
| Series       | 60 - 75 |
| Speed Rating | Q - T   |

# SC328

| Rim (inch) | Size       | LR/PR | Service Index | Standard Rim | DOT | Wet Traction | Rolling Noise (dB) | Rim (inch) | Size       | LR/PR    | Service Index | Standard Rim | DOT | Wet Traction | Rolling Noise (dB) |
|------------|------------|-------|---------------|--------------|-----|--------------|--------------------|------------|------------|----------|---------------|--------------|-----|--------------|--------------------|
| 14"        | 185R14C    | D/8PR | 102/100Q      | 5.5J         | D   | C            | 72 / B             | 16"        | 175R16C    | C/6PR    | 98/96Q        | 5.0J         | D   | B            | 72 / B             |
|            | 195R14C    | D/8PR | 106/104Q      | 5.5J         | D   | C            | 72 / B             |            | 215/60R16C | D/8PR    | 108/106T      | 6.5J         | D   | B            | 72 / B             |
|            | 205R14C    | D/8PR | 109/107R      | 6.0J         | D   | C            | 72 / B             |            | 195/65R16C | D/8PR    | 104/102T      | 6.0J         | D   | B            | 72 / B             |
|            | 215R14C    | D/8PR | 112/110Q      | 6.0J         | D   | C            | 72 / B             |            | 205/65R16C | D/8PR    | 107/105T      | 6.0J         | D   | B            | 72 / B             |
|            | 205/70R14C | C/6PR | 102/100R      | 6.0J         | D   | C            | 72 / B             |            | 215/65R16C | D/8PR    | 109/107R      | 6.5J         | D   | B            | 72 / B             |
|            | 215/75R14C | D/8PR | 112/110Q      | 6.0J         | D   | C            | 72 / B             | 225/65R16C | D/8PR      | 112/110R | 6.5J          | C            | B   | 72 / B       |                    |
| 15"        | 185R15C    | D/8PR | 103/102R      | 5.5J         | D   | C            | 72 / B             | 235/65R16C | D/8PR      | 115/113R | 7.0J          | C            | B   | 72 / B       |                    |
|            | 195R15C    | D/8PR | 106/104R      | 5.5J         | D   | C            | 72 / B             | 215/70R16C | C/6PR      | 108/106T | 6.5J          | D            | C   | 72 / B       |                    |
|            | 215R15C    | D/8PR | 112/110Q      | 6.0J         | D   | C            | 72 / B             | 175/75R16C | D/8PR      | 101/99Q  | 5.0J          | D            | B   | 72 / B       |                    |
|            | 205/65R15C | C/6PR | 102/100T      | 6.0J         | D   | C            | 72 / B             | 195/75R16C | D/8PR      | 107/105R | 5.5J          | D            | B   | 72 / B       |                    |
|            | 195/70R15C | D/8PR | 104/102R      | 6.0J         | D   | C            | 72 / B             | 205/75R16C | D/8PR      | 110/108Q | 5.5J          | C            | B   | 72 / B       |                    |
|            | 205/70R15C | D/8PR | 106/104R      | 6.0J         | D   | C            | 72 / B             | 215/75R16C | D/8PR      | 113/111Q | 6.0J          | C            | B   | 72 / B       |                    |
|            | 215/70R15C | D/8PR | 109/107R      | 6.5J         | D   | C            | 72 / B             |            |            |          |               |              |     |              |                    |
|            | 225/70R15C | D/8PR | 112/110R      | 6.5J         | D   | C            | 72 / B             |            |            |          |               |              |     |              |                    |






# H188



## Benefits and Features

- Valuable commercial light truck tyre for vehicles on paved roads
- 3 rib grooves provides improved handling and comfort
- Polyester tyre casing with steel belts for good durability



|              |         |
|--------------|---------|
| Rim Size     | 12 - 16 |
| Series       | 60 - 75 |
| Speed Rating | Q - H   |

# H188

| Rim (inch) | Size       | LR/PR | Service Index | Standard Rim |   |   |        |  | Rim (inch) | Size       | LR/PR    | Service Index | Standard Rim |   |        |        |  |
|------------|------------|-------|---------------|--------------|---|---|--------|--|------------|------------|----------|---------------|--------------|---|--------|--------|--|
| 12"        | 155R12C    | C/6PR | 83/81Q        | 4.5B         | D | C | 72 / B |  | 16"        | 195/60R16C | C/6PR    | 99/97H        | 6.0J         | C | C      | 72 / B |  |
| 13"        | 155R13C    | D/8PR | 90/88S        | 4.5B         | D | C | 72 / B |  | 215/60R16C | D/8PR      | 108/106T | 6.5J          | C            | C | 72 / B |        |  |
|            | 165R13C    | C/6PR | 91/89S        | 4.5B         | D | C | 72 / B |  | 195/65R16C | D/8PR      | 104/102T | 6.0J          | C            | C | 72 / B |        |  |
|            | 165/70R13C | C/6PR | 88/86S        | 5.0J         | D | C | 72 / B |  | 205/65R16C | D/8PR      | 107/105T | 6.0J          | C            | C | 72 / B |        |  |
| 14"        | 185R14C    | D/8PR | 102/100R      | 5.5J         | D | C | 72 / B |  | 215/65R16C | D/8PR      | 109/107T | 6.5J          | C            | C | 72 / B |        |  |
|            | 195R14C    | D/8PR | 106/104Q      | 5.5J         | D | C | 72 / B |  | 225/65R16C | D/8PR      | 112/110T | 6.5J          | C            | C | 72 / B |        |  |
|            | 175/70R14C | C/6PR | 95/93S        | 5.0J         | D | C | 72 / B |  | 235/65R16C | D/8PR      | 115/113R | 7.0J          | C            | C | 72 / B |        |  |
| 15"        | 195R15C    | D/8PR | 106/104R      | 5.5J         | C | C | 72 / B |  | 185/75R16C | D/8PR      | 104/102R | 5.0J          | C            | C | 72 / B |        |  |
|            | 205/65R15C | C/6PR | 102/100T      | 6.0J         | C | C | 72 / B |  | 195/75R16C | D/8PR      | 107/105R | 5.5J          | C            | C | 72 / B |        |  |
|            | 215/65R15C | C/6PR | 104/102T      | 6.5J         | C | C | 72 / B |  | 205/75R16C | D/8PR      | 110/108Q | 5.5J          | C            | C | 72 / B |        |  |
|            | 195/70R15C | D/8PR | 104/102R      | 6.0J         | C | C | 72 / B |  | 215/75R16C | D/8PR      | 113/111Q | 6.0J          | C            | C | 72 / B |        |  |
|            | 205/70R15C | D/8PR | 106/104R      | 6.0J         | C | C | 72 / B |  | 225/75R16C | E/10PR     | 118/116R | 6.0J          | C            | C | 72 / B |        |  |
|            | 215/70R15C | D/8PR | 109/107R      | 6.5J         | C | C | 72 / B |  |            |            |          |               |              |   |        |        |  |
|            | 225/70R15C | D/8PR | 112/110R      | 6.5J         | C | C | 72 / B |  |            |            |          |               |              |   |        |        |  |






# ALL Season Elite Z-401



## Benefits and Features


- Divergent V-Groove provides excellent snow and water drainage performance
- ZC-Rubber's special all season tread compound ensures the longer mileage
- logical kerfs design delivers outstanding traction performance on both snow and wet surface



|              |         |
|--------------|---------|
| Rim Size     | 13 - 19 |
| Series       | 40 - 80 |
| Speed Rating | T - W   |

# ALL Season Elite Z-401

| Rim (inch)   | Size         | Service Index | Standard Rim | Icons        | Rim (inch)   | Size         | Service Index | Standard Rim | Icons    |
|--------------|--------------|---------------|--------------|--------------|--------------|--------------|---------------|--------------|----------|
| 13"          | 155/70R13    | 75T           | 4.5B         | D C 71/B     | 17"          | 215/40R17 XL | 87W           | 7.5J         | D C 72/B |
|              | 155/80R13    | 79T           | 4.5B         | D C 71/B     |              | 205/45R17 XL | 88V           | 7.0J         | D C 72/B |
| 14"          | 185/55R14    | 80H           | 6.0J         | D C 71/B     | 215/45R17 XL | 91W          | 7.0J          | C C 72/B     |          |
|              | 165/60R14 XL | 79H           | 5.0J         | D C 71/B     | 225/45R17 XL | 94W          | 7.5J          | C C 72/B     |          |
|              | 185/60R14    | 82H           | 5.5J         | D C 71/B     | 235/45R17 XL | 97W          | 8.0J          | C C 72/B     |          |
|              | 155/65R14    | 75T           | 4.5J         | D C 71/B     | 245/45R17 XL | 99W          | 8.0J          | C C 72/B     |          |
|              | 165/65R14    | 79T           | 5.0J         | D C 71/B     | 205/50R17 XL | 93V          | 6.5J          | C C 72/B     |          |
|              | 175/65R14    | 82T           | 5.0J         | D C 71/B     | 215/50R17 XL | 95W          | 7.0J          | C C 72/B     |          |
|              | 185/65R14    | 86H           | 5.5J         | D C 71/B     | 225/50R17 XL | 98W          | 7.0J          | C C 72/B     |          |
|              | 165/70R14    | 81T           | 5.0J         | D C 71/B     | 205/55R17 XL | 95V          | 6.5J          | C C 72/B     |          |
| 15"          | 175/70R14 XL | 88T           | 5.0J         | C C 71/B     | 215/55R17 XL | 98V          | 7.0J          | C C 72/B     |          |
|              | 195/50R15    | 82V           | 6.0J         | D C 72/B     | 225/55R17 XL | 101W         | 7.0J          | C C 72/B     |          |
|              | 185/55R15    | 82H           | 6.0J         | D C 71/B     | 235/55R17 XL | 103W         | 7.5J          | C C 72/B     |          |
|              | 195/55R15 XL | 89V           | 6.0J         | D C 72/B     | 215/60R17    | 96H          | 6.5J          | C C 72/B     |          |
|              | 155/60R15    | 74T           | 4.5J         | D C 71/B     | 225/60R17    | 99V          | 6.5J          | C C 72/B     |          |
|              | 185/60R15 XL | 88H           | 5.5J         | C C 71/B     | 235/60R17    | 102V         | 7.0J          | C C 72/B     |          |
|              | 195/60R15    | 88V           | 6.0J         | D C 72/B     | 215/65R17    | 99V          | 6.5J          | C C 72/B     |          |
|              | 165/65R15    | 81T           | 5.0J         | D C 71/B     | 18"          | 225/40R18 XL | 92W           | 8.0J         | D C 72/B |
|              | 175/65R15    | 84H           | 5.0J         | D C 71/B     |              | 245/40R18 XL | 97W           | 8.5J         | C C 72/B |
|              | 185/65R15 XL | 92H           | 5.5J         | C C 71/B     | 215/45R18 XL | 93W          | 7.0J          | C C 72/B     |          |
|              | 195/65R15    | 91V           | 6.0J         | C C 72/B     | 225/45R18 XL | 95W          | 7.5J          | C C 72/B     |          |
|              | 195/65R15 XL | 95H           | 6.0J         | C C 72/B     | 235/45R18 XL | 98W          | 8.0J          | C C 72/B     |          |
| 215/65R15    | 96H          | 6.5J          | D C 72/B     | 245/45R18 XL | 100W         | 8.0J         | C C 72/B      |              |          |
| 16"          | 195/45R16 XL | 84V           | 6.5J         | D C 72/B     | 225/50R18    | 95W          | 7.0J          | C C 72/B     |          |
|              | 205/45R16 XL | 87W           | 7.0J         | D C 72/B     | 235/50R18 XL | 101W         | 7.5J          | C C 72/B     |          |
|              | 215/45R16 XL | 90V           | 7.0J         | D C 72/B     | 215/55R18 XL | 99V          | 7.0J          | D C 72/B     |          |
|              | 185/55R16 XI | 87H           | 6.0J         | C C 71/B     | 225/55R18    | 98V          | 7.0J          | C C 72/B     |          |
|              | 195/55R16 XL | 91V           | 6.0J         | C C 72/B     | 235/55R18    | 100V         | 7.5J          | C C 72/B     |          |
|              | 205/55R16    | 91V           | 6.5J         | C C 72/B     | 235/60R18 XL | 107V         | 7.0J          | C C 72/B     |          |
|              | 205/55R16 XL | 94V           | 6.5J         | C C 72/B     | 19"          | 225/40R19 XL | 93W           | 8.0J         | D C 72/B |
|              | 215/55R16 XL | 97V           | 7.0J         | C C 72/B     |              | 245/40R19 XL | 98W           | 8.5J         | C C 72/B |
|              | 225/55R16 XL | 99V           | 7.0J         | C C 72/B     | 245/45R19 XL | 102W         | 8.0J          | C C 72/B     |          |
|              | 205/60R16 XL | 96V           | 6.0J         | C C 72/B     | 235/55R19 XL | 105W         | 7.5J          | C C 72/B     |          |
| 215/60R16 XL | 99V          | 6.5J          | C C 72/B     |              |              |              |               |              |          |
| 235/60R16    | 100V         | 7.0J          | C C 72/B     |              |              |              |               |              |          |
| 215/65R16    | 98V          | 6.5J          | C C 72/B     |              |              |              |               |              |          |






# ALL Season Master SW613



## Benefits and Features

- Premium commercial tyre for all season usage
- Remarkable safety through excellent grip, handling and traction in snow, mud and wet surface
- Comfortable ride and precise handling with long tread life



|              |         |
|--------------|---------|
| Rim Size     | 15 - 16 |
| Series       | 60 - 75 |
| Speed Rating | Q - T   |

# ALL Season Master SW613

| Rim (inch) | Size       | Service Index | Standard Rim | Icons    | Rim (inch) | Size       | Service Index | Standard Rim | Icons    |
|------------|------------|---------------|--------------|----------|------------|------------|---------------|--------------|----------|
| 15"        | 195/70R15C | 104/102R      | 6.0J         | D C 72/B | 16"        | 215/65R16C | 109/107R      | 6.5J         | D C 72/B |
|            | 205/70R15C | 106/104R      | 6.0J         | D C 72/B |            | 225/65R16C | 112/110R      | 6.5J         | D C 72/B |
|            | 215/70R15C | 109/107R      | 6.5J         | D C 72/B |            | 235/65R16C | 115/113R      | 7.0J         | D C 72/B |
|            | 225/70R15C | 112/110R      | 6.5J         | D C 72/B |            | 185/75R16C | 104/102Q      | 5.0J         | E C 72/B |
| 16"        | 195/60R16C | 99/97T        | 6.0J         | E C 72/B | 195/75R16C | 107/105R   | 5.5J          | D C 72/B     |          |
|            | 195/65R16C | 104/102T      | 6.0J         | D C 72/B | 205/75R16C | 110/108Q   | 5.5J          | D C 72/B     |          |
|            | 205/65R16C | 107/105T      | 6.0J         | D C 72/B | 215/75R16C | 113/111Q   | 6.0J          | D C 72/B     |          |





# Zuper Snow Z-507



## Benefits and Features

- Asymmetric pattern design provides superior handling on snow surface
- Optimised lateral groove angle offers strong snow performance
- Special zigzag traction sipes improves traction and braking performance on snow roads



|              |         |
|--------------|---------|
| Rim Size     | 16 - 19 |
| Series       | 35 - 65 |
| Speed Rating | H - V   |

# Zuper Snow Z-507

| Rim (inch)   | Size         | Service Index | Standard Rim | ABC  | XYdB   | Rim (inch)   | Size         | Service Index | Standard Rim | ABC  | XYdB |        |        |
|--------------|--------------|---------------|--------------|------|--------|--------------|--------------|---------------|--------------|------|------|--------|--------|
| 16"          | 195/45R16 XL | 84V           | 6.5J         | D    | C      | 72 / B       | 18"          | 245/40R18 XL  | 97V          | 8.5J | C    | C      | 72 / B |
|              | 215/45R16    | 90V           | 7.0J         | C    | C      | 72 / B       |              | 255/40R18 XL  | 99V          | 9.0J | C    | C      | 73 / B |
|              | 205/55R16    | 91V           | 6.5J         | C    | C      | 72 / B       |              | 225/45R18 XL  | 95V          | 7.5J | C    | C      | 72 / B |
|              | 215/55R16 XL | 97H           | 7.0J         | C    | C      | 72 / B       |              | 235/45R18 XL  | 98V          | 8.0J | C    | C      | 72 / B |
|              | 225/55R16 XL | 99V           | 7.0J         | C    | C      | 72 / B       |              | 245/45R18 XL  | 100V         | 8.0J | C    | C      | 72 / B |
|              | 205/60R16    | 92H           | 6.0J         | C    | C      | 72 / B       |              | 255/45R18 XL  | 103V         | 8.5J | C    | C      | 73 / B |
|              | 215/60R16 XL | 99H           | 6.5J         | C    | C      | 72 / B       |              | 225/50R18 XL  | 99V          | 7.0J | C    | C      | 72 / B |
|              | 225/60R16    | 98H           | 6.5J         | C    | C      | 72 / B       |              | 235/50R18 XL  | 101V         | 7.5J | C    | C      | 72 / B |
|              | 215/65R16    | 98H           | 6.5J         | C    | C      | 72 / B       |              | 245/50R18 XL  | 104V         | 7.5J | C    | C      | 72 / B |
|              | 17"          | 215/45R17 XL  | 91V          | 7.0J | C      | C            |              | 72 / B        | 215/55R18 XL | 99V  | 7.0J | C      | C      |
| 225/45R17 XL |              | 94V           | 7.5J         | C    | C      | 72 / B       | 225/55R18 XL | 102V          | 7.0J         | C    | C    | 72 / B |        |
| 235/45R17 XL |              | 97V           | 8.0J         | C    | C      | 72 / B       | 225/60R18 XL | 104V          | 6.5J         | C    | C    | 72 / B |        |
| 245/45R17 XL |              | 99V           | 8.0J         | C    | C      | 72 / B       | 19"          | 225/35R19 XL  | 88V          | 8.0J | C    | C      | 72 / B |
| 205/50R17 XL |              | 93V           | 6.5J         | C    | C      | 72 / B       |              | 255/35R19 XL  | 96V          | 9.0J | C    | C      | 73 / B |
| 215/50R17 XL |              | 95V           | 7.0J         | C    | C      | 72 / B       |              | 225/40R19 XL  | 93V          | 8.0J | C    | C      | 72 / B |
| 225/50R17 XL |              | 98V           | 7.0J         | C    | C      | 72 / B       |              | 235/40R19 XL  | 96V          | 8.5J | C    | C      | 72 / B |
| 215/55R17 XL |              | 98V           | 7.0J         | C    | C      | 72 / B       |              | 245/40R19 XL  | 98V          | 8.5J | C    | C      | 72 / B |
| 225/55R17 XL |              | 101V          | 7.0J         | C    | C      | 72 / B       |              | 255/40R19 XL  | 100V         | 9.0J | C    | C      | 73 / B |
| 235/55R17 XL |              | 103V          | 7.5J         | C    | C      | 72 / B       |              | 275/40R19 XL  | 105V         | 9.5J | C    | C      | 73 / B |
| 215/60R17 XL | 100V         | 6.5J          | C            | C    | 72 / B | 235/45R19 XL |              | 99V           | 8.0J         | C    | C    | 72 / B |        |
| 225/60R17 XL | 103V         | 6.5J          | C            | C    | 72 / B | 245/45R19 XL |              | 102V          | 8.0J         | C    | C    | 72 / B |        |
| 18"          | 225/40R18 XL | 92V           | 8.0J         | C    | C      | 72 / B       |              | 235/50R19 XL  | 103V         | 7.5J | C    | C      | 72 / B |
|              | 235/40R18 XL | 95V           | 8.5J         | C    | C      | 72 / B       | 235/55R19 XL | 105V          | 7.5J         | C    | C    | 72 / B |        |






# SW608



## Benefits and Features


- V-shaped tread design works with high-drainage groove to drain snow, slush and water quickly
- Optimized direction of sipes maximize the tyre's contact with the road surface and delivers outstanding traction and control in all winter driving conditions
- Special winter tread compound offers performance driving



|              |         |
|--------------|---------|
| Rim Size     | 13 - 20 |
| Series       | 30 - 80 |
| Speed Rating | Q - V   |

# SW608

| Rim (inch) | Size         | LR/PR | Service Index | Standard Rim | Icons | Rim (inch) | Size         | LR/PR        | Service Index | Standard Rim | Icons |      |      |
|------------|--------------|-------|---------------|--------------|-------|------------|--------------|--------------|---------------|--------------|-------|------|------|
| 13"        | 155/70R13    | -     | 75T           | 4.5B         | D C   | 71/B       | 17"          | 205/40R17 XL | -             | 84V          | 7.5J  | D C  | 72/B |
|            | 165/70R13    | -     | 79T           | 5.0B         | D C   |            |              | 72/B         |               |              |       |      |      |
|            | 175/70R13    | -     | 82T           | 5.0B         | D C   |            |              | 72/B         |               |              |       |      |      |
|            | 155/80R13    | -     | 79T           | 4.5B         | E C   |            |              | 71/B         |               |              |       |      |      |
| 14"        | 185R14C      | D/8PR | 102/100Q      | 5.5J         | D C   | 73/B       | 215/45R17 XL | -            | 91V           | 7.0J         | D C   | 72/B |      |
|            | 185/60R14    | -     | 82H           | 5.5J         | D C   | 71/B       | 225/45R17 XL | -            | 94V           | 7.5J         | C C   | 72/B |      |
|            | 195/60R14    | -     | 86H           | 6.0J         | C C   | 72/B       | 235/45R17 XL | -            | 97H           | 8.0J         | C C   | 72/B |      |
|            | 155/65R14    | -     | 75T           | 4.5B         | D C   | 71/B       | 245/45R17 XL | -            | 99V           | 8.0J         | D C   | 72/B |      |
|            | 175/65R14    | -     | 82H           | 5.0J         | D C   | 71/B       | 205/50R17 XL | -            | 93H           | 6.5J         | C C   | 72/B |      |
|            | 185/65R14    | -     | 86H           | 5.5J         | C C   | 71/B       | 215/50R17 XL | -            | 95V           | 7.0J         | C C   | 72/B |      |
|            | 165/70R14    | -     | 81T           | 5.0J         | D C   | 71/B       | 225/50R17 XL | -            | 98H           | 7.0J         | C C   | 72/B |      |
|            | 175/70R14    | -     | 84T           | 5.0J         | D C   | 71/B       | 215/55R17 XL | -            | 98V           | 7.0J         | C C   | 72/B |      |
|            | 185/70R14    | -     | 88T           | 5.5J         | D C   | 71/B       | 225/55R17 XL | -            | 101V          | 7.0J         | C C   | 72/B |      |
|            | 195/70R14    | -     | 91T           | 6.0J         | C C   | 72/B       | 235/55R17 XL | -            | 103V          | 7.5J         | C C   | 72/B |      |
| 15"        | 195/70R15C   | D/8PR | 104/102R      | 6.0J         | D C   | 73/B       | 215/60R17    | -            | 96H           | 6.5J         | C C   | 72/B |      |
|            | 185/55R15 XL | -     | 86H/V         | 6.0J         | D C   | 71/B       | 225/60R17    | -            | 99H           | 6.5J         | C C   | 72/B |      |
|            | 195/55R15 XL | -     | 89H           | 6.0J         | C C   | 72/B       | 235/65R17 XL | -            | 108H          | 7.0J         | C C   | 72/B |      |
|            | 185/60R15 XL | -     | 88H           | 5.5J         | D C   | 71/B       | 18"          | 225/40R18 XL | -             | 92V          | 8.0J  | D C  | 72/B |
|            | 195/60R15    | -     | 88H           | 6.0J         | D C   | 72/B       |              | 235/40R18 XL | -             | 95V          | 8.5J  | D C  | 72/B |
|            | 175/65R15    | -     | 84T           | 5.0J         | D C   | 71/B       |              | 245/40R18 XL | -             | 97V          | 8.5J  | C C  | 72/B |
|            | 185/65R15    | -     | 88H           | 5.5J         | C C   | 71/B       |              | 225/45R18 XL | -             | 95V          | 7.5J  | D C  | 72/B |
|            | 195/65R15    | -     | 91H           | 6.0J         | D C   | 72/B       |              | 235/45R18 XL | -             | 98V          | 8.0J  | C C  | 72/B |
|            | 205/65R15    | -     | 94H           | 6.0J         | C C   | 72/B       |              | 245/45R18 XL | -             | 100V         | 8.0J  | D C  | 72/B |
|            | 215/70R15    | -     | 98H           | 6.5J         | D C   | 72/B       |              | 225/50R18 XL | -             | 99V          | 7.0J  | C C  | 72/B |
| 16"        | 195/50R16 XL | -     | 88H           | 6.0J         | C C   | 72/B       |              | 235/50R18 XL | -             | 101V         | 7.5J  | C C  | 72/B |
|            | 225/50R16 XL | -     | 96V           | 7.0J         | C C   | 72/B       |              | 245/50R18 XL | -             | 104V         | 7.5J  | C C  | 72/B |
|            | 195/55R16    | -     | 87H           | 6.0J         | C C   | 72/B       |              | 225/60R18 XL | -             | 104V         | 6.5J  | C C  | 72/B |
|            | 205/55R16    | -     | 91H           | 6.5J         | C C   | 72/B       | 19"          | 225/35R19 XL | -             | 88V          | 8.0J  | D C  | 72/B |
|            | 215/55R16 XL | -     | 97H           | 7.0J         | C C   | 72/B       |              | 235/45R19 XL | -             | 99V          | 8.0J  | C C  | 72/B |
|            | 225/55R16 XL | -     | 99H           | 7.0J         | C C   | 72/B       | 245/45R19 XL | -            | 102V          | 8.0J         | C C   | 72/B |      |
|            | 205/60R16    | -     | 92H           | 6.0J         | C C   | 72/B       | 20"          | 245/30R20 XL | -             | 90V          | 8.5J  | D C  | 72/B |
|            | 215/60R16 XL | -     | 99H           | 6.5J         | C C   | 72/B       |              |              |               |              |       |      |      |
|            | 225/60R16    | -     | 98H           | 6.5J         | C C   | 72/B       |              |              |               |              |       |      |      |
|            | 215/65R16    | -     | 98H           | 6.5J         | C C   | 72/B       |              |              |               |              |       |      |      |






# SW658



## Benefits and Features

- New studless winter tyres for SUV/CUV vehicles promise excellent performance on snow and wet road surface
- Special V-shape pattern with solid center rib guarantees outstanding traction on snow, slush and wet road.
- SILICA TECH compound offers remarkable traction and longer tread life



|              |         |
|--------------|---------|
| Rim Size     | 15 - 19 |
| Series       | 45 - 75 |
| Speed Rating | T - V   |

# SW658

| Rim (inch) | Size      | Service Index | Standard Rim | Icons    | Rim (inch)   | Size         | Service Index | Standard Rim | Icons    |
|------------|-----------|---------------|--------------|----------|--------------|--------------|---------------|--------------|----------|
| 15"        | 215/75R15 | 100T          | 6.0J         | E C 72/B | 17"          | 225/60R17    | 99T           | 6.5J         | D C 72/B |
|            | 225/75R15 | 102T          | 6.0J         | D C 72/B |              | 225/65R17    | 102T          | 6.5J         | D C 72/B |
|            | 235/75R15 | 105T          | 6.5J         | D C 72/B |              | 235/65R17    | 104T          | 7.0J         | D C 72/B |
| 16"        | 235/60R16 | 100H          | 7.0J         | D C 72/B | 245/65R17    | 107T         | 7.0J          | D C 72/B     |          |
|            | 215/65R16 | 98T           | 6.5J         | E C 72/B | 265/65R17    | 112T         | 8.0J          | D C 73/B     |          |
|            | 215/70R16 | 100T          | 6.5J         | D C 72/B | 265/70R17    | 115T         | 8.0J          | D C 73/B     |          |
|            | 225/70R16 | 103T          | 6.5J         | D C 72/B | 18"          | 235/55R18 XL | 104H          | 7.5J         | D C 72/B |
|            | 235/70R16 | 106T          | 7.0J         | D C 72/B |              | 255/55R18 XL | 109H          | 8.0J         | C C 73/B |
|            | 245/70R16 | 107T          | 7.0J         | D C 72/B |              | 225/60R18 XL | 104V          | 6.5J         | D C 72/B |
| 17"        | 265/70R16 | 112T          | 8.0J         | D C 73/B | 235/60R18 XL | 107T         | 7.0J          | D C 72/B     |          |
|            | 225/45R17 | 91H           | 7.5J         | E C 72/B | 285/60R18    | 116T         | 8.5J          | C C 74/B     |          |
|            | 215/60R17 | 96T           | 6.5J         | D C 72/B | 19"          | 255/50R19 XL | 107H          | 8.0J         | D C 73/B |







# SW618



## Benefits and Features

- Premium studless winter tyre providing excellent snow, slush and wet traction in cold climates
- Special pattern design to promote aggressive bite in deep snow and wet road conditions
- Superior tread compound keeps rubber flexible for maximum performance in extreme cold temperatures in winter



|              |         |
|--------------|---------|
| Rim Size     | 13 - 20 |
| Series       | 30 - 70 |
| Speed Rating | T - V   |

# SW618

| Rim (inch) | Size         | Service Index | Standard Rim | XYdB | ABC    | Rim (inch)   | Size         | Service Index | Standard Rim | XYdB | ABC    |        |        |
|------------|--------------|---------------|--------------|------|--------|--------------|--------------|---------------|--------------|------|--------|--------|--------|
| 13"        | 155/65R13    | 73T           | 4.5J         | E    | E      | 71 / B       | 16"          | 205/65R16     | 95T          | 6.0J | D      | E      | 72 / B |
|            | 165/65R13    | 77T           | 5.0J         | E    | E      | 71 / B       |              | 215/65R16     | 98T          | 6.5J | D      | E      | 72 / B |
|            | 165/70R13    | 79T           | 5.0J         | E    | E      | 71 / B       |              | 225/65R16     | 100T         | 6.5J | D      | E      | 72 / B |
|            | 175/70R13    | 82T           | 5.0J         | E    | E      | 71 / B       |              | 17"           | 215/45R17 XL | 91V  | 7.0J   | D      | E      |
| 14"        | 165/60R14    | 75T           | 5.0J         | E    | E      | 71 / B       | 235/45R17 XL |               | 97T          | 8.0J | D      | E      | 72 / B |
|            | 185/60R14    | 82T           | 5.5J         | E    | E      | 71 / B       | 215/50R17 XL |               | 95H          | 7.0J | D      | E      | 72 / B |
|            | 155/65R14    | 75T           | 4.5B         | E    | E      | 71 / B       | 225/50R17    |               | 94T          | 7.0J | D      | E      | 72 / B |
|            | 175/65R14    | 82T           | 5.0J         | E    | E      | 71 / B       | 235/50R17 XL | 100H          | 7.5J         | D    | E      | 72 / B |        |
|            | 185/65R14    | 86T           | 5.5J         | E    | E      | 71 / B       | 215/55R17    | 94T           | 7.0J         | D    | E      | 72 / B |        |
|            | 165/70R14    | 81T           | 5.0J         | D    | E      | 71 / B       | 225/55R17 XL | 101H          | 7.0J         | D    | E      | 72 / B |        |
|            | 175/70R14    | 84T           | 5.0J         | E    | E      | 71 / B       | 235/55R17    | 99T           | 7.5J         | D    | E      | 72 / B |        |
|            | 185/70R14    | 88T           | 5.5J         | E    | E      | 71 / B       | 225/60R17    | 99T           | 6.5J         | D    | E      | 72 / B |        |
| 195/70R14  | 91T          | 6.0J          | D            | E    | 72 / B | 225/65R17    | 102T         | 6.5J          | D            | E    | 72 / B |        |        |
| 15"        | 195/50R15    | 82T           | 6.0J         | E    | E      | 72 / B       | 235/65R17    | 104T          | 7.0J         | D    | E      | 72 / B |        |
|            | 185/55R15    | 82T           | 6.0J         | E    | E      | 71 / B       | 18"          | 235/40R18 XL  | 95V          | 8.5J | D      | E      | 72 / B |
|            | 195/55R15    | 85H           | 6.0J         | E    | E      | 72 / B       |              | 225/45R18 XL  | 95H          | 7.5J | D      | E      | 72 / B |
|            | 185/60R15    | 84T           | 5.5J         | E    | E      | 71 / B       |              | 235/45R18 XL  | 98T          | 8.0J | D      | E      | 72 / B |
|            | 195/60R15    | 88T           | 6.0J         | D    | E      | 72 / B       |              | 245/45R18 XL  | 100T         | 8.0J | D      | E      | 72 / B |
|            | 185/65R15    | 88T           | 5.5J         | D    | E      | 71 / B       | 235/50R18 XL | 101T          | 7.5J         | D    | E      | 72 / B |        |
|            | 195/65R15    | 91T           | 6.0J         | D    | E      | 72 / B       | 245/50R18 XL | 104T          | 7.5J         | D    | E      | 72 / B |        |
|            | 205/65R15    | 94T           | 6.0J         | D    | E      | 72 / B       | 215/55R18 XL | 99H           | 7.0J         | D    | E      | 72 / B |        |
|            | 205/70R15    | 96T           | 6.0J         | D    | E      | 72 / B       | 225/55R18    | 98H           | 7.0J         | D    | E      | 72 / B |        |
|            | 215/70R15    | 98T           | 6.5J         | D    | E      | 72 / B       | 235/55R18 XL | 104T          | 7.5J         | D    | E      | 72 / B |        |
| 16"        | 195/55R16 XL | 91V           | 6.0J         | D    | E      | 72 / B       | 245/60R18    | 105H          | 7.0J         | D    | E      | 72 / B |        |
|            | 205/55R16    | 91H           | 6.5J         | D    | E      | 72 / B       | 19"          | 235/50R19     | 99H          | 7.5J | D      | E      | 72 / B |
|            | 215/55R16    | 93T           | 7.0J         | D    | E      | 72 / B       |              | 235/55R19 XL  | 105H         | 7.5J | D      | E      | 72 / B |
|            | 225/55R16    | 95T           | 7.0J         | D    | E      | 72 / B       |              | 255/55R19 XL  | 111H         | 8.0J | D      | E      | 73 / B |
|            | 195/60R16    | 89T           | 6.0J         | D    | E      | 72 / B       |              | 20"           | 275/30R20 XL | 97H  | 9.5J   | D      | E      |
|            | 205/60R16    | 92T           | 6.0J         | D    | E      | 72 / B       | 275/45R20 XL |               | 110H         | 9.0J | D      | E      | 73 / B |
| 215/60R16  | 95T          | 6.5J          | D            | E    | 72 / B | 255/50R20 XL | 109H         |               | 8.0J         | D    | E      | 73 / B |        |
| 225/60R16  | 98T          | 6.5J          | D            | E    | 72 / B |              |              |               |              |      |        |        |        |







# SW612



## Benefits and Features

- All-round winter performance for vans and other commercial vehicles
- Remarkable safety through excellent grip, handling and traction in snow, mud and wet surface
- Comfortable ride and precise handling with long tread life



|              |         |
|--------------|---------|
| Rim Size     | 12 - 16 |
| Series       | 60 - 75 |
| Speed Rating | N - T   |

# SW612

| Rim (inch) | Size       | LR/PR  | Service Index | Standard Rim | Icons    | Rim (inch) | Size    | LR/PR    | Service Index | Standard Rim | Icons    |
|------------|------------|--------|---------------|--------------|----------|------------|---------|----------|---------------|--------------|----------|
| 12"        | 155R12C    | D/8PR  | 88/86Q        | 4.5B         | E C 72/B | 16"        | 7.00R16 | F/12PR   | 117/116N      | 5.5F         | D C 72/B |
| 13"        | 155R13C    | C/6PR  | 85/83Q        | 4.5J         | D C 72/B | 195/60R16C | C/6PR   | 99/97T   | 6.0J          | E C 72/B     |          |
|            | 165R13C    | C/6PR  | 91/89Q        | 4.5B         | E C 72/B | 195/65R16C | D/8PR   | 104/102T | 6.0J          | D C 72/B     |          |
|            | 175R13C    | D/8PR  | 97/95Q        | 5.0B         | D C 72/B | 205/65R16C | D/8PR   | 107/105T | 6.0J          | D C 72/B     |          |
| 14"        | 185R14C    | D/8PR  | 102/100R      | 5.5J         | D C 72/B | 215/65R16C | D/8PR   | 109/107R | 6.5J          | D C 72/B     |          |
|            | 175/70R14C | C/6PR  | 95/93Q        | 5.0J         | E C 72/B | 225/65R16C | D/8PR   | 112/110R | 6.5J          | D C 72/B     |          |
| 15"        | 195R15C    | D/8PR  | 106/104R      | 5.5J         | D C 72/B | 235/65R16C | D/8PR   | 115/113R | 7.0J          | D C 72/B     |          |
|            | 205/65R15C | C/6PR  | 102/100T      | 6.0J         | D C 72/B | 185/75R16C | D/8PR   | 104/102Q | 5.0J          | E C 72/B     |          |
|            | 195/70R15C | D/8PR  | 104/102R      | 6.0J         | D C 72/B | 195/75R16C | D/8PR   | 107/105R | 5.5J          | D C 72/B     |          |
|            | 205/70R15C | D/8PR  | 106/104R      | 6.0J         | D C 72/B | 205/75R16C | D/8PR   | 110/108Q | 5.5J          | D C 72/B     |          |
|            | 215/70R15C | D/8PR  | 109/107R      | 6.5J         | D C 72/B | 215/75R16C | D/8PR   | 113/111Q | 6.0J          | D C 72/B     |          |
|            | 225/70R15C | D/8PR  | 112/110R      | 6.5J         | D C 72/B | 225/75R16C | E/10PR  | 118/116Q | 6.0J          | D C 72/B     |          |
| 16"        | 6.50R16    | E/10PR | 108/107N      | 5.5F         | D C 72/B |            |         |          |               |              |          |






# IceMaster Spike Z-506



## Benefits and Features

- Studable V-shaped tread design delivers outstanding traction and braking performance on snow and icy roads
- Stiff shoulder blocks deliver outstanding cornering stability and enhanced grips



|              |         |
|--------------|---------|
| Rim Size     | 14 - 19 |
| Series       | 40 - 75 |
| Speed Rating | T - H   |

## IceMaster Spike Z-506

| Rim (inch) | Size         | Service Index | Standard Rim | XYdB | ABC | Rim (inch) | Size         | Service Index | Standard Rim | XYdB | ABC |
|------------|--------------|---------------|--------------|------|-----|------------|--------------|---------------|--------------|------|-----|
| 14"        | 175/65R14 XL | 86T           | 5.0J         | /    | /   | 16"        | 205/65R16    | 95T           | 6.0J         | /    | /   |
|            | 185/65R14    | 86T           | 5.5J         | /    | /   |            | 215/65R16    | 98T           | 6.5J         | /    | /   |
| 15"        | 195/50R15    | 82T           | 6.0J         | /    | /   | 17"        | 225/45R17 XL | 94H           | 7.5J         | /    | /   |
|            | 195/55R15    | 85T           | 6.0J         | /    | /   |            | 235/45R17 XL | 97T           | 8.0J         | /    | /   |
|            | 195/60R15    | 88T           | 6.0J         | /    | /   |            | 245/45R17 XL | 99T           | 8.0J         | /    | /   |
|            | 185/65R15 XL | 92T           | 5.5J         | /    | /   |            | 225/50R17 XL | 98H           | 7.0J         | /    | /   |
|            | 195/65R15 XL | 95T           | 6.0J         | /    | /   |            | 215/55R17 XL | 98T           | 7.0J         | /    | /   |
|            | 205/65R15    | 94T           | 6.0J         | /    | /   |            | 225/55R17 XL | 101T          | 7.0J         | /    | /   |
| 16"        | 225/75R15    | 102T          | 6.0J         | /    | /   | 215/60R17  | 96T          | 6.5J          | /            | /    |     |
|            | 235/75R15    | 105T          | 6.5J         | /    | /   | 225/65R17  | 102T         | 6.5J          | /            | /    |     |
|            | 205/50R16    | 87T           | 6.5J         | /    | /   | 235/65R17  | 104T         | 7.0J          | /            | /    |     |
|            | 195/55R16    | 87T           | 6.0J         | /    | /   | 18"        | 225/40R18 XL | 92T           | 8.0J         | /    | /   |
|            | 205/55R16 XL | 94T           | 6.5J         | /    | /   |            | 235/40R18 XL | 95T           | 8.5J         | /    | /   |
|            | 215/55R16 XL | 97T           | 7.0J         | /    | /   |            | 245/40R18 XL | 97T           | 8.5J         | /    | /   |
|            | 225/55R16    | 95T           | 7.0J         | /    | /   |            | 235/45R18 XL | 98T           | 8.0J         | /    | /   |
|            | 205/60R16 XL | 96T           | 6.0J         | /    | /   | 19"        | 255/50R19 XL | 107T          | 8.0J         | /    | /   |
|            | 215/60R16    | 95T           | 6.5J         | /    | /   |            |              |               |              |      |     |






# SW606



## Benefits and Features

- Stable V-shaped tread design delivers outstanding traction and braking performance on snow and icy roads
- Stiff shoulder blocks deliver outstanding cornering stability and enhanced grips



|              |         |
|--------------|---------|
| Rim Size     | 14 - 20 |
| Series       | 40 - 85 |
| Speed Rating | Q - H   |

# SW606

| Rim (inch)  | Size        | LR/PR       | Service Index | Standard Rim | Icons        | Rim (inch)   | Size         | LR/PR  | Service Index | Standard Rim | Icons |
|-------------|-------------|-------------|---------------|--------------|--------------|--------------|--------------|--------|---------------|--------------|-------|
| 14"         | 185/60R14   | -           | 82T           | 6.0J         | / / /        | 17"          | LT265/70R17  | E/10PR | 121/118Q      | 6.5J         | / / / |
|             | 175/65R14   | -           | 82H           | 6.5J         | / / /        |              | LT285/70R17  | E/10PR | 121/118Q      | 6.5J         | / / / |
|             | 185/65R14   | -           | 86T           | 5.0J         | / / /        |              | LT245/75R17  | E/10PR | 121/118Q      | 6.5J         | / / / |
|             | 185/70R14   | -           | 88T           | 6.0J         | / / /        |              | LT235/80R17  | E/10PR | 120/117Q      | 7.0J         | / / / |
|             | 195/70R14   | -           | 91T           | 7.0J         | / / /        |              | 215/45R17 XL | -      | 91H           | 7.0J         | / / / |
| 15"         | 195/70R15C  | D/8PR       | 104/102R      | 7.5J         | / / /        | 225/45R17 XL | -            | 94H    | 8.0J          | / / /        |       |
|             | 225/70R15C  | D/8PR       | 112/110R      | 6.5J         | / / /        | 205/50R17 XL | -            | 93H    | 7.0J          | / / /        |       |
|             | 185/60R15   | -           | 84T           | 7.0J         | / / /        | 215/50R17 XL | -            | 95H    | 7.5J          | / / /        |       |
|             | 195/60R15   | -           | 88T           | 8.0J         | / / /        | 225/50R17 XL | -            | 98H    | 6.5J          | / / /        |       |
|             | 185/65R15   | -           | 88T           | 8.5J         | / / /        | 225/55R17 XL | -            | 101H   | 7.0J          | / / /        |       |
|             | 195/65R15   | -           | 91T           | 7.0J         | / / /        | 225/60R17    | -            | 99T    | 7.0J          | / / /        |       |
|             | 205/65R15   | -           | 94T           | 6.5J         | / / /        | 225/65R17    | -            | 102T   | 7.0J          | / / /        |       |
|             | 215/70R15   | -           | 98T           | 8.0J         | / / /        | 235/65R17    | -            | 104T   | 6.5J          | / / /        |       |
|             | 16"         | 185/75R16C  | D/8PR         | 104/102R     | 8.0J         | / / /        | 245/65R17    | -      | 107T          | 6.5J         | / / / |
|             |             | LT225/75R16 | E/10PR        | 115/112Q     | 5.5J         | / / /        | 245/70R17    | -      | 110T          | 7.0J         | / / / |
| LT245/75R16 |             | E/10PR      | 120/116Q      | 5.0J         | / / /        | 265/70R17    | -            | 115T   | 7.0J          | / / /        |       |
| LT265/75R16 |             | E/10PR      | 123/120Q      | 5.5J         | / / /        | 18"          | LT275/65R18  | E/10PR | 123/120Q      | 7.0J         | / / / |
| LT235/85R16 |             | E/10PR      | 120/116Q      | 5.5J         | / / /        |              | LT275/70R18  | E/10PR | 125/122Q      | 8.0J         | / / / |
| 205/55R16   |             | -           | 91T           | 6.0J         | / / /        |              | 225/40R18 XL | -      | 92H           | 8.0J         | / / / |
| 205/60R16   |             | -           | 92T           | 5.5J         | / / /        |              | 225/50R18 XL | -      | 99H           | 7.0J         | / / / |
| 215/60R16   |             | -           | 95T           | 6.0J         | / / /        |              | 235/50R18 XL | -      | 101H          | 7.5J         | / / / |
| 225/60R16   |             | -           | 98T           | 5.5J         | / / /        |              | 215/55R18 XL | -      | 99H           | 7.0J         | / / / |
| 215/65R16   |             | -           | 98T           | 6.0J         | / / /        |              | 225/55R18 XL | -      | 102H          | 7.0J         | / / / |
| 215/70R16   | -           | 100T        | 6.0J          | / / /        | 225/60R18 XL |              | -            | 104H   | 6.5J          | / / /        |       |
| 225/70R16   | -           | 103T        | 6.5J          | / / /        | 235/60R18 XL |              | -            | 107H   | 7.0J          | / / /        |       |
| 235/70R16   | -           | 106T        | 6.5J          | / / /        | 245/60R18    |              | -            | 105T   | 7.0J          | / / /        |       |
| 245/70R16   | -           | 107T        | 6.0J          | / / /        | 275/65R18    | -            | 116T         | 8.0J   | / / /         |              |       |
| 265/70R16   | -           | 112T        | 6.5J          | / / /        | 20"          | 275/55R20 XL | -            | 117H   | 8.5J          | / / /        |       |
| 17"         | LT245/70R17 | E/10PR      | 119/116Q      | 6.5J         |              | / / /        | 275/60R20    | -      | 115T          | 8.0J         | / / / |






# TRAILER MAX



## Benefits and Features

- Radial construction tyres applicable for trailer service
- Long-life and low rolling resistance compound to offer long original treadwear and to promote fuel economy
- The reinforced sidewalls ensure a cool, long lasting tyre



M+S

|              |         |
|--------------|---------|
| Rim Size     | 10 - 14 |
| Series       | 50 - 80 |
| Speed Rating | N       |

## TRAILER MAX

| Rim (inch) | Size       | Service Index | Standard Rim | Icons    | Rim (inch) | Size      | Service Index | Standard Rim | Icons    |
|------------|------------|---------------|--------------|----------|------------|-----------|---------------|--------------|----------|
| 10"        | 195/55R10C | 98/96N        | 6.00I        | C C 72/B | 13"        | 175/70R13 | 86N           | 5.00B        | C C 70/B |
| 12"        | 185/60R12C | 104/101N      | 5 1/2J       | C C 72/B |            | 185/70R13 | 86N           | 5 1/2J       | C C 70/B |
|            | 155/70R12C | 104/102N      | 4 1/2J       | C C 72/B |            | 135/80R13 | 74N           | 3.50B        | D C 70/B |
| 13"        | 195/50R13C | 104/101N      | 6J           | C C 72/B |            | 145/80R13 | 79N           | 4.00B        | C C 70/B |
|            | 155/70R13  | 75N           | 4.50B        | C C 70/B |            | 155/80R13 | 84N           | 4.50B        | C C 70/B |
|            | 165/70R13  | 79N           | 5.00B        | C C 70/B | 14"        | 195/70R14 | 96N           | 6J           | C C 70/B |





### PASSENGER

| Rim (inch)    | Series       | Size         | Pattern   | Service Index | Standard Rim | Section Width (mm) | Overall Diameter (mm) | Max. Load (kg) | Max. Air Pressure (kpa) |          |          |          |
|---------------|--------------|--------------|-----------|---------------|--------------|--------------------|-----------------------|----------------|-------------------------|----------|----------|----------|
| 13"           | 65er         | 155/65R13    | Z-107     | 73T           | 4.5B         | 157                | 532                   | 365            | 300                     | D B 70/B |          |          |
|               |              | 70er         | 155/70R13 | Z-107         | 75T          | 4.5J               | 157                   | 548            | 387                     | 300      | D B 70/B |          |
|               |              | 165/70R13    | Z-107     | 79T           | 5.0J         | 170                | 562                   | 437            | 300                     | D B 70/B |          |          |
|               |              | 175/70R13    | Z-107     | 82T           | 5.0J         | 177                | 576                   | 475            | 300                     | D B 70/B |          |          |
|               |              | 185/70R13    | Z-107     | 86T           | 5.5J         | 189                | 590                   | 530            | 300                     | D B 70/B |          |          |
|               | 80er         | 155/80R13    | Z-107     | 79T           | 4.5J         | 157                | 578                   | 437            | 300                     | D B 70/B |          |          |
|               |              | 165/80R13    | Z-107     | 83T           | 4.5B         | 165                | 594                   | 487            | 240                     | D B 70/B |          |          |
|               |              | 14"          | 55er      | 185/55R14     | Z-107        | 80V                | 6.0J                  | 194            | 560                     | 450      | 300      | D B 70/B |
|               |              |              |           | 60er          | 165/60R14    | Z-107              | 75H                   | 5.0J           | 170                     | 554      | 387      | 300      |
|               |              |              | 175/60R14 | Z-107         | 79H          | 5.0J               | 177                   | 566            | 437                     | 300      | D B 70/B |          |
| 185/60R14     | Z-107        |              | 82H       | 5.5J          | 189          | 578                | 475                   | 300            | D B 70/B                |          |          |          |
| 65er          | 155/65R14    |              | Z-107     | 75T           | 4.5J         | 157                | 558                   | 387            | 300                     | D B 70/B |          |          |
|               | 165/65R14    | Z-107        | 79T       | 5.0J          | 170          | 570                | 437                   | 300            | D B 70/B                |          |          |          |
|               | 175/65R14    | Z-107        | 82H/T     | 5.0J          | 177          | 584                | 475                   | 300            | D B 70/B                |          |          |          |
|               | 185/65R14    | Z-107        | 86H       | 5.5J          | 189          | 596                | 530                   | 300            | D B 70/B                |          |          |          |
|               | 195/65R14    | Z-107        | 89H       | 6.0J          | 201          | 610                | 580                   | 300            | D B 71/B                |          |          |          |
| 70er          | 165/70R14    | Z-107        | 81T       | 5.0J          | 170          | 588                | 462                   | 300            | D B 70/B                |          |          |          |
|               | 175/70R14    | Z-107        | 84T       | 5.0J          | 177          | 602                | 500                   | 300            | D B 70/B                |          |          |          |
|               | 185/70R14    | Z-107        | 88T       | 5.5J          | 189          | 616                | 560                   | 300            | C B 70/B                |          |          |          |
|               | 195/70R14    | Z-107        | 91T       | 6.0J          | 201          | 630                | 615                   | 300            | C B 71/B                |          |          |          |
|               | 205/70R14    | Z-107        | 95T       | 6.0J          | 209          | 644                | 690                   | 300            | C B 71/B                |          |          |          |
| 15"           | 50er         | 195/50R15    | SPORT RS  | 82V           | 6.0J         | 201                | 577                   | 475            | 300                     | / / /    |          |          |
|               |              | 195/50R15    | SA57      | 82V           | 6.0J         | 201                | 577                   | 475            | 300                     | D B 71/B |          |          |
|               |              | 195/50R15    | Z-107     | 82V           | 6.0J         | 201                | 577                   | 475            | 300                     | D B 71/B |          |          |
|               |              | 205/50R15 XL | SPORT RS  | 89V           | 6.5J         | 214                | 587                   | 580            | 350                     | / / /    |          |          |
|               |              | 55er         | 175/55R15 | Z-107         | 77H          | 5.5J               | 182                   | 573            | 412                     | 300      | D B 70/B |          |
|               | 185/55R15    |              | Z-107     | 82V/H         | 6.0J         | 194                | 560                   | 450            | 300                     | D B 70/B |          |          |
|               | 195/55R15    |              | SA57      | 85V           | 6.0J         | 201                | 595                   | 515            | 300                     | D B 71/B |          |          |
|               | 195/55R15    |              | Z-107     | 85V/H         | 6.0J         | 201                | 595                   | 515            | 300                     | D B 71/B |          |          |
|               | 60er         |              | 155/60R15 | Z-107         | 74H          | 4.5B               | 157                   | 567            | 375                     | 300      | D B 70/B |          |
|               |              | 175/60R15    | Z-107     | 81H           | 5.0J         | 177                | 591                   | 462            | 300                     | D B 70/B |          |          |
|               |              | 185/60R15    | Z-107     | 84H           | 5.5J         | 189                | 603                   | 500            | 300                     | D B 70/B |          |          |
|               |              | 195/60R15    | Z-107     | 88V/H         | 6.0J         | 201                | 615                   | 560            | 300                     | D B 71/B |          |          |
|               |              | 205/60R15    | Z-107     | 91H           | 6.0J         | 209                | 627                   | 615            | 300                     | C B 71/B |          |          |
|               |              | 65er         | 165/65R15 | Z-107         | 81H          | 5.0J               | 170                   | 595            | 462                     | 300      | D B 70/B |          |
|               |              |              | 175/65R15 | Z-107         | 84H          | 5.0J               | 177                   | 609            | 500                     | 300      | D B 70/B |          |
|               |              |              | 185/65R15 | SA37          | 88H          | 5.5J               | 189                   | 621            | 560                     | 300      | D B 70/B |          |
|               |              |              | 185/65R15 | Z-107         | 88H/T        | 5.5J               | 189                   | 621            | 560                     | 300      | D B 70/B |          |
|               |              |              | 195/65R15 | SA37          | 91V          | 6.0J               | 201                   | 635            | 615                     | 300      | D B 71/B |          |
|               | 195/65R15    |              | Z-107     | 91V/H/T       | 6.0J         | 201                | 635                   | 615            | 300                     | C B 71/B |          |          |
|               | 205/65R15    |              | SL369     | 94H           | 6.0J         | 209                | 647                   | 670            | 300                     | D D 71/B |          |          |
|               | 205/65R15    |              | Z-107     | 94V           | 6.0J         | 209                | 647                   | 670            | 300                     | C B 71/B |          |          |
|               | 215/65R15    |              | Z-107     | 96H           | 6.5J         | 221                | 661                   | 710            | 300                     | C B 71/B |          |          |
|               | 205/70R15    |              | Z-107     | 96H           | 6.0J         | 209                | 669                   | 710            | 300                     | C B 71/B |          |          |
|               | 70er         | 205/70R15    | SL369     | 96H           | 6.0J         | 209                | 669                   | 710            | 300                     | D D 71/B |          |          |
|               |              | 215/70R15    | Z-107     | 98H           | 6.5J         | 221                | 683                   | 750            | 300                     | C B 71/B |          |          |
|               |              | 225/70R15    | SU318     | 100T          | 6.5J         | 228                | 697                   | 800            | 300                     | D C 71/B |          |          |
|               |              | 225/70R15    | SL369     | 100T          | 6.5J         | 228                | 697                   | 800            | 300                     | D D 71/B |          |          |
|               |              | 235/70R15    | SU318     | 103T          | 7.0J         | 240                | 711                   | 875            | 300                     | D C 71/B |          |          |
|               |              | 235/70R15    | SL369     | 103S          | 7.0J         | 240                | 711                   | 875            | 300                     | D D 71/B |          |          |
|               |              | 265/70R15    | SU318     | 112T          | 8.0J         | 272                | 753                   | 1120           | 300                     | C C 72/B |          |          |
| 265/70R15     |              | SL369        | 112T      | 8.0J          | 272          | 753                | 1120                  | 300            | D D 72/B                |          |          |          |
| 75er          |              | 215/75R15    | SU318     | 100T          | 6.0J         | 216                | 703                   | 800            | 300                     | D C 71/B |          |          |
|               |              | P215/75R15   | SL369     | 100S          | 6.0J         | 216                | 703                   | 800            | 300                     | D D 71/B |          |          |
|               |              | 225/75R15    | SU318     | 102H          | 6.0J         | 223                | 719                   | 850            | 300                     | D C 71/B |          |          |
|               |              | 235/75R15    | SU318     | 105H          | 6.5J         | 235                | 733                   | 925            | 300                     | D C 71/B |          |          |
|               |              | 235/75R15 XL | SL369     | 109S          | 6.5J         | 235                | 733                   | 1030           | 350                     | D D 72/B |          |          |
|               |              | 265/75R15    | SU318     | 112T          | 7.5J         | 267                | 779                   | 1120           | 300                     | C C 72/B |          |          |
|               |              | 16"          | 40er      | 215/40R16 XL  | Z-107        | 86W                | 7.5J                  | 218            | 578                     | 530      | 350      | D B 72/B |
|               | 45er         |              |           | 195/45R16 XL  | SA37         | 84V                | 6.5J                  | 195            | 582                     | 500      | 350      | D B 72/B |
| 195/45R16 XL  |              |              |           | Z-107         | 84V          | 6.5J               | 195                   | 582            | 500                     | 350      | D B 72/B |          |
| 205/45ZR16 XL |              |              |           | SPORT RS      | 87W          | 7.0J               | 206                   | 590            | 545                     | 350      | / / /    |          |
| 205/45R16 XL  |              |              |           | Z-107         | 87W          | 7.0J               | 206                   | 590            | 545                     | 350      | D B 72/B |          |
| 215/45R16 XL  | Z-107        |              | 90W       | 7.0J          | 213          | 600                | 600                   | 350            | D B 72/B                |          |          |          |
| 50er          | 185/50R16    |              | Z-107     | 81V           | 6.0J         | 194                | 592                   | 462            | 300                     | D B 70/B |          |          |
|               | 195/50R16    |              | Z-107     | 84V           | 6.0J         | 201                | 602                   | 500            | 300                     | D B 71/B |          |          |
|               | 205/50R16    |              | SA37      | 87W           | 6.5J         | 214                | 612                   | 545            | 300                     | D B 71/B |          |          |
|               | 205/50R16    |              | SA57      | 87W           | 6.5J         | 214                | 612                   | 545            | 300                     | D B 71/B |          |          |
|               | 205/50R16    |              | Z-107     | 87V           | 6.5J         | 214                | 612                   | 545            | 300                     | D B 71/B |          |          |
|               | 225/50R16 XL |              | SPORT RS  | 96W           | 7.0J         | 233                | 632                   | 710            | 350                     | / / /    |          |          |

Outline White Letters (OWL)

### PASSENGER

| Rim (inch)   | Series        | Size                   | Pattern       | Service Index | Standard Rim | Section Width (mm) | Overall Diameter (mm) | Max. Load (kg) | Max. Air Pressure (kpa) |          |          |          |
|--------------|---------------|------------------------|---------------|---------------|--------------|--------------------|-----------------------|----------------|-------------------------|----------|----------|----------|
| 16"          | 50er          | 225/50R16              | SA37          | 92W           | 7.0J         | 233                | 632                   | 630            | 300                     | D B 71/B |          |          |
|              |               | 225/50R16              | SA57          | 92W           | 7.0J         | 233                | 632                   | 630            | 300                     | D B 71/B |          |          |
|              | 55er          | 185/55R16              | Z-107         | 83V           | 6.0J         | 194                | 610                   | 487            | 300                     | C B 70/B |          |          |
|              |               | 195/55R16              | Z-107         | 87V/H         | 6.0J         | 201                | 620                   | 545            | 300                     | D B 71/B |          |          |
|              |               | 205/55R16              | SA37          | 91V           | 6.5J         | 214                | 632                   | 615            | 300                     | D B 71/B |          |          |
|              |               | 205/55R16 XL           | SA37          | 94W           | 6.5J         | 214                | 632                   | 670            | 350                     | D B 72/B |          |          |
|              |               | 205/55R16 XL           | SA57          | 94W           | 6.5J         | 214                | 632                   | 670            | 350                     | D B 72/B |          |          |
|              |               | 205/55R16              | Z-107         | 91WV/H        | 6.5J         | 214                | 632                   | 615            | 300                     | D B 71/B |          |          |
|              |               | 205/55R16 XL           | Z-107         | 94W           | 6.5J         | 214                | 632                   | 670            | 300                     | C B 72/B |          |          |
|              |               | 215/55R16              | SA37          | 93V           | 7.0J         | 226                | 642                   | 650            | 300                     | D B 71/B |          |          |
|              |               | 215/55R16 XL           | SA57          | 97W           | 7.0J         | 226                | 642                   | 730            | 350                     | D B 72/B |          |          |
|              |               | 215/55R16              | Z-107         | 93V           | 7.0J         | 226                | 642                   | 650            | 300                     | C B 71/B |          |          |
|              | 225/55R16 XL  | SA37                   | 99W           | 7.0J          | 233          | 654                | 775                   | 350            | D B 72/B                |          |          |          |
|              | 225/55R16 XL  | ZRT  SA37              | 99W           | 7.0J          | 233          | 654                | 775                   | 350            | D B 72/B                |          |          |          |
|              | 225/55R16 XL  | SA57                   | 99W           | 7.0J          | 233          | 654                | 775                   | 350            | D B 72/B                |          |          |          |
|              | 225/55R16     | Z-107                  | 95V           | 7.0J          | 233          | 654                | 690                   | 300            | C B 71/B                |          |          |          |
|              | 60er          | 195/60R16              | Z-107         | 89V           | 6.0J         | 201                | 640                   | 580            | 300                     | C B 71/B |          |          |
|              |               | 205/60R16              | Z-107         | 92V/H         | 6.0J         | 209                | 652                   | 630            | 300                     | C B 71/B |          |          |
|              |               | 205/60R16              | SL369         | 92H           | 6.0J         | 209                | 652                   | 630            | 300                     | D D 71/B |          |          |
|              |               | 215/60R16 XL           | Z-107         | 99V           | 6.5J         | 221                | 664                   | 775            | 350                     | C B 72/B |          |          |
|              |               | 225/60R16              | Z-107         | 98H           | 6.5J         | 228                | 676                   | 750            | 300                     | C B 71/B |          |          |
|              |               | 235/60R16              | Z-107         | 100H          | 7.0J         | 240                | 688                   | 800            | 300                     | C B 71/B |          |          |
|              |               | 235/60R16              | SL369         | 100T          | 7.0J         | 240                | 688                   | 800            | 300                     | D D 71/B |          |          |
|              |               | 65er                   | 205/65R16     | Z-107         | 95H          | 6.0J               | 209                   | 672            | 690                     | 300      | C B 71/B |          |
|              |               |                        | 215/65R16     | Z-107         | 98H/V        | 6.5J               | 221                   | 686            | 750                     | 300      | C B 71/B |          |
|              |               |                        | 255/65R16     | SU318         | 109H         | 7.5J               | 260                   | 738            | 1030                    | 300      | C C 72/B |          |
|              |               |                        | 70er          | 215/70R16     | SU318        | 100H               | 6.5J                  | 221            | 708                     | 800      | 300      | D C 71/B |
|              |               |                        |               | 215/70R16     | SL369        | 100S               | 6.5J                  | 221            | 708                     | 800      | 300      | D D 71/B |
|              |               | 225/70R16              |               | SU318         | 103H         | 6.5J               | 228                   | 722            | 875                     | 300      | D C 71/B |          |
|              |               | 225/70R16              |               | SL369         | 103S         | 6.5J               | 228                   | 722            | 875                     | 300      | D D 71/B |          |
| 235/70R16    |               | SU318                  |               | 106H          | 7.0J         | 240                | 736                   | 950            | 300                     | D C 71/B |          |          |
| 235/70R16    | SL369         | 106S                   | 7.0J          | 240           | 736          | 950                | 300                   | D D 71/B       |                         |          |          |          |
| 245/70R16 XL | SU318         | 111H                   | 7.0J          | 248           | 750          | 1090               | 350                   | D C 72/B       |                         |          |          |          |
| 245/70R16 XL | SL369         | 111S                   | 7.0J          | 248           | 750          | 1090               | 350                   | D D 72/B       |                         |          |          |          |
| 255/70R16    | SU318         | 111T                   | 7.5J          | 260           | 764          | 1090               | 300                   | C C 72/B       |                         |          |          |          |
| 255/70R16    | SL369         | 111T                   | 7.5J          | 260           | 764          | 1090               | 300                   | D D 72/B       |                         |          |          |          |
| 265/70R16    | SU318         | 112H                   | 8.0J          | 272           | 778          | 1120               | 300                   | C C 72/B       |                         |          |          |          |
| 265/70R16    | SL369         | 112S                   | 8.0J          | 272           | 778          | 1120               | 300                   | D D 72/B       |                         |          |          |          |
| 275/70R16    | SU318         | 114T                   | 8.0J          | 279           | 792          | 1180               | 300                   | C C 72/B       |                         |          |          |          |
| 275/70R16    | SL369         | 114S                   | 8.0J          | 279           | 792          | 1180               | 300                   | D D 72/B       |                         |          |          |          |
| 75er         | 225/75R16     | SU318                  | 104H          | 6.0J          | 223          | 744                | 900                   | 300            | D C 71/B                |          |          |          |
|              | 225/75R16 XL  | SL369                  | 108S          | 6.0J          | 223          | 744                | 1000                  | 350            | D D 72/B                |          |          |          |
|              | 235/75R16     | SU318                  | 108T          | 6.5J          | 235          | 758                | 1000                  | 300            | D C 71/B                |          |          |          |
|              | 235/75R16 XL  | SL369                  | 112S          | 6.5J          | 235          | 758                | 1120                  | 350            | D D 72/B                |          |          |          |
|              | 245/75R16     | SU318                  | 111T          | 7.0J          | 248          | 774                | 1090                  | 300            | D C 71/B                |          |          |          |
|              | 245/75R16     | SL369                  | 111S          | 7.0J          | 248          | 774                | 1090                  | 300            | D D 71/B                |          |          |          |
|              | 265/75R16     | SU318                  | 116T          | 7.5J          | 267          | 804                | 1250                  | 300            | C C 72/B                |          |          |          |
|              | 265/75R16     | SL369                  | 116S          | 7.5J          | 267          | 804                | 1250                  | 300            | D D 72/B                |          |          |          |
|              | 80er          | 205/80R16 XL           | SL369         | 104S          | 5.5J         | 203                | 734                   | 900            | 350                     | D D 72/B |          |          |
|              |               | 215/80R16 XL           | SL369         | 107S          | 6.0J         | 216                | 750                   | 975            | 350                     | D D 72/B |          |          |
| 17"          |               | 40er                   | 205/40ZR17 XL | SA37          | 84Y          | 7.5J               | 212                   | 596            | 500                     | 350      | D B 72/B |          |
|              |               |                        | 205/40ZR17 XL | SA57          | 84W          | 7.5J               | 212                   | 596            | 500                     | 350      | D B 72/B |          |
|              |               |                        | 205/40R17 XL  | Z-107         | 84W          | 7.5J               | 212                   | 596            | 500                     | 350      | D B 72/B |          |
|              | 215/40ZR17 XL |                        | SA37          | 87Y           | 7.5J         | 218                | 604                   | 545            | 350                     | D B 72/B |          |          |
|              | 215/40ZR17 XL |                        | SA57          | 87W           | 7.5J         | 218                | 604                   | 545            | 350                     | D B 72/B |          |          |
|              | 215/40R17 XL  | Z-107                  | 87W           | 7.5J          | 218          | 604                | 545                   | 350            | D B 72/B                |          |          |          |
|              | 235/40ZR17    | SPORT RS               | 90W           | 8.5J          | 241          | 620                | 600                   | 300            | / / /                   |          |          |          |
|              | 245/40ZR17 XL | SPORT RS               | 95W           | 8.5J          | 248          | 628                | 690                   | 350            | / / /                   |          |          |          |
|              | 245/40ZR17 XL | SPORT DS <sup>II</sup> | 95W           | 8.5J          | 248          | 628                | 690                   | 350            | / / /                   |          |          |          |
|              | 245/40ZR17 XL | SA37                   | 95Y           | 8.5J          | 248          | 628                | 690                   | 350            | D B 72/B                |          |          |          |
|              | 245/40ZR17 XL | SA57                   | 95W           | 8.5J          | 248          | 628                | 690                   | 350            |                         |          |          |          |



### PASSENGER

| Rim (inch) | Series       | Size          | Pattern                | Service Index | Standard Rim | Section Width (mm) | Overall Diameter (mm) | Max. Load (kg) | Max. Air Pressure (kPa) | XYdB | ABC  |      |      |
|------------|--------------|---------------|------------------------|---------------|--------------|--------------------|-----------------------|----------------|-------------------------|------|------|------|------|
| 17"        | 45er         | 215/45R17 XL  | Z-107                  | 91W           | 7.0J         | 213                | 626                   | 615            | 350                     | D    | B    | 72/B |      |
|            |              | 225/45ZR17 XL | SPORT RS               | 94W           | 7.5J         | 225                | 634                   | 670            | 350                     | /    | /    | /    |      |
|            |              | 225/45ZR17 XL | SPORT DS <sup>II</sup> | 94W           | 7.5J         | 225                | 634                   | 670            | 350                     | /    | /    | /    |      |
|            |              | 225/45ZR17 XL | Z-007                  | 94Y           | 7.5J         | 225                | 634                   | 670            | 350                     | C    | A    | 72/B |      |
|            |              | 225/45R17 XL  | SA37                   | 94Y           | 7.5J         | 225                | 634                   | 670            | 350                     | D    | B    | 72/B |      |
|            |              | 225/45R17 XL  | ZRT SA37               | 94W           | 7.5J         | 225                | 634                   | 670            | 350                     | D    | B    | 72/B |      |
|            |              | 225/45ZR17 XL | SA57                   | 94W           | 7.5J         | 225                | 634                   | 670            | 350                     | D    | B    | 72/B |      |
|            |              | 225/45R17 XL  | Z-107                  | 94W           | 7.5J         | 225                | 634                   | 670            | 350                     | C    | B    | 72/B |      |
|            |              | 235/45ZR17    | SPORT RS               | 94W           | 8.0J         | 236                | 644                   | 670            | 300                     | /    | /    | /    |      |
|            |              | 235/45ZR17 XL | SA37                   | 97Y           | 8.0J         | 236                | 644                   | 730            | 350                     | D    | B    | 72/B |      |
|            |              | 235/45ZR17 XL | SA57                   | 97W           | 8.0J         | 236                | 644                   | 730            | 350                     | D    | B    | 72/B |      |
|            |              | 235/45R17 XL  | Z-107                  | 97W           | 8.0J         | 236                | 644                   | 730            | 350                     | C    | B    | 72/B |      |
|            |              | 245/45ZR17 XL | SA37                   | 99W           | 8.0J         | 243                | 652                   | 775            | 350                     | D    | B    | 72/B |      |
|            |              | 245/45R17 XL  | Z-107                  | 99W           | 8.0J         | 243                | 652                   | 775            | 350                     | C    | B    | 72/B |      |
|            |              | 255/45ZR17 XL | SA37                   | 102W          | 8.5J         | 255                | 662                   | 850            | 350                     | D    | B    | 73/B |      |
|            |              | 50er          | 205/50R17 XL           | Z-007         | 93W          | 6.5J               | 214                   | 638            | 650                     | 350  | C    | A    | 72/B |
|            |              |               |                        | SA37          | 93W          | 6.5J               | 214                   | 638            | 650                     | 350  | C    | B    | 72/B |
|            |              |               |                        | SA57          | 93W          | 6.5J               | 214                   | 638            | 650                     | 350  | D    | B    | 72/B |
|            |              |               |                        | Z-107         | 93W          | 6.5J               | 214                   | 638            | 650                     | 350  | C    | B    | 72/B |
|            |              |               |                        | SA37          | 95W          | 7.0J               | 226                   | 648            | 690                     | 350  | C    | B    | 72/B |
| SA57       | 95W          |               |                        | 7.0J          | 226          | 648                | 690                   | 350            | D                       | B    | 72/B |      |      |
| Z-107      | 95W          |               |                        | 7.0J          | 226          | 648                | 690                   | 350            | C                       | B    | 72/B |      |      |
| Z-007      | 98W          |               |                        | 7.0J          | 233          | 658                | 750                   | 350            | C                       | A    | 72/B |      |      |
| SA37       | 98W          |               |                        | 7.0J          | 233          | 658                | 750                   | 350            | D                       | B    | 72/B |      |      |
| ZRT SA37   | 98W          |               |                        | 7.0J          | 233          | 658                | 750                   | 350            | D                       | B    | 72/B |      |      |
| SA57       | 98W          |               |                        | 7.0J          | 233          | 658                | 750                   | 350            | D                       | B    | 72/B |      |      |
| Z-107      | 98W          |               |                        | 7.0J          | 233          | 658                | 750                   | 350            | C                       | B    | 72/B |      |      |
| Z-007      | 96W          |               |                        | 7.5J          | 245          | 668                | 710                   | 300            | C                       | A    | 71/B |      |      |
| SA37       | 96V          |               |                        | 7.5J          | 245          | 668                | 710                   | 300            | D                       | B    | 71/B |      |      |
| 55er       | 205/55R17 XL |               |                        | SA37          | 95W          | 6.5J               | 214                   | 658            | 690                     | 350  | D    | B    | 72/B |
|            |              |               |                        | Z-107         | 95W          | 6.5J               | 214                   | 658            | 690                     | 350  | C    | B    | 72/B |
|            |              |               |                        | Z-007         | 98W          | 7.0J               | 226                   | 668            | 750                     | 350  | C    | A    | 72/B |
|            |              |               |                        | SA37          | 98W          | 7.0J               | 226                   | 668            | 750                     | 350  | C    | B    | 72/B |
|            |              |               |                        | Z-107         | 98W          | 7.0J               | 226                   | 668            | 750                     | 350  | C    | B    | 72/B |
|            |              |               |                        | SA57          | 98W          | 7.0J               | 226                   | 668            | 750                     | 350  | D    | B    | 72/B |
|            |              | Z-107         | 98W                    | 7.0J          | 226          | 668                | 750                   | 350            | C                       | B    | 72/B |      |      |
|            |              | Z-007         | 101W                   | 7.0J          | 233          | 680                | 825                   | 350            | C                       | A    | 72/B |      |      |
|            |              | SA37          | 101W                   | 7.0J          | 233          | 680                | 825                   | 350            | C                       | B    | 72/B |      |      |
|            |              | ZRT SA37      | 101W                   | 7.0J          | 233          | 680                | 825                   | 350            | D                       | B    | 72/B |      |      |
|            |              | SA57          | 101W                   | 7.0J          | 233          | 680                | 825                   | 350            | D                       | B    | 72/B |      |      |
|            |              | Z-107         | 101W                   | 7.0J          | 233          | 680                | 825                   | 350            | C                       | B    | 72/B |      |      |
|            |              | Z-007         | 103W                   | 7.5J          | 245          | 690                | 875                   | 350            | C                       | A    | 72/B |      |      |
|            |              | SA37          | 103W                   | 7.5J          | 245          | 690                | 875                   | 350            | C                       | B    | 72/B |      |      |
|            |              | SA57          | 103W                   | 7.5J          | 245          | 690                | 875                   | 350            | D                       | B    | 72/B |      |      |
|            |              | Z-107         | 103W                   | 7.5J          | 245          | 690                | 875                   | 350            | C                       | B    | 72/B |      |      |
|            |              | Z-107         | 99V                    | 7.5J          | 245          | 690                | 775                   | 300            | C                       | B    | 71/B |      |      |
|            |              | 60er          | 215/60R17              | Z-007 SUV     | 96V          | 6.5J               | 221                   | 690            | 710                     | 300  | D    | C    | 71/B |
|            |              |               |                        | SU318         | 96H          | 6.5J               | 221                   | 690            | 710                     | 300  | D    | C    | 71/B |
|            |              |               |                        | Z-107         | 96V/H        | 6.5J               | 221                   | 690            | 710                     | 300  | C    | B    | 71/B |
| Z-007 SUV  | 103V         |               |                        | 6.5J          | 228          | 702                | 875                   | 350            | C                       | C    | 72/B |      |      |
| SU318      | 103V         |               |                        | 6.5J          | 228          | 702                | 875                   | 350            | D                       | C    | 72/B |      |      |
| SU318      | 102T         |               |                        | 7.0J          | 240          | 714                | 850                   | 300            | D                       | C    | 71/B |      |      |
| Z-007 SUV  | 110V         |               |                        | 7.5J          | 260          | 738                | 1060                  | 350            | C                       | C    | 73/B |      |      |
| SU318      | 110V         |               |                        | 7.5J          | 260          | 738                | 1060                  | 350            | C                       | C    | 73/B |      |      |
| SU318      | 108H         |               |                        | 8.0J          | 272          | 750                | 1000                  | 300            | C                       | C    | 72/B |      |      |
| SU318      | 110T         |               |                        | 8.0J          | 279          | 762                | 1060                  | 300            | C                       | C    | 72/B |      |      |
| 65er       | 215/65R17    |               |                        | Z-007 SUV     | 99V          | 6.5J               | 221                   | 712            | 775                     | 300  | C    | C    | 71/B |
|            |              |               |                        | SU318         | 99H          | 6.5J               | 221                   | 712            | 775                     | 300  | D    | C    | 71/B |
|            |              |               |                        | Z-007 SUV     | 106V         | 6.5J               | 228                   | 724            | 950                     | 350  | C    | C    | 72/B |
|            |              |               |                        | SU318         | 106V         | 6.5J               | 228                   | 724            | 950                     | 350  | D    | C    | 72/B |
|            |              |               |                        | SL369         | 102T         | 6.5J               | 228                   | 724            | 850                     | 300  | D    | D    | 71/B |
|            |              |               |                        | Z-107         | 104V         | 7.0J               | 240                   | 738            | 900                     | 300  | C    | B    | 71/B |
|            |              |               |                        | Z-107         | 108V         | 7.0J               | 240                   | 738            | 1000                    | 350  | C    | B    | 72/B |
|            |              |               |                        | Z-007 SUV     | 108V         | 7.0J               | 240                   | 738            | 1000                    | 350  | C    | C    | 72/B |
|            |              |               |                        | SU318         | 108V         | 7.0J               | 240                   | 738            | 1000                    | 350  | D    | C    | 72/B |
|            |              |               |                        | SL369         | 104S         | 7.0J               | 240                   | 738            | 900                     | 300  | D    | D    | 71/B |
|            |              | Z-007 SUV     | 107H                   | 7.0J          | 248          | 750                | 975                   | 300            | C                       | C    | 71/B |      |      |
|            |              | SU318         | 107H                   | 7.0J          | 248          | 750                | 975                   | 300            | D                       | C    | 71/B |      |      |
|            |              | SL369         | 107S                   | 7.0J          | 248          | 750                | 975                   | 300            | D                       | D    | 71/B |      |      |
|            |              | SU318         | 110H                   | 7.5J          | 260          | 764                | 1060                  | 300            | C                       | C    | 72/B |      |      |
|            |              | SL369         | 110T                   | 7.5J          | 260          | 764                | 1060                  | 300            | D                       | D    | 72/B |      |      |

ZRT ZC Rubber RunFlat Tyres

### PASSENGER

| Rim (inch)    | Series                 | Size                   | Pattern      | Service Index | Standard Rim | Section Width (mm) | Overall Diameter (mm) | Max. Load (kg) | Max. Air Pressure (kPa) | XYdB | ABC  |      |      |      |      |
|---------------|------------------------|------------------------|--------------|---------------|--------------|--------------------|-----------------------|----------------|-------------------------|------|------|------|------|------|------|
| 17"           | 65er                   | 265/65R17              | Z-007 SUV    | 112H          | 8.0J         | 272                | 776                   | 1120           | 300                     | C    | C    | 72/B |      |      |      |
|               |                        | 265/65R17              | SU318        | 112T          | 8.0J         | 272                | 776                   | 1120           | 300                     | C    | C    | 72/B |      |      |      |
|               |                        | 265/65R17              | SL369        | 112S          | 8.0J         | 272                | 776                   | 1120           | 300                     | D    | D    | 72/B |      |      |      |
|               |                        | 275/65R17              | Z-007 SUV    | 115H          | 8.0J         | 279                | 790                   | 1215           | 300                     | C    | C    | 72/B |      |      |      |
|               |                        | 275/65R17              | SU318        | 115T          | 8.0J         | 279                | 790                   | 1215           | 300                     | C    | C    | 72/B |      |      |      |
|               |                        | 285/65R17              | Z-007 SUV    | 116H          | 8.5J         | 292                | 802                   | 1250           | 300                     | C    | C    | 74/B |      |      |      |
|               |                        | 285/65R17              | SU318        | 116H          | 8.5J         | 292                | 802                   | 1250           | 300                     | C    | C    | 74/B |      |      |      |
|               |                        | 70er                   | 225/70R17 XL | SL369         | 108S         | 6.5J               | 228                   | 748            | 1000                    | 350  | D    | D    | 72/B |      |      |
|               |                        |                        |              | SU318         | 110T         | 7.0J               | 248                   | 776            | 1060                    | 300  | D    | C    | 71/B |      |      |
|               |                        |                        |              | SL369         | 110T         | 7.0J               | 248                   | 776            | 1000                    | 300  | D    | D    | 71/B |      |      |
|               |                        |                        |              | SU318         | 112T         | 7.5J               | 260                   | 790            | 1120                    | 300  | C    | C    | 72/B |      |      |
|               |                        |                        |              | SL369         | 112T         | 7.5J               | 260                   | 790            | 1120                    | 300  | D    | D    | 72/B |      |      |
|               |                        |                        |              | SU318         | 115T         | 8.0J               | 272                   | 804            | 1215                    | 300  | C    | C    | 72/B |      |      |
|               |                        |                        |              | SL369         | 115T         | 8.0J               | 272                   | 804            | 1215                    | 300  | D    | D    | 72/B |      |      |
|               |                        |                        |              | SL369         | 117T         | 8.5J               | 292                   | 832            | 1285                    | 300  | D    | D    | 74/B |      |      |
|               |                        |                        |              | 75er          | 235/75R17    | SL369              | 109T                  | 6.5J           | 235                     | 784  | 1030 | 300  | D    | D    | 71/B |
|               |                        |                        |              |               |              | SL369              | 112T                  | 7.0J           | 248                     | 800  | 1120 | 300  | D    | D    | 71/B |
|               |                        | SL369                  | 115T         |               |              | 7.0J               | 255                   | 814            | 1215                    | 300  | D    | D    | 72/B |      |      |
|               |                        | 18"                    | 35er         |               |              | 215/35ZR18 XL      | SA37                  | 84W            | 7.5J                    | 218  | 607  | 500  | 350  | D    | B    |
|               |                        |                        |              | 225/35ZR18 XL | SA37         | 87Y                | 8.0J                  | 230            | 615                     | 545  | 350  | D    | B    | 72/B |      |
| 245/35ZR18 XL | SA37                   |                        |              | 92W           | 8.5J         | 248                | 629                   | 630            | 350                     | D    | B    | 72/B |      |      |      |
| 255/35ZR18 XL | SPORT DS <sup>II</sup> |                        |              | 94W           | 9.0J         | 260                | 635                   | 670            | 350                     | /    | /    | /    |      |      |      |
| 255/35ZR18 XL | Z-007                  |                        |              | 94Y           | 9.0J         | 260                | 635                   | 670            | 350                     | D    | A    | 73/B |      |      |      |
| 265/35ZR18 XL | SPORT RS <sup>II</sup> |                        |              | 97W           | 9.5J         | 271                | 643                   | 730            | 350                     | /    | /    | /    |      |      |      |
| 265/35ZR18 XL | SPORT DS <sup>II</sup> |                        |              | 97W           | 9.5J         | 271                | 643                   | 730            | 350                     | /    | /    | /    |      |      |      |
| 265/35ZR18 XL | SA37                   |                        |              | 97Y           | 9.5J         | 271                | 643                   | 730            | 350                     | D    | B    | 73/B |      |      |      |
| 265/35ZR18 XL | SA57                   |                        |              | 97W           | 9.5J         | 271                | 643                   | 730            | 350                     | D    | B    | 73/B |      |      |      |
| 265/35ZR18 XL | Z-107                  |                        |              | 97W           | 9.5J         | 271                | 643                   | 730            | 350                     | C    | B    | 73/B |      |      |      |
| 285/35ZR18 XL | SPORT RS <sup>II</sup> | 101W                   | 10.0J        | 290           | 657          | 825                | 350                   | /              | /                       | /    |      |      |      |      |      |
| 40er          | 215/40ZR18 XL          | SA37                   | 89Y          | 7.5J          | 218          | 629                | 580                   | 350            | D                       | B    | 72/B |      |      |      |      |
|               |                        | Z-107                  | 89W          | 7.5J          | 218          | 629                | 580                   | 350            | D                       | B    | 72/B |      |      |      |      |
|               |                        | SPORT RS               | 92W          | 8.0J          | 230          | 637                | 630                   | 350            | /                       | /    | /    |      |      |      |      |
|               |                        | Z-007                  | 92Y          | 8.0J          | 230          | 637                | 630                   | 350            | D                       | A    | 72/B |      |      |      |      |
|               |                        | SA37                   | 92Y          | 8.0J          | 230          | 637                | 630                   | 350            | D                       | B    | 72/B |      |      |      |      |
|               |                        | SA57                   | 92W          | 8.0J          | 230          | 637                | 630                   | 350            | D                       | B    | 72/B |      |      |      |      |
|               |                        | Z-107                  | 92W          | 8.0J          | 230          | 637                | 630                   | 350            | C                       | B    | 72/B |      |      |      |      |
|               |                        | SPORT RS <sup>II</sup> | 95W          | 8.5J          | 241          | 645                | 690                   | 350            | /                       | /    | /    |      |      |      |      |
|               |                        | SPORT DS <sup>II</sup> | 95W          | 8.5J          | 241          | 645                | 690                   | 350            | /                       | /    | /    |      |      |      |      |
|               |                        | Z-007                  | 95Y          | 8.5J          | 241          | 645                | 690                   | 350            | D                       | A    | 72/B |      |      |      |      |
|               |                        | SA37                   | 95Y          | 8.5J          | 241          | 645                | 690                   | 350            | D                       | B    | 72/B |      |      |      |      |
|               |                        | SA57                   | 95W          | 8.5J          | 241          | 645                | 690                   | 350            | D                       | B    | 72/B |      |      |      |      |
|               |                        | Z-107                  | 95W          | 8.5J          | 241          | 645                | 690                   | 350            | C                       | B    | 72/B |      |      |      |      |
|               |                        | Z-007                  | 97Y          | 8.5J          | 248          | 653                | 730                   | 350            | D                       | A    | 72/B |      |      |      |      |
|               |                        | SA37                   | 97Y          | 8.5J          | 248          | 653                | 730                   | 350            | D                       | B    | 72/B |      |      |      |      |
|               |                        | ZRT SA37               | 97W          | 8.5J          | 248          | 653                | 730                   | 350            | D                       | B    | 72/B |      |      |      |      |
|               |                        | SA57                   | 97W          | 8.5J          | 248          | 653                | 730                   | 350            | D                       | B    | 72/B |      |      |      |      |
|               |                        | Z-107                  | 97W          | 8.5J          | 248          | 653                | 730                   | 350            | C                       | B    | 72/B |      |      |      |      |
|               |                        | Z-007                  | 99Y          | 9.0J          | 260          | 661                | 775                   | 350            | C                       | A    | 73/B |      |      |      |      |
|               |                        | SA37                   | 99Y          | 9.0J          | 260          | 661                | 775                   | 350            | D                       | B    | 73/B |      |      |      |      |
| ZRT SA37      | 99Y                    | 9.0J                   | 260          | 661           | 775          | 350                | D                     | B              | 73/B                    |      |      |      |      |      |      |
| 45er          | 215/45ZR18 XL          | SA37                   | 93Y          | 7.0J          | 213          | 651                | 650                   | 350            | D                       | B    | 72/B |      |      |      |      |
|               |                        | Z-107                  | 93W          | 7.0J          | 213          | 651                | 650                   | 350            | D                       | B    | 72/B |      |      |      |      |
|               |                        | Z-007                  | 95Y          | 7.5J          | 225          | 659                | 690                   | 350            | C                       | A    | 72/B |      |      |      |      |
|               |                        | SA37                   | 95Y          | 7.5J          | 225          | 659                | 690                   | 350            | D                       | B    | 72/B |      |      |      |      |
|               |                        | ZRT SA37               | 95W          | 7.5J          | 225          | 659                | 690                   | 350            | D                       | B    | 72/B |      |      |      |      |
|               |                        | SA57                   | 95W          | 7.5J          | 225          | 659                | 690                   | 350            | D                       | B    | 72/B |      |      |      |      |
|               |                        | Z-107                  | 95W          | 7.5J          | 225          | 659                | 690                   | 350            | C                       | B    | 72/B |      |      |      |      |
|               |                        | Z-007                  | 98Y          | 8.0J          | 236          | 669                | 750                   | 350            | C                       | A    | 72/B |      |      |      |      |
|               |                        | SA37                   | 98Y          | 8.0J          | 236          | 669                | 750                   | 350            | D                       | B    | 71/B |      |      |      |      |
|               |                        | SA57                   | 98W          | 8.0J          | 236          | 669                | 750                   | 350            | D                       | B    | 72/B |      |      |      |      |
|               |                        | Z-107                  | 98W          | 8.0J          | 236          | 669                | 750                   | 350            | C                       | B    | 72/B |      |      |      |      |
|               |                        | Z-007                  | 100Y         | 8.0J          | 243          | 677                | 800                   | 350            | C                       | A    | 72/B |      |      |      |      |
|               |                        | SA37                   | 100Y         | 8.0J          | 243          | 677                | 800                   | 350            | D                       | B    | 72/B |      |      |      |      |
|               |                        | ZRT SA37               | 96W          | 8.0J          | 243          | 677                | 710                   | 350            | D                       | B    | 72/B |      |      |      |      |
|               |                        | SA57                   | 100W         |               |              |                    |                       |                |                         |      |      |      |      |      |      |



### PASSENGER

| Rim (inch)    | Series        | Size         | Pattern       | Service Index | Standard Rim | Section Width (mm) | Overall Diameter (mm) | Max. Load (kg) | Max. Air Pressure (kPa) | Speed Rating | Temperature Rating | Wet Grip | Rolling Resistance | Noise |  |
|---------------|---------------|--------------|---------------|---------------|--------------|--------------------|-----------------------|----------------|-------------------------|--------------|--------------------|----------|--------------------|-------|--|
| 18"           | 50er          | 225/50R18    | SA37          | 95W           | 7.0J         | 233                | 683                   | 690            | 300                     | D            | B                  | 71/B     |                    |       |  |
|               |               | 225/50R18    | SA57          | 95W           | 7.0J         | 233                | 683                   | 690            | 300                     | D            | B                  | 71/B     |                    |       |  |
|               |               | 235/50R18 XL | Z-007         | 101W          | 7.5J         | 245                | 693                   | 825            | 350                     | C            | A                  | 72/B     |                    |       |  |
|               |               | 235/50R18 XL | SA37          | 101V          | 7.5J         | 245                | 693                   | 825            | 350                     | C            | B                  | 72/B     |                    |       |  |
|               |               | 235/50R18 XL | SA57          | 101W          | 7.5J         | 245                | 693                   | 825            | 350                     | D            | B                  | 72/B     |                    |       |  |
|               |               | 235/50R18    | Z-107         | 97V           | 7.5J         | 245                | 693                   | 730            | 300                     | D            | B                  | 71/B     |                    |       |  |
|               |               | 235/50R18    | SU318         | 97V           | 7.5J         | 245                | 693                   | 730            | 300                     | D            | C                  | 71/B     |                    |       |  |
|               |               | 245/50R18    | Z-007         | 100W          | 7.5J         | 253                | 703                   | 800            | 300                     | C            | A                  | 71/B     |                    |       |  |
|               |               | 245/50R18    | SA37          | 100W          | 7.5J         | 253                | 703                   | 800            | 300                     | C            | B                  | 71/B     |                    |       |  |
|               |               | 245/50R18    | ZRT           | SA37          | 100W         | 7.5J               | 253                   | 703            | 800                     | 300          | D                  | B        | 71/B               |       |  |
|               | 55er          | 215/55R18 XL | Z-007         | 99V           | 7.0J         | 226                | 693                   | 775            | 350                     | C            | A                  | 72/B     |                    |       |  |
|               |               | 215/55R18 XL | SA37          | 99V           | 7.0J         | 226                | 693                   | 775            | 350                     | C            | B                  | 72/B     |                    |       |  |
|               |               | 215/55R18 XL | Z-107         | 99V           | 7.0J         | 226                | 693                   | 775            | 350                     | C            | B                  | 72/B     |                    |       |  |
|               |               | 225/55R18    | Z-107         | 98V           | 7.0J         | 233                | 705                   | 750            | 300                     | C            | B                  | 71/B     |                    |       |  |
|               |               | 225/55R18    | SU318         | 98V           | 7.0J         | 233                | 705                   | 750            | 300                     | D            | C                  | 71/B     |                    |       |  |
|               |               | 235/55R18    | Z-007         | 100W          | 7.5J         | 245                | 715                   | 800            | 300                     | C            | A                  | 71/B     |                    |       |  |
|               |               | 235/55R18    | Z-107         | 100H/V        | 7.5J         | 245                | 715                   | 800            | 300                     | C            | B                  | 71/B     |                    |       |  |
|               |               | 235/55R18    | SU318         | 100V          | 7.5J         | 245                | 715                   | 800            | 300                     | D            | C                  | 71/B     |                    |       |  |
|               |               | 255/55R18 XL | Z-007         | 109W          | 8.0J         | 265                | 737                   | 1030           | 350                     | C            | A                  | 73/B     |                    |       |  |
|               |               | 255/55R18 XL | ZRT           | SA37          | 109V         | 8.0J               | 265                   | 737            | 1030                    | 350          | D                  | B        | 72/B               |       |  |
|               |               | 255/55R18 XL | SA57          | 109V          | 8.0J         | 265                | 737                   | 1030           | 350                     | D            | B                  | 73/B     |                    |       |  |
|               |               | 255/55R18 XL | SU318         | 109V          | 8.0J         | 265                | 737                   | 1030           | 350                     | C            | C                  | 73/B     |                    |       |  |
|               |               | 60er         | 225/60R18     | Z-107         | 100H         | 6.5J               | 228                   | 727            | 800                     | 300          | D                  | B        | 71/B               |       |  |
|               |               |              | 225/60R18     | Z-007 SUV     | 100H         | 6.5J               | 228                   | 727            | 800                     | 300          | D                  | C        | 71/B               |       |  |
|               |               |              | 225/60R18     | SU318         | 100V         | 6.5J               | 228                   | 727            | 800                     | 300          | D                  | C        | 71/B               |       |  |
|               |               |              | 235/60R18 XL  | Z-107         | 107V         | 7.0J               | 240                   | 739            | 975                     | 350          | D                  | B        | 71/B               |       |  |
|               |               |              | 235/60R18 XL  | Z-007 SUV     | 107V         | 7.0J               | 240                   | 739            | 975                     | 350          | C                  | C        | 72/B               |       |  |
|               |               |              | 235/60R18     | SU318         | 103V         | 7.0J               | 240                   | 739            | 875                     | 300          | D                  | C        | 71/B               |       |  |
|               |               |              | 245/60R18     | Z-007 SUV     | 105H         | 7.0J               | 248                   | 751            | 925                     | 300          | C                  | C        | 71/B               |       |  |
|               |               |              | 245/60R18     | SU318         | 105T         | 7.0J               | 248                   | 751            | 925                     | 300          | D                  | C        | 71/B               |       |  |
| 255/60R18 XL  | Z-107         |              | 112V          | 7.5J          | 260          | 763                | 1120                  | 350            | C                       | B            | 73/B               |          |                    |       |  |
| 255/60R18 XL  | SU318         |              | 112V          | 7.5J          | 260          | 763                | 1120                  | 350            | C                       | C            | 73/B               |          |                    |       |  |
| 265/60R18     | SA57          |              | 110V          | 8.0J          | 272          | 775                | 1060                  | 300            | C                       | B            | 72/B               |          |                    |       |  |
| 265/60R18 XL  | Z-007 SUV     |              | 114V          | 8.0J          | 272          | 775                | 1180                  | 350            | C                       | C            | 73/B               |          |                    |       |  |
| 265/60R18 XL  | SU318         |              | 114V          | 8.0J          | 272          | 775                | 1180                  | 350            | C                       | C            | 73/B               |          |                    |       |  |
| 265/60R18     | SL369         |              | 110T          | 8.0J          | 272          | 775                | 1060                  | 300            | D                       | D            | 72/B               |          |                    |       |  |
| 285/60R18     | SU318         |              | 116H          | 8.5J          | 292          | 799                | 1250                  | 300            | C                       | C            | 74/B               |          |                    |       |  |
| 65er          | 235/65R18     |              | Z-007 SUV     | 106H          | 7.0J         | 240                | 763                   | 950            | 300                     | C            | C                  | 71/B     |                    |       |  |
|               | 265/65R18     |              | SL369         | 114T          | 8.0J         | 272                | 801                   | 1180           | 300                     | D            | D                  | 72/B     |                    |       |  |
|               | 275/65R18     |              | SL369         | 116T          | 8.0J         | 279                | 815                   | 1250           | 300                     | D            | D                  | 72/B     |                    |       |  |
|               | 19"           | 30er         | 255/30ZR19 XL | Z-007         | 91Y          | 9.0J               | 260                   | 637            | 615                     | 350          | D                  | A        | 73/B               |       |  |
|               |               |              | 265/30ZR19 XL | SA37          | 93Y          | 9.5J               | 271                   | 643            | 650                     | 350          | D                  | B        | 73/B               |       |  |
|               |               |              | 275/30ZR19 XL | SPORT RS      | 96W          | 9.5J               | 278                   | 649            | 710                     | 350          | /                  | /        | /                  |       |  |
|               |               |              | 275/30ZR19 XL | SA37          | 96Y          | 9.5J               | 278                   | 649            | 710                     | 250          | D                  | B        | 73/B               |       |  |
|               |               | 35er         | 215/35ZR19 XL | SA57          | 85W          | 7.5J               | 218                   | 633            | 515                     | 350          | D                  | B        | 72/B               |       |  |
|               |               |              | 225/35ZR19 XL | SA57          | 88W          | 8.0J               | 230                   | 641            | 560                     | 350          | D                  | B        | 72/B               |       |  |
|               |               |              | 225/35ZR19 XL | Z-107         | 88W          | 8.0J               | 230                   | 641            | 560                     | 350          | D                  | B        | 72/B               |       |  |
|               |               |              | 235/35ZR19 XL | SPORT RS      | 91W          | 8.5J               | 241                   | 647            | 615                     | 350          | /                  | /        | /                  |       |  |
|               |               |              | 235/35ZR19 XL | Z-007         | 91Y          | 8.5J               | 241                   | 647            | 615                     | 350          | D                  | A        | 72/B               |       |  |
| 235/35ZR19 XL |               |              | SA37          | 91Y           | 8.5J         | 241                | 647                   | 615            | 350                     | D            | B                  | 72/B     |                    |       |  |
| 235/35ZR19 XL |               |              | Z-107         | 91W           | 8.5J         | 241                | 647                   | 615            | 350                     | D            | B                  | 72/B     |                    |       |  |
| 245/35ZR19 XL |               |              | SA37          | 93Y           | 8.5J         | 248                | 655                   | 650            | 350                     | D            | B                  | 72/B     |                    |       |  |
| 245/35ZR19 XL |               |              | Z-107         | 93W           | 8.5J         | 248                | 655                   | 650            | 350                     | D            | B                  | 72/B     |                    |       |  |
| 255/35ZR19 XL |               |              | SA37          | 96Y           | 9.0J         | 260                | 661                   | 710            | 350                     | D            | B                  | 73/B     |                    |       |  |
| 265/35ZR19 XL |               |              | Z-107         | 98W           | 9.5J         | 271                | 669                   | 750            | 350                     | D            | B                  | 73/B     |                    |       |  |
| 275/35ZR19 XL |               |              | Z-007         | 100Y          | 9.5J         | 278                | 675                   | 800            | 350                     | C            | A                  | 73/B     |                    |       |  |
| 275/35ZR19 XL |               |              | SA37          | 100W          | 9.5J         | 278                | 675                   | 800            | 350                     | D            | B                  | 73/B     |                    |       |  |
| 275/35R19 XL  |               |              | ZRT           | SA37          | 100W         | 9.5J               | 278                   | 675            | 800                     | 350          | D                  | B        | 73/B               |       |  |
| 285/35ZR19 XL | SPORT RS      | 103W         | 10.0J         | 290           | 683          | 875                | 350                   | /              | /                       | /            |                    |          |                    |       |  |
| 40er          | 225/40ZR19 XL | Z-007        | 93Y           | 8.0J          | 230          | 663                | 650                   | 350            | D                       | A            | 72/B               |          |                    |       |  |
|               | 225/40ZR19 XL | SA37         | 93Y           | 8.0J          | 230          | 663                | 650                   | 350            | D                       | B            | 72/B               |          |                    |       |  |
|               | 225/40R19 XL  | Z-107        | 93W           | 8.0J          | 230          | 663                | 650                   | 350            | C                       | B            | 72/B               |          |                    |       |  |
|               | 235/40ZR19 XL | Z-007        | 96Y           | 8.5J          | 241          | 671                | 710                   | 350            | D                       | A            | 72/B               |          |                    |       |  |
|               | 235/40ZR19    | SA37         | 96Y           | 8.5J          | 241          | 671                | 710                   | 350            | D                       | B            | 71/B               |          |                    |       |  |
|               | 235/40R19 XL  | Z-107        | 96W           | 8.5J          | 241          | 671                | 710                   | 350            | C                       | B            | 72/B               |          |                    |       |  |
|               | 245/40ZR19 XL | Z-007        | 98Y           | 8.5J          | 248          | 679                | 750                   | 350            | C                       | A            | 72/B               |          |                    |       |  |
|               | 245/40ZR19 XL | SA37         | 98Y           | 8.5J          | 248          | 679                | 750                   | 350            | D                       | B            | 72/B               |          |                    |       |  |
|               | 245/40ZR19    | ZRT          | SA37          | 94Y           | 8.5J         | 248                | 679                   | 300            | D                       | B            | 72/B               |          |                    |       |  |
|               | 245/40R19 XL  | Z-107        | 98W           | 8.5J          | 248          | 679                | 750                   | 350            | C                       | B            | 72/B               |          |                    |       |  |
|               | 255/40ZR19 XL | Z-007        | 100Y          | 9.0J          | 260          | 687                | 800                   | 350            | C                       | A            | 73/B               |          |                    |       |  |

ZRT ZC Rubber RunFlat Tyres

### PASSENGER

| Rim (inch) | Series        | Size          | Pattern       | Service Index | Standard Rim | Section Width (mm) | Overall Diameter (mm) | Max. Load (kg) | Max. Air Pressure (kPa) | Speed Rating | Temperature Rating | Wet Grip | Rolling Resistance | Noise |  |
|------------|---------------|---------------|---------------|---------------|--------------|--------------------|-----------------------|----------------|-------------------------|--------------|--------------------|----------|--------------------|-------|--|
| 19"        | 40er          | 255/40ZR19 XL | SA37          | 100Y          | 9.0J         | 260                | 687                   | 800            | 350                     | C            | B                  | 73/B     |                    |       |  |
|            |               | 275/40ZR19 XL | Z-007         | 105Y          | 9.5J         | 278                | 703                   | 925            | 350                     | C            | A                  | 73/B     |                    |       |  |
|            |               | 275/40R19     | ZRT           | SA37          | 101W         | 9.5J               | 278                   | 703            | 825                     | 300          | D                  | B        | 72/B               |       |  |
|            |               | 275/40R19 XL  | Z-107         | 105W          | 9.5J         | 278                | 703                   | 925            | 350                     | C            | B                  | 73/B     |                    |       |  |
|            |               | 285/40ZR19 XL | Z-007         | 107Y          | 10.0J        | 290                | 711                   | 975            | 350                     | C            | A                  | 75/B     |                    |       |  |
|            |               | 295/40ZR19 XL | Z-007         | 108Y          | 10.5J        | 301                | 719                   | 1000           | 350                     | C            | A                  | 75/B     |                    |       |  |
|            |               | 45er          | 225/45ZR19 XL | Z-007         | 96Y          | 7.5J               | 225                   | 685            | 710                     | 350          | C                  | A        | 72/B               |       |  |
|            |               |               | 225/45ZR19 XL | SA37          | 96Y          | 7.5J               | 225                   | 685            | 710                     | 350          | D                  | B        | 72/B               |       |  |
|            |               |               | 225/45R19 XL  | Z-107         | 96W          | 7.5J               | 225                   | 685            | 710                     | 350          | C                  | B        | 72/B               |       |  |
|            |               |               | 235/45ZR19 XL | Z-007         | 99Y          | 8.0J               | 236                   | 695            | 775                     | 350          | C                  | A        | 72/B               |       |  |
|            |               |               | 235/45R19 XL  | Z-107         | 99W          | 8.0J               | 236                   | 695            | 775                     | 350          | C                  | B        | 72/B               |       |  |
|            |               |               | 245/45ZR19    | Z-007         | 98Y          | 8.0J               | 243                   | 703            | 750                     | 300          | C                  | A        | 71/B               |       |  |
|            | 245/45ZR19    |               | SA37          | 98Y           | 8.0J         | 243                | 703                   | 750            | 300                     | D            | B                  | 71/B     |                    |       |  |
|            | 245/45ZR19    |               | ZRT           | SA37          | 98Y          | 8.0J               | 243                   | 703            | 750                     | 300          | D                  | B        | 71/B               |       |  |
|            | 245/45ZR19 XL |               | SA57          | 102W          | 8.0J         | 243                | 703                   | 850            | 350                     | D            | B                  | 72/B     |                    |       |  |
|            | 245/45R19 XL  |               | Z-107         | 102W          | 8.0J         | 243                | 703                   | 850            | 350                     | C            | B                  | 72/B     |                    |       |  |
|            | 255/45ZR19 XL |               | Z-007         | 104Y          | 8.5J         | 255                | 713                   | 900            | 350                     | C            | A                  | 73/B     |                    |       |  |
|            | 255/45R19 XL  |               | SA37          | 104Y          | 8.5J         | 255                | 713                   | 900            | 350                     | D            | B                  | 73/B     |                    |       |  |
|            | 255/45ZR19 XL | SA57          | 104W          | 8.5J          | 255          | 713                | 900                   | 350            | D                       | B            | 73/B               |          |                    |       |  |
|            | 265/45ZR19 XL | Z-007         | 105Y          | 9.0J          | 266          | 721                | 925                   | 350            | C                       | A            | 73/B               |          |                    |       |  |
|            | 275/45R19 XL  | SU318         | 108V          | 9.0J          | 273          | 731                | 1000                  | 350            | C                       | C            | 73/B               |          |                    |       |  |
|            | 50er          | 235/50R19     | Z-007         | 99W           | 7.5J         | 245                | 719                   | 775            | 300                     | C            | A                  | 71/B     |                    |       |  |
|            |               | 235/50R19     | SA37          | 99W           | 7.5J         | 245                | 719                   | 775            | 300                     | C            | B                  | 71/B     |                    |       |  |
|            |               | 235/50R19     | Z-107         | 99W           | 7.5J         | 245                | 719                   | 775            | 300                     | C            | B                  | 71/B     |                    |       |  |
|            |               | 245/50R19 XL  | Z-007         | 105W          | 7.5J         | 253                | 729                   | 925            | 350                     | C            | A                  | 72/B     |                    |       |  |
|            |               | 255/50R19 XL  | Z-007         | 107W          | 8.0J         | 265                | 739                   | 975            | 350                     | C            | A                  | 73/B     |                    |       |  |
|            |               | 255/50R19 XL  | ZRT           | SA37          | 107W         | 8.0J               | 265                   | 739            | 975                     | 350          | D                  | B        | 73/B               |       |  |
|            |               | 255/50R19 XL  | SU318         | 107V          | 8.0J         | 265                | 739                   | 975            | 350                     | C            | C                  | 73/B     |                    |       |  |
|            |               | 275/50R19 XL  | Z-007 SUV     | 112V          | 8.5J         | 284                | 759                   | 1120           | 350                     | C            | C                  | 73/B     |                    |       |  |
|            |               | 55er          | 205/55R19 XL  | Z-107         | 97V          | 6.5J               | 214                   | 709            | 730                     | 350          | C                  | B        | 72/B               |       |  |
|            |               |               | 225/55R19     | Z-007         | 99W          | 7.0J               | 233                   | 731            | 775                     | 300          | C                  | A        | 71/B               |       |  |
|            |               |               | 235/55R19 XL  | Z-007         | 105W         | 7.5J               | 245                   | 741            | 925                     | 350          | C                  | A        | 72/B               |       |  |
|            |               |               | 235/55R19 XL  | Z-107         | 105V         | 7.5J               | 245                   | 741            | 925                     | 350          | C                  | B        | 72/B               |       |  |
|            | 245/55R19     |               | Z-007         | 103V          | 7.5J         | 253                | 753                   | 875            | 300                     | C            | A                  | 71/B     |                    |       |  |
|            | 255/55R19 XL  |               | Z-007         | 111W          | 8.0J         | 265                | 763                   | 1090           | 350                     | C            | A                  | 73/B     |                    |       |  |
|            | 60er          | 235/60R19 XL  | Z-007 SUV     | 107V          | 7.0J         | 240                | 765                   | 975            | 350                     | C            | C                  | 72/B     |                    |       |  |
|            |               | 255/60R19 XL  | Z-007 SUV     | 113V          | 7.5J         | 260                | 789                   | 1150           | 350                     | C            | C                  | 73/B     |                    |       |  |
|            | 65er          | 235/65R19 XL  | Z-007 SUV     | 109V          | 7.0J         | 240                | 789                   | 1030           | 350                     | C            | C                  | 72/B     |                    |       |  |
|            |               | 225/30ZR20 XL | SA37          | 85Y           | 8.0J         | 230                | 644                   | 515            | 350                     | D            | B                  | 72/B     |                    |       |  |
|            | 30er          | 225/35ZR20 XL | SA37          | 90W           | 8.0J         | 230                | 666                   | 600            | 350                     | D            | B                  | 72/B     |                    |       |  |
|            |               | 245/35ZR20 XL | SA37          | 95Y           | 8.5J         | 248                | 680                   | 690            |                         |              |                    |          |                    |       |  |



## PASSENGER

| Rim (inch) | Series        | Size         | Pattern       | Service Index | Standard Rim | Section Width (mm) | Overall Diameter (mm) | Max. Load (kg) | Max. Air Pressure (kpa) |          |          |          |
|------------|---------------|--------------|---------------|---------------|--------------|--------------------|-----------------------|----------------|-------------------------|----------|----------|----------|
| 20"        | 50er          | 265/50R20 XL | SA37          | 111W          | 8.5J         | 277                | 774                   | 1090           | 350                     | C B 73/B |          |          |
|            |               | 265/50R20 XL | SA57          | 111V          | 8.5J         | 277                | 774                   | 1090           | 350                     | C B 73/B |          |          |
|            |               | 265/50R20 XL | SL369         | 111T          | 8.5J         | 277                | 774                   | 1090           | 350                     | D D 73/B |          |          |
|            |               | 275/50R20 XL | SA37          | 113W          | 8.5J         | 284                | 784                   | 1150           | 350                     | B B 73/B |          |          |
|            |               | 285/50R20    | SA57          | 112V          | 9.0J         | 297                | 794                   | 1120           | 300                     | C B 74/B |          |          |
|            | 55er          | 285/50R20 XL | SL369         | 116V          | 9.0J         | 297                | 794                   | 1250           | 350                     | D D 75/B |          |          |
|            |               | 195/55R20 XL | Z-107         | 95H           | 6.0J         | 201                | 722                   | 690            | 350                     | C B 72/B |          |          |
|            |               | 235/55R20 XL | Z-007         | 105W          | 7.5J         | 245                | 766                   | 925            | 350                     | C A 72/B |          |          |
|            |               | 235/55R20 XL | SA37          | 105W          | 7.5J         | 245                | 766                   | 925            | 350                     | C B 72/B |          |          |
|            |               | 255/55R20 XL | Z-007         | 110W          | 8.0J         | 265                | 788                   | 1060           | 350                     | C A 73/B |          |          |
|            |               | 255/55R20 XL | SA37          | 110W          | 8.0J         | 265                | 788                   | 1060           | 350                     | C B 73/B |          |          |
|            |               | 275/55R20 XL | SA57          | 117V          | 8.5J         | 284                | 810                   | 1285           | 350                     | C B 73/B |          |          |
|            |               | 275/55R20 XL | Z-007 SUV     | 117V          | 8.5J         | 284                | 810                   | 1285           | 350                     | C C 73/B |          |          |
|            |               | 275/55R20 XL | SU318         | 117V          | 8.5J         | 284                | 810                   | 1285           | 350                     | C C 73/B |          |          |
|            |               | 275/55R20    | SL369         | 113S          | 8.5J         | 284                | 810                   | 1150           | 300                     | D D 72/B |          |          |
|            |               | 275/60R20 XL | SA57          | 119V          | 8.0J         | 279                | 838                   | 1360           | 350                     | C B 73/B |          |          |
|            |               | 275/60R20    | SL369         | 115T          | 8.0J         | 279                | 838                   | 1215           | 300                     | D D 72/B |          |          |
|            |               | 21"          | 30er          | 275/30ZR21 XL | Z-007        | 98Y                | 9.5J                  | 278            | 699                     | 750      | 350      | C A 73/B |
|            |               |              |               | 315/30ZR21 XL | Z-007        | 105Y               | 11.0J                 | 320            | 723                     | 925      | 350      | C A 75/B |
|            |               |              |               | 245/35ZR21 XL | Z-007        | 96Y                | 8.5J                  | 248            | 705                     | 710      | 350      | C A 72/B |
| 35er       | 295/35ZR21 XL |              | Z-007         | 107Y          | 10.5J        | 301                | 739                   | 975            | 350                     | C A 75/B |          |          |
|            | 295/35ZR21 XL |              | SA37          | 107Y          | 10.5J        | 301                | 739                   | 975            | 350                     | C B 75/B |          |          |
|            | 265/40ZR21 XL |              | SA37          | 105W          | 9.5J         | 271                | 745                   | 925            | 350                     | C B 73/B |          |          |
| 40er       | 285/40ZR21 XL |              | Z-007         | 109Y          | 10.0J        | 290                | 761                   | 1030           | 350                     | C A 75/B |          |          |
|            | 315/40ZR21    |              | SA37          | 111Y          | 11.0J        | 320                | 785                   | 1090           | 300                     | C B 74/B |          |          |
|            | 255/45ZR21 XL |              | Z-007         | 106W          | 8.5J         | 255                | 763                   | 950            | 350                     | C A 73/B |          |          |
| 45er       | 265/45ZR21 XL |              | Z-007         | 108Y          | 9.0J         | 266                | 771                   | 1000           | 350                     | C A 73/B |          |          |
|            | 265/45ZR21    |              | SA37          | 104W          | 9.0J         | 266                | 771                   | 900            | 300                     | C B 72/B |          |          |
|            | 275/45ZR21 XL |              | Z-007         | 110Y          | 9.0J         | 273                | 781                   | 1060           | 350                     | C A 73/B |          |          |
|            | 275/45ZR21 XL |              | SA37          | 110Y          | 9.0J         | 273                | 781                   | 1060           | 350                     | C B 73/B |          |          |
|            | 235/30ZR22 XL |              | SA37          | 90Y           | 8.5J         | 241                | 701                   | 600            | 350                     | D B 72/B |          |          |
|            | 245/30ZR22 XL |              | SA37          | 92Y           | 8.5J         | 248                | 707                   | 630            | 350                     | D B 72/B |          |          |
| 35er       | 265/35R22 XL  | SA57         | 102V          | 9.5J          | 271          | 745                | 850                   | 350            | D B 73/B                |          |          |          |
|            | 285/35ZR22 XL | Z-007        | 106Y          | 10.0J         | 290          | 759                | 950                   | 350            | C A 75/B                |          |          |          |
|            | 285/35R22 XL  | SA57         | 106V          | 10.0J         | 290          | 759                | 950                   | 350            | D B 75/B                |          |          |          |
|            | 265/40R22 XL  | SA57         | 106V          | 9.5J          | 271          | 771                | 950                   | 350            | C B 73/B                |          |          |          |
|            | 305/40R22 XL  | SA57         | 114V          | 11.0J         | 313          | 803                | 1180                  | 350            | C B 75/B                |          |          |          |
|            | 285/45R22 XL  | SA37         | 114V          | 9.5J          | 285          | 815                | 1180                  | 350            | D B 75/B                |          |          |          |
| 45er       | 305/45R22 XL  | SA57         | 118V          | 10.0J         | 303          | 833                | 1320                  | 350            | C B 75/B                |          |          |          |
|            | 275/50R22     | Z-007 SUV    | 111H          | 8.5J          | 284          | 835                | 1090                  | 300            | C C 72/B                |          |          |          |
|            | 24"           | 30er         | 255/30ZR24 XL | SA37          | 97Y          | 9.0J               | 260                   | 764            | 730                     | 350      | D B 73/B |          |
| 35er       |               | 295/35R24 XL | SA57          | 110V          | 10.5J        | 301                | 816                   | 1060           | 350                     | C B 75/B |          |          |

## COMMERCIAL LTR

| Rim (inch)    | Series      | Size        | Pattern    | LR/PR      | Service Index | Standard Rim | Section Width (mm) | Overall Diameter (mm) | Max. Load (kg) | Max. Air Pressure (kpa) |          |          |          |
|---------------|-------------|-------------|------------|------------|---------------|--------------|--------------------|-----------------------|----------------|-------------------------|----------|----------|----------|
| 12"           | 80er        | 155R12C     | H188       | C/6PR      | 83/81Q        | 4.5B         | 157                | 550                   | 487/462        | 350                     | D C 72/B |          |          |
| 13"           | 70er        | 165/70R13C  | H188       | C/6PR      | 88/86S        | 5.0J         | 170                | 562                   | 560/530        | 375                     | D C 72/B |          |          |
|               | 80er        | 155R13C     | H188       | D/8PR      | 90/88S        | 4.5B         | 157                | 578                   | 600/560        | 450                     | D C 72/B |          |          |
| 14"           | 70er        | 165R13C     | H188       | C/6PR      | 91/89S        | 4.5B         | 167                | 596                   | 615/580        | 375                     | D C 72/B |          |          |
|               |             | 175/70R14C  | H188       | C/6PR      | 95/93S        | 5.0J         | 177                | 602                   | 690/650        | 375                     | D C 72/B |          |          |
|               |             | 205/70R14C  | SC328      | C/6PR      | 102/100R      | 6.0J         | 209                | 644                   | 850/800        | 375                     | D C 72/B |          |          |
|               | 75er        | 215/75R14C  | SC328      | D/8PR      | 112/110Q      | 6.0J         | 216                | 678                   | 1120/1060      | 475                     | D C 72/B |          |          |
|               |             | 185R14C     | SL366      | D/8PR      | 102/100Q      | 5.5J         | 188                | 650                   | 850/800        | 450                     | / POR /  |          |          |
|               |             | 195R14C     | SL366      | D/8PR      | 106/104Q      | 5.5J         | 198                | 666                   | 950/900        | 450                     | / POR /  |          |          |
|               | 80er        | 185R14C     | SC328      | D/8PR      | 102/100Q      | 5.5J         | 188                | 650                   | 850/800        | 450                     | D C 72/B |          |          |
|               |             | 185R14C     | H188       | D/8PR      | 102/100R      | 5.5J         | 188                | 650                   | 850/800        | 450                     | D C 72/B |          |          |
|               |             | 195R14C     | SC328      | D/8PR      | 106/104Q      | 5.5J         | 198                | 666                   | 950/900        | 450                     | D C 72/B |          |          |
|               |             | 195R14C     | H188       | D/8PR      | 106/104Q      | 5.5J         | 198                | 666                   | 950/900        | 450                     | D C 72/B |          |          |
|               |             | 205R14C     | SC328      | D/8PR      | 109/107R      | 6.0J         | 208                | 686                   | 1030/975       | 450                     | D C 72/B |          |          |
|               |             | 215R14C     | SC328      | D/8PR      | 112/110Q      | 6.0J         | 218                | 700                   | 1120/1060      | 450                     | D C 72/B |          |          |
|               |             | 15"         | 65er       | 205/65R15C | SC328         | C/6PR        | 102/100T           | 6.0J                  | 209            | 647                     | 850/800  | 375      | D C 72/B |
|               |             |             |            | 205/65R15C | H188          | C/6PR        | 102/100T           | 6.0J                  | 209            | 647                     | 850/800  | 375      | C C 72/B |
|               |             |             |            | 215/65R15C | H188          | C/6PR        | 104/102T           | 6.5J                  | 221            | 661                     | 900/850  | 375      | C C 72/B |
| 70er          | 195/70R15C  |             | SC328      | D/8PR      | 104/102R      | 6.0J         | 201                | 655                   | 900/850        | 450                     | D C 72/B |          |          |
|               | 195/70R15C  |             | H188       | D/8PR      | 104/102R      | 6.0J         | 201                | 655                   | 900/850        | 450                     | C C 72/B |          |          |
|               | 205/70R15C  |             | SL366      | C/6PR      | 104/102Q      | 6.0J         | 209                | 669                   | 900/850        | 375                     | / POR /  |          |          |
| 75er          | 205/70R15C  | SC328       | D/8PR      | 106/104R   | 6.0J          | 209          | 669                | 950/900               | 475            | D C 72/B                |          |          |          |
|               | 205/70R15C  | H188        | D/8PR      | 106/104R   | 6.0J          | 209          | 669                | 950/900               | 475            | C C 72/B                |          |          |          |
|               | 215/70R15C  | SC328       | D/8PR      | 109/107R   | 6.5J          | 221          | 683                | 1030/975              | 475            | D C 72/B                |          |          |          |
|               | 215/70R15C  | H188        | D/8PR      | 109/107R   | 6.5J          | 221          | 683                | 1030/975              | 475            | C C 72/B                |          |          |          |
|               | 225/70R15C  | SC328       | D/8PR      | 112/110R   | 6.5J          | 228          | 697                | 1120/1060             | 450            | D C 72/B                |          |          |          |
|               | 225/70R15C  | H188        | D/8PR      | 112/110R   | 6.5J          | 228          | 697                | 1120/1060             | 450            | C C 72/B                |          |          |          |
|               | 80er        | LT215/75R15 | SL366      | C/6PR      | 100/97Q       | 6.0J         | 216                | 703                   | 800/730        | 350                     | / POR /  |          |          |
|               |             | LT225/75R15 | SL366      | C/6PR      | 102/99Q       | 6.0J         | 223                | 719                   | 850/775        | 350                     | / POR /  |          |          |
|               |             | LT235/75R15 | SL366      | C/6PR      | 104/101Q      | 6.5J         | 235                | 739                   | 900/825        | 350                     | / POR /  |          |          |
|               | 80er        | LT235/75R15 | SL366      | D/8PR      | 110/107Q      | 6.5J         | 235                | 739                   | 1060/975       | 450                     | / POR /  |          |          |
|               |             | 185R15C     | SC328      | D/8PR      | 103/102R      | 5.5J         | 188                | 674                   | 875/850        | 450                     | D C 72/B |          |          |
|               |             | 195R15C     | SC328      | D/8PR      | 106/104R      | 5.5J         | 198                | 690                   | 950/900        | 450                     | D C 72/B |          |          |
| 195R15C       |             | H188        | D/8PR      | 106/104R   | 5.5J          | 198          | 690                | 950/900               | 450            | C C 72/B                |          |          |          |
| 215R15C       |             | SC328       | D/8PR      | 112/110Q   | 6.0J          | 218          | 724                | 1120/1060             | 450            | D C 72/B                |          |          |          |
| 30x9.50R15LT  |             | SL366       | C/6PR      | 104Q       | 7.5J          | 240          | 756                | 900                   | 350            | / POR /                 |          |          |          |
| 31x10.50R15LT |             | SL366       | C/6PR      | 109Q       | 8.5J          | 268          | 781                | 1030                  | 350            | / POR /                 |          |          |          |
| 32x11.50R15LT |             | SL366       | C/6PR      | 113Q       | 9.0J          | 290          | 807                | 1150                  | 350            | / POR /                 |          |          |          |
| 33x12.50R15LT |             | SL366       | C/6PR      | 108Q       | 10.0J         | 318          | 832                | 1000                  | 250            | / POR /                 |          |          |          |
| 35x12.50R15LT |             | SL366       | C/6PR      | 113Q       | 10.0J         | 318          | 883                | 1150                  | 250            | / POR /                 |          |          |          |
| 16"           |             | 60er        | 195/60R16C | H188       | C/6PR         | 99/97H       | 6.0J               | 201                   | 640            | 775/730                 | 375      | C C 72/B |          |
|               |             |             | 215/60R16C | SC328      | D/8PR         | 108/106T     | 6.5J               | 221                   | 664            | 1000/950                | 475      | D B 72/B |          |
|               |             |             | 215/60R16C | H188       | D/8PR         | 108/106T     | 6.5J               | 221                   | 664            | 1000/950                | 475      | C C 72/B |          |
|               |             | 65er        | 195/65R16C | SC328      | D/8PR         | 104/102T     | 6.0J               | 201                   | 660            | 900/850                 | 475      | D B 72/B |          |
|               |             |             | 195/65R16C | H188       | D/8PR         | 104/102T     | 6.0J               | 201                   | 660            | 900/850                 | 475      | C C 72/B |          |
|               | 205/65R16C  |             | SC328      | D/8PR      | 107/105T      | 6.0J         | 209                | 672                   | 975/925        | 475                     | D B 72/B |          |          |
|               | 205/65R16C  |             | H188       | D/8PR      | 107/105T      | 6.0J         | 209                | 672                   | 975/925        | 475                     | C C 72/B |          |          |
|               | 215/65R16C  |             | SC328      | D/8PR      | 109/107R      | 6.5J         | 221                | 686                   | 1030/975       | 475                     | D B 72/B |          |          |
|               | 215/65R16C  |             | H188       | D/8PR      | 109/107T      | 6.5J         | 221                | 686                   | 1030/975       | 475                     | C C 72/B |          |          |
|               | 225/65R16C  |             | SC328      | D/8PR      | 112/110R      | 6.5J         | 228                | 698                   | 1120/1060      | 475                     | C B 72/B |          |          |
|               | 225/65R16C  |             | H188       | D/8PR      | 112/110T      | 6.5J         | 228                | 698                   | 1120/1060      | 475                     | C C 72/B |          |          |
|               | 235/65R16C  |             | SC328      | D/8PR      | 115/113R      | 7.0J         | 240                | 712                   | 1215/1150      | 475                     | C B 72/B |          |          |
|               | 70er        | 235/65R16C  | H188       | D/8PR      | 115/113R      | 7.0J         | 240                | 712                   | 1215/1150      | 475                     | C C 72/B |          |          |
|               |             | 215/70R16C  | SC328      | C/6PR      | 108/106T      | 6.5J         | 221                | 708                   | 1000/950       | 375                     | D C 72/B |          |          |
|               |             | 75er        | 175/75R16C | SC328      | D/8PR         | 101/99Q      | 5.0J               | 177                   | 668            | 825/775                 | 475      | D B 72/B |          |
| 185/75R16C    |             |             | H188       | D/8PR      | 104/102R      | 5.0J         | 184                | 684                   | 900/850        | 475                     | C C 72/B |          |          |
| 195/75R16C    |             |             | SC328      | D/8PR      | 107/105R      | 5.5J         | 196                | 698                   | 975/925        | 475                     | D B 72/B |          |          |
| 80er          |             | 195/75R16C  | H188       | D/8PR      | 107/105R      | 5.5J         | 196                | 698                   | 975/925        | 475                     | C C 72/B |          |          |
|               | 205/75R16C  | SC328       | D/8PR      | 110/108Q   | 5.5J          | 203          | 714                | 1060/1000             | 475            | C B 72/B                |          |          |          |
|               | 205/75R16C  | H188        | D/8PR      | 110/108Q   | 5.5J          | 203          | 714                | 1060/1000             | 475            | C C 72/B                |          |          |          |
|               | 215/75R16C  | SC328       | D/8PR      | 113/111Q   | 6.0J          | 216          | 728                | 1150/1090             | 475            | C B 72/B                |          |          |          |
|               | 215/75R16C  | H188        | D/8PR      | 113/111Q   | 6.0J          | 216          | 728                | 1150/1090             | 475            | C C 72/B                |          |          |          |
|               | LT225/75R16 | SL366       | E/10PR     | 115/112Q   | 6.0J          | 223          | 750                | 1215/1120             | 550            |                         |          |          |          |



## COMMERCIAL LTR

| Rim (inch) | Series | Size          | Pattern | LR/PR  | Service Index | Standard Rim | Section Width (mm) | Overall Diameter (mm) | Max. Load (kg) | Max. Air Pressure (kpa) | Icons   |
|------------|--------|---------------|---------|--------|---------------|--------------|--------------------|-----------------------|----------------|-------------------------|---------|
| 17"        | 70er   | LT265/70R17   | SL366   | E/10PR | 121/118Q      | 8.0J         | 272                | 810                   | 1450/1320      | 550                     | / POR / |
|            |        | LT285/70R17   | SL366   | E/10PR | 121/118Q      | 8.5J         | 292                | 832                   | 1450/1320      | 550                     | / POR / |
|            |        | LT315/70R17   | SL366   | E/10PR | 121/118Q      | 9.5J         | 323                | 880                   | 1450/1320      | 450                     | / POR / |
| 20"        | 80er   | 35x12.50R17LT | SL366   | E/10PR | 121Q          | 10.0J        | 318                | 883                   | 1450           | 450                     | / POR / |
|            |        | 33x12.50R20LT | SL366   | E/10PR | 114Q          | 10.0J        | 318                | 832                   | 1180           | 450                     | / POR / |
|            |        | 35x12.50R20LT | SL366   | E/10PR | 121Q          | 10.0J        | 318                | 883                   | 1450           | 450                     | / POR / |

POR: Professional Off-Road

## ALL SEASON

| Rim (inch) | Series | Size         | Pattern      | Service Index | Standard Rim | Section Width (mm) | Overall Diameter (mm) | Max. Load (kg) | Max. Air Pressure (kpa) | Icons    |          |
|------------|--------|--------------|--------------|---------------|--------------|--------------------|-----------------------|----------------|-------------------------|----------|----------|
| 13"        | 70er   | 155/70R13    | Z-401        | 75T           | 4.5B         | 157                | 548                   | 387            | 300                     | D C 71/B |          |
|            | 80er   | 155/80R13    | Z-401        | 79T           | 4.5B         | 157                | 578                   | 437            | 300                     | D C 71/B |          |
| 14"        | 55er   | 185/55R14    | Z-401        | 80H           | 6.0J         | 194                | 560                   | 450            | 300                     | D C 71/B |          |
|            | 60er   | 165/60R14 XL | Z-401        | 79H           | 5.0J         | 170                | 554                   | 437            | 350                     | D C 71/B |          |
| 15"        | 65er   | 185/60R14    | Z-401        | 82H           | 5.5J         | 189                | 578                   | 530            | 300                     | D C 71/B |          |
|            |        | 155/65R14    | Z-401        | 75T           | 4.5J         | 157                | 558                   | 387            | 300                     | D C 71/B |          |
|            | 70er   | 165/65R14    | Z-401        | 79T           | 5.0J         | 170                | 570                   | 437            | 300                     | D C 71/B |          |
|            |        | 175/65R14    | Z-401        | 82T           | 5.0J         | 177                | 584                   | 475            | 300                     | D C 71/B |          |
|            | 50er   | 185/65R14    | Z-401        | 86H           | 5.5J         | 189                | 596                   | 530            | 300                     | D C 71/B |          |
|            |        | 165/70R14    | Z-401        | 81T           | 5.0J         | 170                | 588                   | 462            | 300                     | D C 71/B |          |
|            | 16"    | 55er         | 175/70R14 XL | Z-401         | 88T          | 5.0J               | 177                   | 602            | 560                     | 350      | C C 71/B |
|            |        |              | 195/50R15    | Z-401         | 82V          | 6.0J               | 201                   | 577            | 475                     | 300      | D C 72/B |
|            |        | 60er         | 185/55R15    | Z-401         | 82H          | 6.0J               | 194                   | 585            | 475                     | 300      | D C 71/B |
|            |        |              | 195/55R15 XL | Z-401         | 89V          | 6.0J               | 201                   | 595            | 580                     | 350      | D C 72/B |
| 65er       |        | 155/60R15    | Z-401        | 74T           | 4.5J         | 157                | 567                   | 375            | 300                     | D C 71/B |          |
|            |        | 185/60R15 XL | Z-401        | 88H           | 5.5J         | 189                | 603                   | 560            | 350                     | C C 71/B |          |
| 70er       |        | 195/60R15    | Z-401        | 88V           | 6.0J         | 201                | 615                   | 560            | 300                     | D C 72/B |          |
|            |        | 165/65R15    | Z-401        | 81T           | 5.0J         | 170                | 595                   | 462            | 300                     | D C 71/B |          |
| 17"        |        | 55er         | 175/65R15    | Z-401         | 84H          | 5.0J               | 177                   | 609            | 500                     | 300      | D C 71/B |
|            |        |              | 185/65R15 XL | Z-401         | 92H          | 5.5J               | 189                   | 621            | 630                     | 350      | C C 71/B |
|            | 60er   | 195/65R15    | Z-401        | 91V           | 6.0J         | 201                | 635                   | 615            | 300                     | C C 72/B |          |
|            |        | 195/65R15 XL | Z-401        | 95H           | 6.0J         | 201                | 635                   | 690            | 350                     | C C 72/B |          |
|            | 75er   | 215/65R15    | Z-401        | 96H           | 6.5J         | 221                | 661                   | 710            | 300                     | D C 72/B |          |
|            |        | 195/70R15C   | SW613        | 104/102R      | 6.0J         | 201                | 655                   | 900/850        | 450                     | D C 72/B |          |
|            | 18"    | 45er         | 205/70R15C   | SW613         | 106/104R     | 6.0J               | 209                   | 669            | 950/900                 | 450      | D C 72/B |
|            |        |              | 215/70R15C   | SW613         | 109/107R     | 6.5J               | 221                   | 683            | 1030/975                | 450      | D C 72/B |
|            | 19"    | 55er         | 225/70R15C   | SW613         | 112/110R     | 6.5J               | 228                   | 697            | 1120/1060               | 450      | D C 72/B |
|            |        |              | 195/45R16 XL | Z-401         | 84V          | 6.5J               | 195                   | 582            | 500                     | 350      | D C 72/B |
| 60er       |        | 205/45R16 XL | Z-401        | 87W           | 7.0J         | 206                | 590                   | 545            | 350                     | D C 72/B |          |
|            |        | 215/45R16 XL | Z-401        | 90V           | 7.0J         | 213                | 600                   | 600            | 350                     | D C 72/B |          |
| 65er       |        | 185/55R16 XL | Z-401        | 87H           | 6.0J         | 194                | 610                   | 545            | 350                     | C C 71/B |          |
|            |        | 195/55R16 XL | Z-401        | 91V           | 6.0J         | 201                | 620                   | 615            | 350                     | C C 72/B |          |
| 70er       |        | 205/55R16    | Z-401        | 91V           | 6.5J         | 214                | 632                   | 615            | 300                     | C C 72/B |          |
|            |        | 205/55R16 XL | Z-401        | 94V           | 6.5J         | 214                | 632                   | 670            | 350                     | C C 72/B |          |
| 75er       |        | 215/55R16 XL | Z-401        | 97V           | 7.0J         | 226                | 642                   | 730            | 350                     | C C 72/B |          |
|            |        | 225/55R16 XL | Z-401        | 99V           | 7.0J         | 233                | 654                   | 775            | 350                     | C C 72/B |          |
| 17"        | 40er   | 195/60R16C   | SW613        | 99/97T        | 6.0J         | 201                | 640                   | 775/730        | 375                     | E C 72/B |          |
|            |        | 205/60R16 XL | Z-401        | 96V           | 6.0J         | 209                | 652                   | 710            | 350                     | C C 72/B |          |
| 18"        | 45er   | 215/60R16 XL | Z-401        | 99V           | 6.5J         | 221                | 664                   | 775            | 350                     | C C 72/B |          |
|            |        | 235/60R16    | Z-401        | 100V          | 7.0J         | 240                | 688                   | 800            | 300                     | C C 72/B |          |
| 19"        | 55er   | 195/65R16C   | SW613        | 104/102T      | 6.0J         | 201                | 660                   | 900/850        | 475                     | D C 72/B |          |
|            |        | 205/65R16C   | SW613        | 107/105T      | 6.0J         | 209                | 672                   | 975/925        | 475                     | D C 72/B |          |
| 20"        | 60er   | 215/65R16    | Z-401        | 98V           | 6.5J         | 221                | 686                   | 750            | 300                     | C C 72/B |          |
|            |        | 215/65R16C   | SW613        | 109/107R      | 6.5J         | 221                | 686                   | 1030/975       | 475                     | D C 72/B |          |
| 21"        | 65er   | 225/65R16C   | SW613        | 112/110R      | 6.5J         | 228                | 698                   | 1120/1060      | 475                     | D C 72/B |          |
|            |        | 235/65R16C   | SW613        | 115/113R      | 7.0J         | 240                | 712                   | 1215/1150      | 475                     | D C 72/B |          |
| 22"        | 70er   | 185/75R16C   | SW613        | 104/102Q      | 5.0J         | 184                | 684                   | 900/850        | 475                     | E C 72/B |          |
|            |        | 195/75R16C   | SW613        | 107/105R      | 5.5J         | 196                | 698                   | 975/925        | 475                     | D C 72/B |          |
| 23"        | 75er   | 205/75R16C   | SW613        | 110/108Q      | 5.5J         | 203                | 714                   | 1060/1000      | 475                     | D C 72/B |          |
|            |        | 215/75R16C   | SW613        | 113/111Q      | 6.0J         | 216                | 728                   | 1150/1090      | 475                     | D C 72/B |          |
| 24"        | 80er   | 215/40R17 XL | Z-401        | 87W           | 7.5J         | 218                | 604                   | 545            | 350                     | D C 72/B |          |
|            |        | 205/45R17 XL | Z-401        | 88V           | 7.0J         | 206                | 616                   | 560            | 350                     | D C 72/B |          |
| 25"        | 85er   | 215/45R17 XL | Z-401        | 91W           | 7.0J         | 213                | 626                   | 615            | 350                     | C C 72/B |          |
|            |        | 225/45R17 XL | Z-401        | 94W           | 7.5J         | 225                | 634                   | 670            | 350                     | C C 72/B |          |
| 26"        | 90er   | 235/45R17 XL | Z-401        | 97W           | 8.0J         | 236                | 644                   | 730            | 350                     | C C 72/B |          |
|            |        | 245/45R17 XL | Z-401        | 99W           | 8.0J         | 243                | 652                   | 775            | 350                     | C C 72/B |          |
| 27"        | 95er   | 205/50R17 XL | Z-401        | 93V           | 6.5J         | 214                | 638                   | 650            | 350                     | C C 72/B |          |
|            |        | 215/50R17 XL | Z-401        | 95V           | 7.0J         | 226                | 648                   | 690            | 350                     | C C 72/B |          |
| 28"        | 100er  | 225/50R17 XL | Z-401        | 98W           | 7.0J         | 233                | 658                   | 750            | 350                     | C C 72/B |          |
|            |        | 205/55R17 XL | Z-401        | 95V           | 6.5J         | 214                | 658                   | 690            | 350                     | C C 72/B |          |
| 29"        | 105er  | 215/55R17 XL | Z-401        | 98V           | 7.0J         | 226                | 668                   | 750            | 350                     | C C 72/B |          |
|            |        | 225/55R17 XL | Z-401        | 101W          | 7.0J         | 233                | 680                   | 825            | 350                     | C C 72/B |          |
| 30"        | 110er  | 235/55R17 XL | Z-401        | 103W          | 7.5J         | 245                | 690                   | 875            | 350                     | C C 72/B |          |
|            |        | 215/60R17    | Z-401        | 96H           | 6.5J         | 221                | 690                   | 710            | 300                     | C C 72/B |          |
| 31"        | 115er  | 225/60R17    | Z-401        | 99V           | 6.5J         | 228                | 702                   | 775            | 300                     | C C 72/B |          |
|            |        | 235/60R17    | Z-401        | 102V          | 7.0J         | 240                | 714                   | 850            | 300                     | C C 72/B |          |
| 32"        | 120er  | 215/65R17    | Z-401        | 99V           | 6.5J         | 221                | 712                   | 775            | 300                     | C C 72/B |          |
|            |        | 225/40R18 XL | Z-401        | 92W           | 8.0J         | 230                | 637                   | 630            | 350                     | D C 72/B |          |
| 33"        | 125er  | 245/40R18 XL | Z-401        | 97W           | 8.5J         | 248                | 653                   | 730            | 350                     | C C 72/B |          |
|            |        | 45er         | 215/45R18 XL | Z-401         | 93W          | 7.0J               | 213                   | 651            | 650                     | 350      | C C 72/B |

## ALL SEASON

| Rim (inch) | Series | Size         | Pattern | Service Index | Standard Rim | Section Width (mm) | Overall Diameter (mm) | Max. Load (kg) | Max. Air Pressure (kpa) | Icons    |
|------------|--------|--------------|---------|---------------|--------------|--------------------|-----------------------|----------------|-------------------------|----------|
| 18"        | 45er   | 225/45R18 XL | Z-401   | 95W           | 7.5J         | 225                | 659                   | 690            | 350                     | C C 72/B |
|            |        | 235/45R18 XL | Z-401   | 98W           | 8.0J         | 236                | 669                   | 750            | 350                     | C C 72/B |
|            |        | 245/45R18 XL | Z-401   | 100W          | 8.0J         | 243                | 677                   | 800            | 350                     | C C 72/B |
| 50er       | 55er   | 225/50R18    | Z-401   | 95W           | 7.0J         | 233                | 683                   | 690            | 300                     | C C 72/B |
|            |        | 235/50R18 XL | Z-401   | 101W          | 7.5J         | 245                | 693                   | 825            | 350                     | C C 72/B |
| 55er       | 60er   | 215/55R18 XL | Z-401   | 99V           | 7.0J         | 226                | 693                   | 775            | 350                     | D C 72/B |
|            |        | 225/55R18    | Z-401   | 98V           | 7.0J         | 233                | 705                   | 750            | 300                     | C C 72/B |
| 60er       | 65er   | 235/55R18    | Z-401   | 100V          | 7.5J         | 245                | 715                   | 800            | 300                     | C C 72/B |
|            |        | 235/60R18 XL | Z-401   | 107V          | 7.0J         | 240                | 739                   | 975            | 350                     | C C 72/B |
| 19"        | 40er   | 225/40R19 XL | Z-401   | 93W           | 8.0J         | 230                | 663                   | 650            | 350                     | D C 72/B |
|            |        | 245/40R19 XL | Z-401   | 98W           | 8.5J         | 248                | 679                   | 750            | 350                     | C C 72/B |
| 45er       | 55er   | 245/45R19 XL | Z-401   | 102W          | 8.0J         | 243                | 703                   | 850            | 350                     | C C 72/B |
|            |        | 235/55R19 XL | Z-401   | 105W          | 7.5J         | 245                | 741                   | 925            | 350                     | C C 72/B |



### WINTER

| Rim (inch) | Series | Size      | Pattern   | LR/PR     | Service Index | Standard Rim | Section Width (mm) | Overall Diameter (mm) | Max. Load (kg) | Max. Air Pressure (kpa) |     |     |      |      |      |      |
|------------|--------|-----------|-----------|-----------|---------------|--------------|--------------------|-----------------------|----------------|-------------------------|-----|-----|------|------|------|------|
| 12"        | 80er   | 155R12C   | SW612     | D/8PR     | 88/86Q        | 4.5B         | 157                | 550                   | 560/530        | 450                     | E   | C   | 72/B |      |      |      |
| 13"        | 65er   | 155/65R13 | SW618     |           | 73T           | 4.5J         | 157                | 532                   | 365            | 300                     | E   | E   | 71/B |      |      |      |
|            |        | 165/65R13 | SW618     |           | 77T           | 5.0J         | 170                | 544                   | 412            | 300                     | E   | E   | 71/B |      |      |      |
|            |        | 70er      | 155/70R13 | SW608     |               | 75T          | 4.5B               | 157                   | 548            | 387                     | 300 | D   | C    | 71/B |      |      |
|            | 14"    | 60er      | 165/60R14 | SW618     |               | 75T          | 5.0J               | 170                   | 554            | 387                     | 300 | E   | E    | 71/B |      |      |
|            |        |           | 185/60R14 | SW608     |               | 82H          | 5.5J               | 189                   | 578            | 475                     | 300 | D   | C    | 71/B |      |      |
|            |        |           | 185/60R14 | SW618     |               | 82T          | 5.5J               | 189                   | 578            | 475                     | 300 | E   | E    | 71/B |      |      |
|            |        | 15"       | 50er      | 195/50R15 | SW618         |              | 82T                | 6.0J                  | 201            | 577                     | 475 | 300 | E    | E    | 72/B |      |
|            |        |           |           | 55er      | 185/55R15 XL  | SW608        |                    | 86H/V                 | 6.0J           | 194                     | 585 | 530 | 350  | D    | C    | 71/B |
|            |        |           |           | 60er      | 185/60R15 XL  | SW608        |                    | 88H                   | 5.5J           | 189                     | 603 | 560 | 350  | D    | C    | 71/B |

### WINTER

| Rim (inch) | Series | Size       | Pattern      | LR/PR        | Service Index | Standard Rim | Section Width (mm) | Overall Diameter (mm) | Max. Load (kg) | Max. Air Pressure (kpa) |     |     |      |      |      |      |
|------------|--------|------------|--------------|--------------|---------------|--------------|--------------------|-----------------------|----------------|-------------------------|-----|-----|------|------|------|------|
| 15"        | 70er   | 195/70R15C | SW606        | D/8PR        | 104/102R      | 6.0J         | 201                | 655                   | 900/850        | 450                     | /   | /   | /    |      |      |      |
|            |        | 205/70R15  | SW618        |              | 96T           | 6.0J         | 209                | 669                   | 710            | 300                     | D   | E   | 72/B |      |      |      |
|            |        | 205/70R15C | SW612        | D/8PR        | 106/104R      | 6.0J         | 209                | 669                   | 950/900        | 450                     | D   | C   | 72/B |      |      |      |
|            |        | 215/70R15  | SW608        |              | 98H           | 6.5J         | 221                | 683                   | 750            | 300                     | D   | C   | 72/B |      |      |      |
|            |        | 215/70R15  | SW618        |              | 98T           | 6.5J         | 221                | 683                   | 750            | 300                     | D   | E   | 72/B |      |      |      |
|            |        | 215/70R15C | SW612        | D/8PR        | 109/107R      | 6.5J         | 221                | 683                   | 1030/975       | 450                     | D   | C   | 72/B |      |      |      |
|            | 16"    | 45er       | 195/45R16 XL | SW608        |               | 88H          | 6.0J               | 201                   | 602            | 560                     | 350 | C   | C    | 72/B |      |      |
|            |        |            | 205/50R16 XL | SW608        |               | 88H          | 6.0J               | 201                   | 602            | 560                     | 350 | C   | C    | 72/B |      |      |
|            |        |            | 225/50R16 XL | SW608        |               | 96V          | 7.0J               | 233                   | 632            | 710                     | 350 | C   | C    | 72/B |      |      |
|            |        | 70er       | 65er         | 175/65R15    | SW618         |              | 82T                | 5.0J                  | 177            | 584                     | 475 | 300 | E    | E    | 71/B |      |
|            |        |            |              | 175/65R14 XL | Z-506         |              | 86T                | 5.0J                  | 177            | 584                     | 530 | 350 | /    | /    | /    |      |
|            |        |            |              | 185/65R14    | Z-506         |              | 86T                | 5.5J                  | 189            | 596                     | 530 | 300 | /    | /    | /    |      |
| 75er       |        |            | 55er         | 195/55R16    | SW608         |              | 87H                | 6.0J                  | 201            | 620                     | 545 | 300 | C    | C    | 72/B |      |
|            |        |            |              | 195/55R16 XL | SW618         |              | 91V                | 6.0J                  | 201            | 620                     | 615 | 350 | D    | E    | 72/B |      |
|            |        |            |              | 205/55R16    | Z-506         |              | 87T                | 6.0J                  | 201            | 620                     | 545 | 300 | /    | /    | /    |      |
|            |        |            | 80er         | 50er         | 195/50R16 XL  | SW608        |                    | 88H                   | 6.0J           | 201                     | 602 | 560 | 350  | C    | C    | 72/B |
|            |        |            |              |              | 205/50R16     | Z-506        |                    | 87T                   | 6.5J           | 214                     | 612 | 545 | 300  | /    | /    | /    |
|            |        |            |              |              | 225/50R16 XL  | SW608        |                    | 96V                   | 7.0J           | 233                     | 632 | 710 | 350  | C    | C    | 72/B |
|            | 85er   |            |              | 55er         | 195/55R16     | SW608        |                    | 87H                   | 6.0J           | 201                     | 620 | 545 | 300  | C    | C    | 72/B |
|            |        |            |              |              | 195/55R16 XL  | SW618        |                    | 91V                   | 6.0J           | 201                     | 620 | 615 | 350  | D    | E    | 72/B |
|            |        |            |              |              | 205/55R16     | Z-506        |                    | 87T                   | 6.0J           | 201                     | 620 | 545 | 300  | /    | /    | /    |
|            |        | 90er       |              | 50er         | 195/50R16 XL  | SW608        |                    | 88H                   | 6.0J           | 201                     | 602 | 560 | 350  | C    | C    | 72/B |
|            |        |            |              |              | 205/50R16     | Z-506        |                    | 87T                   | 6.5J           | 214                     | 612 | 545 | 300  | /    | /    | /    |
|            |        |            |              |              | 225/50R16 XL  | SW608        |                    | 96V                   | 7.0J           | 233                     | 632 | 710 | 350  | C    | C    | 72/B |
| 95er       |        |            |              | 55er         | 195/55R16     | SW608        |                    | 87H                   | 6.0J           | 201                     | 620 | 545 | 300  | C    | C    | 72/B |
|            |        |            |              |              | 195/55R16 XL  | SW618        |                    | 91V                   | 6.0J           | 201                     | 620 | 615 | 350  | D    | E    | 72/B |
|            |        |            |              |              | 205/55R16     | Z-506        |                    | 87T                   | 6.0J           | 201                     | 620 | 545 | 300  | /    | /    | /    |
|            |        |            | 100er        | 50er         | 195/50R16 XL  | SW608        |                    | 88H                   | 6.0J           | 201                     | 602 | 560 | 350  | C    | C    | 72/B |
|            |        |            |              |              | 205/50R16     | Z-506        |                    | 87T                   | 6.5J           | 214                     | 612 | 545 | 300  | /    | /    | /    |
|            |        |            |              |              | 225/50R16 XL  | SW608        |                    | 96V                   | 7.0J           | 233                     | 632 | 710 | 350  | C    | C    | 72/B |



## WINTER

| Rim (inch)   | Series       | Size         | Pattern      | LR/PR | Service Index | Standard Rim | Section Width (mm) | Overall Diameter (mm) | Max. Load (kg) | Max. Air Pressure (kpa) |           |      |      |      |      |
|--------------|--------------|--------------|--------------|-------|---------------|--------------|--------------------|-----------------------|----------------|-------------------------|-----------|------|------|------|------|
| 16"          | 70er         | 225/70R16    | SW606        |       | 103T          | 6.5J         | 228                | 722                   | 875            | 300                     | /         | /    | /    |      |      |
|              |              | 235/70R16    | SW658        |       | 106T          | 7.0J         | 240                | 736                   | 950            | 300                     | D         | C    | 72/B |      |      |
|              |              | 235/70R16    | SW606        |       | 106T          | 7.0J         | 240                | 736                   | 950            | 300                     | /         | /    | /    |      |      |
|              |              | 245/70R16    | SW658        |       | 107T          | 7.0J         | 248                | 750                   | 975            | 300                     | D         | C    | 72/B |      |      |
|              |              | 245/70R16    | SW606        |       | 107T          | 7.0J         | 248                | 750                   | 975            | 300                     | /         | /    | /    |      |      |
|              |              | 265/70R16    | SW658        |       | 112T          | 8.0J         | 272                | 778                   | 1120           | 300                     | D         | C    | 73/B |      |      |
|              | 265/70R16    | SW606        |              | 112T  | 8.0J          | 272          | 778                | 1120                  | 300            | /                       | /         | /    |      |      |      |
|              | 75er         | 185/75R16C   | SW612        |       | D/8PR         | 104/102Q     | 5.0J               | 184                   | 684            | 900/850                 | 475       | E    | C    | 72/B |      |
|              |              | 185/75R16C   | SW606        |       | D/8PR         | 104/102R     | 5.0J               | 184                   | 684            | 900/850                 | 475       | /    | /    | /    |      |
|              |              | 195/75R16C   | SW612        |       | D/8PR         | 107/105R     | 5.5J               | 196                   | 698            | 975/925                 | 475       | D    | C    | 72/B |      |
|              |              | 205/75R16C   | SW612        |       | D/8PR         | 110/108Q     | 5.5J               | 203                   | 714            | 1060/1000               | 475       | D    | C    | 72/B |      |
|              |              | 215/75R16C   | SW612        |       | D/8PR         | 113/111Q     | 6.0J               | 216                   | 728            | 1150/1090               | 475       | D    | C    | 72/B |      |
|              |              | 225/75R16C   | SW612        |       | E/10PR        | 118/116Q     | 6.0J               | 223                   | 744            | 1320/1250               | 525       | D    | C    | 72/B |      |
|              |              | LT225/75R16  | SW606        |       | E/10PR        | 115/112Q     | 6.0J               | 220                   | 739            | 1215/1120               | 550       | /    | /    | /    |      |
|              |              | LT245/75R16  | SW606        |       | E/10PR        | 120/116Q     | 7.0J               | 245                   | 771            | 1380/1260               | 550       | /    | /    | /    |      |
|              |              | LT265/75R16  | SW606        |       | E/10PR        | 123/120Q     | 7.5J               | 264                   | 802            | 1550/1400               | 550       | /    | /    | /    |      |
|              |              | 80er         | 6.50R16      | SW612 |               | E/10PR       | 108/107N           | 5.5F                  | 185            | 750                     | 1000/975  | 560  | D    | C    | 72/B |
|              |              |              | 7.00R16      | SW612 |               | F/12PR       | 117/116N           | 5.5F                  | 200            | 775                     | 1258/1250 | 670  | D    | C    | 72/B |
|              |              | 85er         | LT235/85R16  | SW606 |               | E/10PR       | 120/116Q           | 6.5J                  | 224            | 801                     | 1380/1260 | 550  | /    | /    | /    |
|              | 17"          | 40er         | 205/40R17 XL | SW608 |               | 84V          | 7.5J               | 212                   | 596            | 500                     | 350       | D    | C    | 72/B |      |
|              |              |              | 215/40R17 XL | SW608 |               | 87V          | 7.5J               | 218                   | 604            | 545                     | 350       | D    | C    | 72/B |      |
|              |              |              | 245/40R17 XL | SW608 |               | 95V          | 8.5J               | 248                   | 628            | 690                     | 350       | C    | C    | 72/B |      |
|              | 45er         | 205/45R17 XL | SW608        |       | 88V           | 7.0J         | 206                | 616                   | 560            | 350                     | D         | C    | 72/B |      |      |
|              |              | 215/45R17 XL | Z-507        |       | 91V           | 7.0J         | 213                | 626                   | 615            | 350                     | C         | C    | 72/B |      |      |
| 215/45R17 XL |              | SW608        |              | 91V   | 7.0J          | 213          | 626                | 615                   | 350            | D                       | C         | 72/B |      |      |      |
| 215/45R17 XL |              | SW618        |              | 91V   | 7.0J          | 213          | 626                | 615                   | 350            | D                       | E         | 72/B |      |      |      |
| 215/45R17 XL |              | SW606        |              | 91H   | 7.0J          | 213          | 626                | 615                   | 350            | /                       | /         | /    |      |      |      |
| 225/45R17 XL |              | Z-507        |              | 94V   | 7.5J          | 225          | 634                | 670                   | 350            | C                       | C         | 72/B |      |      |      |
| 225/45R17 XL |              | SW608        |              | 94V   | 7.5J          | 225          | 634                | 670                   | 350            | C                       | C         | 72/B |      |      |      |
| 225/45R17    |              | SW658        |              | 91H   | 7.5J          | 225          | 634                | 615                   | 300            | E                       | C         | 72/B |      |      |      |
| 225/45R17 XL |              | Z-506        |              | 94H   | 7.5J          | 225          | 634                | 670                   | 350            | /                       | /         | /    |      |      |      |
| 225/45R17 XL |              | SW606        |              | 94H   | 7.5J          | 225          | 634                | 670                   | 350            | /                       | /         | /    |      |      |      |
| 235/45R17 XL |              | Z-507        |              | 97V   | 8.0J          | 236          | 644                | 730                   | 350            | C                       | C         | 72/B |      |      |      |
| 235/45R17 XL |              | SW608        |              | 97H   | 8.0J          | 236          | 644                | 730                   | 350            | C                       | C         | 72/B |      |      |      |
| 235/45R17 XL |              | SW618        |              | 97T   | 8.0J          | 236          | 644                | 730                   | 350            | D                       | E         | 72/B |      |      |      |
| 235/45R17 XL |              | Z-506        |              | 97T   | 8.0J          | 236          | 644                | 730                   | 350            | /                       | /         | /    |      |      |      |
| 245/45R17 XL |              | Z-507        |              | 99V   | 8.0J          | 243          | 652                | 775                   | 350            | C                       | C         | 72/B |      |      |      |
| 245/45R17 XL |              | SW608        |              | 99V   | 8.0J          | 243          | 652                | 775                   | 350            | D                       | C         | 72/B |      |      |      |
| 245/45R17 XL |              | Z-506        |              | 99T   | 8.0J          | 243          | 652                | 775                   | 350            | /                       | /         | /    |      |      |      |
| 50er         |              | 205/50R17 XL | Z-507        |       | 93V           | 6.5J         | 214                | 638                   | 650            | 350                     | C         | C    | 72/B |      |      |
|              |              | 205/50R17 XL | SW608        |       | 93H           | 6.5J         | 214                | 638                   | 650            | 350                     | C         | C    | 72/B |      |      |
|              |              | 205/50R17 XL | SW606        |       | 93H           | 6.5J         | 214                | 638                   | 650            | 350                     | /         | /    | /    |      |      |
|              |              | 215/50R17 XL | Z-507        |       | 95V           | 7.0J         | 226                | 648                   | 690            | 350                     | C         | C    | 72/B |      |      |
|              |              | 215/50R17 XL | SW608        |       | 95V           | 7.0J         | 226                | 648                   | 690            | 350                     | C         | C    | 72/B |      |      |
|              |              | 215/50R17 XL | SW618        |       | 95H           | 7.0J         | 226                | 648                   | 690            | 350                     | D         | E    | 72/B |      |      |
|              |              | 215/50R17 XL | SW606        |       | 95H           | 7.0J         | 226                | 648                   | 690            | 350                     | /         | /    | /    |      |      |
|              | 225/50R17 XL | Z-507        |              | 98V   | 7.0J          | 233          | 658                | 750                   | 350            | C                       | C         | 72/B |      |      |      |
|              | 225/50R17 XL | SW608        |              | 98H   | 7.0J          | 233          | 658                | 750                   | 350            | C                       | C         | 72/B |      |      |      |
|              | 225/50R17    | SW618        |              | 94T   | 7.0J          | 226          | 668                | 670                   | 300            | D                       | E         | 72/B |      |      |      |
|              | 225/50R17 XL | Z-506        |              | 98T   | 7.0J          | 226          | 668                | 750                   | 350            | /                       | /         | /    |      |      |      |
|              | 225/55R17 XL | Z-507        |              | 101V  | 7.0J          | 233          | 680                | 825                   | 350            | C                       | C         | 72/B |      |      |      |
|              | 225/55R17 XL | SW608        |              | 101V  | 7.0J          | 233          | 680                | 825                   | 350            | C                       | C         | 72/B |      |      |      |
|              | 225/55R17 XL | SW618        |              | 101H  | 7.0J          | 233          | 680                | 825                   | 350            | D                       | E         | 72/B |      |      |      |
|              | 225/55R17 XL | Z-506        |              | 101T  | 7.0J          | 233          | 680                | 825                   | 350            | /                       | /         | /    |      |      |      |
|              | 225/55R17 XL | SW606        |              | 101H  | 7.0J          | 233          | 680                | 825                   | 350            | /                       | /         | /    |      |      |      |
|              | 235/55R17 XL | Z-507        |              | 103V  | 7.5J          | 245          | 690                | 875                   | 350            | C                       | C         | 72/B |      |      |      |
|              | 235/55R17 XL | SW608        |              | 103V  | 7.5J          | 245          | 690                | 875                   | 350            | C                       | C         | 72/B |      |      |      |
| 235/55R17    | SW618        |              | 99T          | 7.5J  | 245           | 690          | 775                | 300                   | D              | E                       | 72/B      |      |      |      |      |
| 60er         | 215/60R17 XL | Z-507        |              | 100V  | 6.5J          | 221          | 690                | 800                   | 350            | C                       | C         | 72/B |      |      |      |
|              | 215/60R17    | SW608        |              | 96H   | 6.5J          | 221          | 690                | 710                   | 300            | C                       | C         | 72/B |      |      |      |
|              | 215/60R17    | SW658        |              | 96T   | 6.5J          | 221          | 690                | 710                   | 300            | D                       | C         | 72/B |      |      |      |
|              | 215/60R17    | Z-506        |              | 96T   | 6.5J          | 221          | 690                | 710                   | 300            | /                       | /         | /    |      |      |      |
|              | 225/60R17 XL | Z-507        |              | 103V  | 6.5J          | 228          | 702                | 875                   | 350            | C                       | C         | 72/B |      |      |      |
|              | 225/60R17    | SW608        |              | 99H   | 6.5J          | 228          | 702                | 775                   | 300            | C                       | C         | 72/B |      |      |      |

## WINTER

| Rim (inch)   | Series       | Size         | Pattern      | LR/PR        | Service Index | Standard Rim | Section Width (mm) | Overall Diameter (mm) | Max. Load (kg) | Max. Air Pressure (kpa) |           |      |      |      |      |
|--------------|--------------|--------------|--------------|--------------|---------------|--------------|--------------------|-----------------------|----------------|-------------------------|-----------|------|------|------|------|
| 17"          | 60er         | 225/60R17    | SW658        |              | 99T           | 6.5J         | 228                | 702                   | 775            | 300                     | D         | C    | 72/B |      |      |
|              |              | 225/60R17    | SW618        |              | 99T           | 6.5J         | 228                | 702                   | 775            | 300                     | D         | E    | 72/B |      |      |
|              |              | 225/60R17    | SW606        |              | 99T           | 6.5J         | 228                | 702                   | 775            | 300                     | /         | /    | /    |      |      |
|              |              | 65er         | 225/65R17    | SW658        |               | 102T         | 6.5J               | 228                   | 724            | 850                     | 300       | D    | C    | 72/B |      |
|              |              |              | 225/65R17    | SW618        |               | 102T         | 6.5J               | 228                   | 724            | 850                     | 300       | D    | E    | 72/B |      |
|              |              |              | 225/65R17    | Z-506        |               | 102T         | 6.5J               | 228                   | 724            | 850                     | 300       | /    | /    | /    |      |
|              | 225/65R17    |              | SW606        |              | 102T          | 6.5J         | 228                | 724                   | 850            | 300                     | /         | /    | /    |      |      |
|              | 235/65R17 XL |              | SW608        |              | 108H          | 7.0J         | 240                | 738                   | 1000           | 350                     | C         | C    | 72/B |      |      |
|              | 235/65R17    |              | SW658        |              | 104T          | 7.0J         | 240                | 738                   | 900            | 300                     | D         | C    | 72/B |      |      |
|              | 70er         | 235/65R17    | SW618        |              | 104T          | 7.0J         | 240                | 738                   | 900            | 300                     | D         | E    | 72/B |      |      |
|              |              | 235/65R17    | Z-506        |              | 104T          | 7.0J         | 240                | 738                   | 900            | 300                     | /         | /    | /    |      |      |
|              |              | 235/65R17    | SW606        |              | 104T          | 7.0J         | 240                | 738                   | 900            | 300                     | /         | /    | /    |      |      |
|              |              | 245/65R17    | SW658        |              | 107T          | 7.0J         | 248                | 750                   | 975            | 300                     | D         | C    | 72/B |      |      |
|              |              | 245/65R17    | SW606        |              | 107T          | 7.0J         | 248                | 750                   | 975            | 300                     | /         | /    | /    |      |      |
|              |              | 265/65R17    | SW658        |              | 112T          | 8.0J         | 272                | 776                   | 1120           | 300                     | D         | C    | 73/B |      |      |
|              |              | 75er         | LT245/70R17  | SW606        |               | E/10PR       | 119/116Q           | 7.0J                  | 245            | 771                     | 1360/1250 | 550  | /    | /    | /    |
|              |              |              | 245/70R17    | SW606        |               |              | 110T               | 7.0J                  | 248            | 776                     | 1060      | 300  | /    | /    | /    |
|              |              |              | 265/70R17    | SW658        |               |              | 115T               | 8.0J                  | 272            | 804                     | 1215      | 300  | D    | C    | 73/B |
|              |              |              | LT265/70R17  | SW606        |               | E/10PR       | 121/118Q           | 8.0J                  | 269            | 799                     | 1450/1320 | 550  | /    | /    | /    |
|              |              |              | 265/70R17    | SW606        |               |              | 115T               | 8.0J                  | 272            | 804                     | 1215      | 300  | /    | /    | /    |
|              |              |              | LT285/70R17  | SW606        |               | E/10PR       | 121/118Q           | 8.5J                  | 288            | 826                     | 1450/1320 | 550  | /    | /    | /    |
|              | 80er         | LT245/75R17  | SW606        |              | E/10PR        | 121/118Q     | 7.0J               | 245                   | 795            | 1450/1320               | 550       | /    | /    | /    |      |
|              |              | LT235/80R17  | SW606        |              | E/10PR        | 120/117Q     | 6.5J               | 232                   | 802            | 1400/1285               | 550       | /    | /    | /    |      |
|              | 18"          | 40er         | 225/40R18 XL | Z-507        |               | 92V          | 8.0J               | 230                   | 637            | 630                     | 350       | C    | C    | 72/B |      |
| 225/40R18 XL |              |              | SW608        |              | 92V           | 8.0J         | 230                | 637                   | 630            | 350                     | D         | C    | 72/B |      |      |
| 225/40R18 XL |              |              | Z-506        |              | 92T           | 8.0J         | 230                | 637                   | 630            | 350                     | /         | /    | /    |      |      |
| 225/40R18 XL |              |              | SW606        |              | 92H           | 8.0J         | 230                | 637                   | 630            | 350                     | /         | /    | /    |      |      |
| 235/40R18 XL |              |              | Z-507        |              | 95V           | 8.5J         | 241                | 645                   | 690            | 350                     | C         | C    | 72/B |      |      |
| 235/40R18 XL |              |              | SW608        |              | 95V           | 8.5J         | 241                | 645                   | 690            | 350                     | D         | C    | 72/B |      |      |
| 45er         |              | 235/40R18 XL | SW618        |              | 95V           | 8.5J         | 241                | 645                   | 690            | 350                     | D         | E    | 72/B |      |      |
|              |              | 235/40R18 XL | Z-506        |              | 95T           | 8.5J         | 241                | 645                   | 690            | 350                     | /         | /    | /    |      |      |
|              |              | 245/40R18 XL | Z-507        |              | 97V           | 8.5J         | 248                | 653                   | 730            | 350                     | C         | C    | 72/B |      |      |
|              |              | 245/40R18 XL | SW608        |              | 97V           | 8.5J         | 248                | 653                   | 730            | 350                     | C         | C    | 72/B |      |      |
|              |              | 245/40R18 XL | Z-506        |              | 97T           | 8.5J         | 248                | 653                   | 730            | 350                     | /         | /    | /    |      |      |
|              |              | 255/40R18 XL | Z-507        |              | 99V           | 9.0J         | 260                | 661                   | 775            | 350                     | C         | C    | 73/B |      |      |
|              |              | 50er         | 225/45R18 XL | Z-507        |               | 95V          | 7.5J               | 225                   | 659            | 690                     | 350       | C    | C    | 72/B |      |
|              |              |              | 225/45R18 XL | SW608        |               | 95V          | 7.5J               | 225                   | 659            | 690                     | 350       | D    | C    | 72/B |      |
|              |              |              | 225/45R18 XL | SW618        |               | 95H          | 7.5J               | 225                   | 659            | 690                     | 350       | D    | E    | 72/B |      |
|              |              |              | 235/45R18 XL | Z-507        |               | 98V          | 8.0J               | 236                   | 669            | 750                     | 350       | C    | C    | 72/B |      |
|              |              |              | 235/45R18 XL | SW608        |               | 98V          | 8.0J               | 236                   | 669            | 750                     | 350       | C    | C    | 72/B |      |
|              |              |              | 235/45R18 XL | SW618        |               | 98T          | 8.0J               | 236                   | 669            | 750                     | 350       | D    | E    | 72/B |      |
|              |              |              | 245/45R18 XL | Z-507        |               | 100V         | 8.0J               | 243                   | 677            | 800                     | 350       | C    | C    | 72/B |      |
|              |              |              | 235/45R18 XL | Z-506        |               | 98T          | 8.0J               | 236                   | 669            | 750                     | 350       | /    | /    | /    |      |
|              |              |              | 245/45R18 XL | SW608        |               | 100V         | 8.0J               | 243                   | 677            | 800                     | 350       | D    | C    | 72/B |      |
|              |              |              | 245/45R18 XL | SW618        |               | 100T         | 8.0J               | 243                   | 677            | 800                     | 350       | D    | E    | 72/B |      |
|              |              |              | 255/45R18 XL | Z-507        |               | 103V         | 8.5J               | 255                   | 687            | 875                     | 350       | C    | C    | 73/B |      |
|              |              |              | 60er         | 225/50R18 XL | Z-507         |              | 99V                | 7.0J                  | 233            | 683                     | 775       | 350  | C    | C    | 72/B |
| 225/50R18 XL | SW608        |              |              | 99V          | 7.0J          | 233          | 683                | 775                   | 350            | C                       | C         | 72/B |      |      |      |
| 225/50R18 XL | SW606        |              |              | 99H          | 7.0J          | 233          | 683                | 775                   | 350            | /                       | /         | /    |      |      |      |
| 235/50R18 XL | Z            |              |              |              |               |              |                    |                       |                |                         |           |      |      |      |      |



# TECHNICAL INFORMATION

## WINTER


| Rim (inch)   | Series    | Size         | Pattern      | LR/PR        | Service Index | Standard Rim | Section Width (mm) | Overall Diameter (mm) | Max. Load (kg) | Max. Air Pressure (kPa) |      |     |      |      |
|--------------|-----------|--------------|--------------|--------------|---------------|--------------|--------------------|-----------------------|----------------|-------------------------|------|-----|------|------|
| 18"          | 60er      | 235/60R18 XL | SW606        |              | 107H          | 7.0J         | 240                | 739                   | 975            | 350                     | /    | /   | /    |      |
|              |           | 245/60R18    | SW618        |              | 105H          | 7.0J         | 248                | 751                   | 925            | 300                     | D    | E   | 72/B |      |
|              |           | 245/60R18    | SW606        |              | 105T          | 7.0J         | 248                | 751                   | 925            | 300                     | /    | /   | /    |      |
|              |           | 285/60R18    | SW658        |              | 116T          | 8.5J         | 292                | 799                   | 1250           | 300                     | C    | C   | 74/B |      |
|              | 65er      | LT275/65R18  | SW606        | E/10PR       | 123/120Q      | 8.0J         | 282                | 810                   | 1550/1400      | 550                     | /    | /   | /    |      |
|              |           | 275/65R18    | SW606        |              | 116T          | 8.0J         | 279                | 815                   | 1250           | 300                     | /    | /   | /    |      |
|              |           | LT275/70R18  | SW606        | E/10PR       | 125/122Q      | 8.0J         | 270                | 837                   | 1650/1500      | 550                     | /    | /   | /    |      |
|              | 19"       | 35er         | 225/35R19 XL | Z-507        |               | 88V          | 8.0J               | 230                   | 641            | 560                     | 350  | C   | C    | 72/B |
|              |           |              | 225/35R19 XL | SW608        |               | 88V          | 8.0J               | 230                   | 641            | 560                     | 350  | D   | C    | 72/B |
|              |           |              | 255/35R19 XL | Z-507        |               | 96V          | 9.0J               | 260                   | 661            | 710                     | 350  | C   | C    | 73/B |
|              |           |              | 225/40R19 XL | Z-507        |               | 93V          | 8.0J               | 230                   | 663            | 650                     | 350  | C   | C    | 72/B |
|              |           | 40er         | 235/40R19 XL | Z-507        |               | 96V          | 8.5J               | 241                   | 671            | 710                     | 350  | C   | C    | 72/B |
| 245/40R19 XL |           |              | Z-507        |              | 98V           | 8.5J         | 248                | 679                   | 750            | 350                     | C    | C   | 72/B |      |
| 255/40R19 XL |           |              | Z-507        |              | 100V          | 9.0J         | 260                | 687                   | 800            | 350                     | C    | C   | 73/B |      |
| 275/40R19 XL |           |              | Z-507        |              | 105V          | 9.5J         | 278                | 703                   | 925            | 350                     | C    | C   | 73/B |      |
| 235/45R19 XL |           |              | Z-507        |              | 99V           | 8.0J         | 236                | 695                   | 775            | 350                     | C    | C   | 72/B |      |
| 235/45R19 XL |           |              | SW608        |              | 99V           | 8.0J         | 236                | 695                   | 775            | 350                     | C    | C   | 72/B |      |
| 50er         |           | 245/45R19 XL | Z-507        |              | 102V          | 8.0J         | 243                | 703                   | 850            | 350                     | C    | C   | 72/B |      |
|              |           | 245/45R19 XL | SW608        |              | 102V          | 8.0J         | 243                | 703                   | 850            | 350                     | C    | C   | 72/B |      |
|              |           | 235/50R19 XL | Z-507        |              | 103V          | 7.5J         | 245                | 719                   | 875            | 350                     | C    | C   | 72/B |      |
|              |           | 235/50R19    | SW618        |              | 99H           | 7.5J         | 245                | 719                   | 775            | 300                     | D    | E   | 72/B |      |
|              |           | 255/50R19 XL | SW658        |              | 107H          | 8.0J         | 265                | 739                   | 975            | 350                     | D    | C   | 73/B |      |
|              |           | 255/50R19 XL | Z-506        |              | 107T          | 8.0J         | 265                | 739                   | 975            | 350                     | /    | /   | /    |      |
|              |           | 55er         | 235/55R19 XL | Z-507        |               | 105V         | 7.5J               | 245                   | 741            | 925                     | 350  | C   | C    | 72/B |
|              |           |              | 235/55R19 XL | SW618        |               | 105H         | 7.5J               | 245                   | 741            | 925                     | 350  | D   | E    | 72/B |
|              |           |              | 255/55R19 XL | SW618        |               | 111H         | 8.0J               | 265                   | 763            | 1090                    | 350  | D   | E    | 73/B |
|              |           |              | 245/30R20 XL | SW608        |               | 90V          | 8.5J               | 248                   | 656            | 600                     | 350  | D   | C    | 72/B |
|              |           | 20"          | 275/30R20 XL | SW618        |               | 97H          | 9.5J               | 278                   | 674            | 730                     | 350  | D   | E    | 73/B |
|              |           |              | 45er         | 275/45R20 XL | SW618         |              | 110H               | 9.0J                  | 273            | 756                     | 1060 | 350 | D    | E    |
| 50er         |           |              | 255/50R20 XL | SW618        |               | 109H         | 8.0J               | 265                   | 764            | 1030                    | 350  | D   | E    | 73/B |
| 55er         |           |              | 275/55R20 XL | SW606        |               | 117H         | 8.5J               | 284                   | 810            | 1285                    | 350  | /   | /    | /    |
| 60er         | 275/60R20 |              | SW606        |              | 115T          | 8.0J         | 279                | 838                   | 1215           | 300                     | /    | /   | /    |      |

## TRAILER

| Rim (inch) | Series | Size       | Pattern     | Service Index | Standard Rim | Section Width (mm) | Overall Diameter (mm) | Max. Load (kg) | Max. Air Pressure (kPa) |   |   |      |
|------------|--------|------------|-------------|---------------|--------------|--------------------|-----------------------|----------------|-------------------------|---|---|------|
| 10"        | 55er   | 195/55R10C | TRAILER MAX | 98/96N        | 6.00I        | 201                | 468                   | 750/710        | 625                     | C | C | 72/B |
| 12"        | 60er   | 185/60R12C | TRAILER MAX | 104/101N      | 5 1/2J       | 159                | 527                   | 900/825        | 650                     | C | C | 72/B |
|            | 70er   | 155/70R12C | TRAILER MAX | 104/102N      | 4 1/2J       | 157                | 523                   | 900/850        | 625                     | C | C | 72/B |
| 13"        | 50er   | 195/50R13C | TRAILER MAX | 104/101N      | 6J           | 201                | 526                   | 900/825        | 650                     | C | C | 72/B |
|            | 70er   | 155/70R13  | TRAILER MAX | 75N           | 4.50B        | 157                | 548                   | 387            | 300                     | C | C | 70/B |
|            |        | 165/70R13  | TRAILER MAX | 79N           | 5.00B        | 170                | 562                   | 437            | 300                     | C | C | 70/B |
|            |        | 175/70R13  | TRAILER MAX | 86N           | 5.00B        | 177                | 576                   | 530            | 340                     | C | C | 70/B |
|            |        | 185/70R13  | TRAILER MAX | 86N           | 5 1/2J       | 189                | 590                   | 530            | 300                     | C | C | 70/B |
|            | 80er   | 135/80R13  | TRAILER MAX | 74N           | 3.50B        | 133                | 546                   | 375            | 340                     | D | C | 70/B |
|            |        | 145/80R13  | TRAILER MAX | 79N           | 4.00B        | 145                | 562                   | 437            | 340                     | C | C | 70/B |
|            |        | 155/80R13  | TRAILER MAX | 84N           | 4.50B        | 157                | 578                   | 500            | 340                     | C | C | 70/B |
| 14"        | 70er   | 195/70R14  | TRAILER MAX | 96N           | 6J           | 201                | 630                   | 710            | 340                     | C | C | 70/B |

# INTRODUCING THE NEW EU TYRE LABEL

Lowering car emissions with EU tyre labels




The EU has committed to cutting its greenhouse gas emissions to reach climate neutrality by 2050. Reducing CO<sub>2</sub> emissions from road transport plays a major part in fulfilling these goals.

Choosing more fuel-efficient tyres can contribute to reducing transport emissions. In order to help consumers make informed decisions, the EU is introducing a new labelling scheme for tyres which will come into force on May 1, 2021.

The EU tyre label will allow EU consumers to choose more fuel-efficient tyres, which can lead to great savings for both end users and commercial users in terms of both costs and emissions. Road safety is improved through better wet grip while information on noise levels help reduce traffic-related noise pollution.

## The New EU Tyre Label

- Under the **new regulation**, bus and truck tyres will also be covered (tyre class C1, C2, C3).
- Additional information (tyre type identifier = art. no.).
- In addition to the standard label, there are also options for including icons relating to **severe snow conditions** (3PMSF) and/or grip in icy conditions (for C1 tyres only).
- Noise classes:** ABC replace sound waves.
- Reclassification for lower label classes:** D is the new E; Class D no longer empty (for C1 & C2 tyres only); F and G merge to form E.
- QR code** for each tyre type identifier with link to EU product database (EPREL).









# TYRE ROTATION AND INFLATION


## TYRE ROTATION

The purpose for rotating tyres is to achieve a more uniform wear for all tyres on a vehicle. Before rotating tyres, determine the cause of any unusual wear and correct any misalignment, imbalance, or other mechanical problems.

Otherwise it will cause: **1.** Ride disturbing; **2.** More noise; **3.** Poor ride comfort; **4.** Shorter of life span.

**Note:** it is suggested that tyres should be transposed as soon as the phenomena above mentioned are detected (especially the two front wheels).

The tyre transposition patterns are acceptable below. Please refer to your vehicle owner's manual regarding tyre transposition advice.



## TYRE INFLATION

**One of the most important aspects of tyre maintenance is proper inflation.**

Sufficient inflation is needed to carry the load and avoid damage. Driving with improper inflation (particularly grossly under inflated or over inflated tyres) is dangerous and can cause critical damage or sudden failure of the tyre(s). Proper inflation should be maintained and check on at least weekly bases and before long distance drives.

**Proper inflation should be maintained and checked at least once a week and before a long distance drive.**

It is also advisable to take into account axle load and driving conditions when setting inflation pressure. Compensation for heavier loads can be made by increasing inflation pressure, but do not exceed maximum inflation for the tyre or maximum axle load.

**In the space of just one month, a tyre can lose 10 pounds of air pressure.**

It is important to check your air pressure regularly, to make sure your tyres are neither under nor over inflated.

### Under-inflation

Is the worst enemy your tyre can have. It causes increased treadwear on the outside edges (or shoulders)of the tyre. It

also generates excessive heat, which reduces tyre durability. Finally it reduces your fuel economy by increasing rolling resistance-soft tyres make your vehicle work harder.

### Over-inflation

Is also detrimental to the tyre. Too much air pressure causes the center of the tread to bear the majority of the truck's weight, which leads to faster deterioration and uneven wear. Any kind of uneven wear will shorten the lifespan of your tyres.


# MOUNTING PROCEDURE

There is extreme danger in attempting to install a tyre of one rim diameter on a rim of a different rim diameter.

Always replace a tyre on a rim with another tyre of exactly the same diameter tyre designation and suffix letters.

For example, a 16" tyre goes with a 16" rim. Never mount a 16" size diameter tyre on a 16.5" rim. While it is possible to pass a 16" diameter tyre over the lip or flange of a 16.5" size diameter rim, it cannot be inflated enough to position itself against the rim flange. If an attempt is made to seat the tyre bead by inflating, the tyre bead may break with explosive force and could cause serious bodily injury or death.

Rims of different diameters and tapers cannot be interchanged. The top right diagrams illustrate the difference between rims of two different tapers and diameters.



# FOR YOUR SAFETY AND COMFORT

Any tyre, no matter how well constructed, may fail in use as a result of punctures, impact damage, improper inflation or other conditions resulting from use.

Tyre failure may create risk of properly damage or personal injury. To reduce the risk of tyre failure and for your safety and comfort, we strongly recommend the following:

- Never mount a tyre on a rim that is damaged or which has been repaired by welding or brazing.



- Never inflate beyond 275 kPa (2.75bar, 40psi) to seat beads.
- Tyre inflation should be done in a safety cage.
- Do not mix different tyre size designations or construction on the same axle, except for limited use of temporary spare tyres.
- Outer diameter of wheel should be the same as inner diameter of tyre.
- Make sure to follow instructions in the car owner's manual or on the vehicle tyre information placard in the car to maintain proper tyre pressure (Particularly driving on highway and/or when carrying heavy loads).
- Never bleed or reduce air pressure when tyres are hot from driving.
- Over- or under-inflation pressure (including spare tyre) at least once a month and before every long trip.
- Stones, gravel and other outer objects stuck in the tyre treads may damage the tyre. Remove outer objects from the tyre treads.
- Tyre should only be mounted by professionally trained persons.
- Objects in the road such as potholes, glass, metal, rocks, wood debris, curbstones and such, which could damage a tyre should be safely avoided.
- To preserve traffic safety and tyre life, ZC rubber recommends driving safely and avoiding hard acceleration, braking or cornering in unnecessary situations.
- If you feel the car is unstable or feel any unusual noises or vibrations, stop your car in safe place and inspect your tyres. Even if no visible defects are found, drive slowly and ask your dealer to inspect your tyres as soon as possible.
- Winter tyres (studless, stud or snow tyres) should not be mixed with other types of tyres.
- New winter tyre should not be driven over 80km/h for the first 100km.
- When driving on winter roads, sudden starts and quick stops should be avoid and a safe car-to-car driving distance should be maintained.
- When using tyre chains be sure to use the proper size chains and affix with priority to the drive axle.
- Avoid driving with tyre chains for long distance on roads with no packed snow or ice.

**Never use a tyre under the following conditions and replace tyres immediately:**

- If the tread has worn to the tread wear indicator.
- If breaks in the fabric appear.
- If cords or wires are exposed.

**Storage of steel belted radial tyres:**

- Keep your tyres away from direct sunlight and locations with high temperature, high moisture, heavy electrical machinery, welders etc.
- Tyres should be preferably stored in a cool, dry, and dark room with controlled environment.

To preserve traffic safety, ZC rubber recommends driving substantially slower under adverse weather or road conditions.

## ROUTINE MAINTENANCE

- Each month the tyre pressure should be checked one time at least when the tyre is cool, too much or less of the pressure will cause damage to tyre.
- Please take a 15-minutes break after driving on expressway for two hours.
- Please ensure that there are no nails, metal pieces, glass or other foreign materials.
- Please ensure that there is no damage such as separation, distortion and distinct rusting which will cause air leakage.
- Please transpose the tyres regularly (approximately 5000 km) in accordance with abrasion conditions for the sake of expanding its life span and preventing eccentric wear.
- No tyre brightener.

## THE INVENTORY OF STEEL-CORD RADIAL TYRE

The tyre should be placed in dry interior.

**Note:** In order to ensure the driving safety, we suggest that please decrease the speed while driving under atrocious weather and poor terrain condition.



